

Τίτλος άρθρου: Ελμινθοσπόριο του αραβοσίτου Πρόληψη μέσω της ορθής διαχείρισης των φυτικών υπολειμμάτων

Συγγραφέας: Κωνσταντίνος Β. Σίμογλου, Τμήμα Ποιοτικού και Φυτοϋγειονομικού Ελέγχου, Δ.Α.Ο.Κ. Δράμας

ΒΙΒΛΙΟΓΡΑΦΙΑ

1. Αγροτύπος. 2018. Βάση δεδομένων φυτοπροστατευτικών προϊόντων. <http://www.agrotypos.gr/index.asp?mod=articles&id=46>. Πρόσβαση 09-10-2018.
2. Adipala, E., J.P. Takan και M.W. Ogenga-Latigo. 1995. Effect of planting density of maize on the progress and spread of northern leaf blight from *Exserohilum turcicum* infested residue source. *European Journal of Plant Pathology* 101: 25-33.
3. Bashan, B., R.S. Levy, M. Cojocar και Y. Levy. 1995. Purification and structural determination of a phytotoxic substance from *Exserohilum turcicum*. *Physiological and Molecular Plant Pathology*, 47(4), 225–235.
4. Bowen, L.K. και W.L. Pedersen. 1988. Effects of northern leaf blight and detasseling on yields and yield components of corn inbreds. *Plant Disease* 72: 952-956.
5. Carson, M.L. 1995α. A new gene in maize conferring the «chlorotic halo» reaction to infection by *Exserohilum turcicum*. *Plant Disease* 79: 710-720.
6. Carson, M.L. 1995β. Inheritance of latent period length in maize infected with *Exserohilum turcicum*. *Plant Disease* 79: 581-585.
7. Carson, M.L. και C.G. Van Dyke. 1994. Effect of light and temperature on expression of partial resistance of maize to *Exserohilum turcicum*. *Plant Disease* 78: 519-522.
8. Cuq, F., M. Petitprez, S. Hermann-Gorline, A. Klæbe και M. Rossignol. 1993. Monocerin in *Exserohilum turcicum* isolates from maize and a study of its phytotoxicity. *Phytochemistry* 34(5): 1265–1270.
9. E.P.P.O. 1999. Guidelines on good plant protection practice. Maize. Standard PP 2/17(1). <https://gd.eppo.int/download/standard/623/pp2-017-1-en.pdf>.
10. Hasseltine, W.C., J.J. Ellis και O.L. Shotwell. 1971. *Helminthosporium*: Secondary metabolites, southern leaf blight and biology. *Agricultural and Food Chemistry* 19(4): 707-717.
11. Hennessy, G.G., W.A.J. de Milliano και C.G. McLaren. 1990. Influence of primary weather variables on sorghum leaf blight severity in southern Africa. *Phytopathology* 80: 943-945.
12. Hooda, K.S., M.K. Khokhar, M. Shekhar, C.G. Karjagi, B. Kumar, N. Mallikarjuna, R.K. Devlash, C. Chandrashekara και O.P. Yadav. 2016. Turcicum leaf blight—sustainable management of a re-emerging maize disease. *Journal of Plant Disease Protection* -DOI 10.1007/s41348-016-0054-8.
13. Hooker, L.A. και Y.K. Tsung. 1980. Relationship of dominant genes in corn for chlorotic lesion resistance to *Helminthosporium turcicum*. *Plant Disease* 64: 387-388.
14. Huang, J.S. 2001. Plant pathogenesis and resistance. *Biochemistry and physiology of plant-microbe interactions*, pp. 691. Springer Science.
15. Jackson-Ziems, A.T. 2016. Northern corn leaf blight. Nebraska Extension, G2270. <http://extensionpublications.unl.edu/assets/pdf/g2270.pdf>.
16. Jakhar, D.S., R. Singh, S. Kumar, P. Singh και V. Ojha. 2017. Turcicum Leaf Blight: A Ubiquitous Foliar Disease of Maize (*Zea mays* L.). *International Journal of Current Microbiology and Applied Sciences* 6(3): 825-831.
17. Leach, C.M., R.A. Fullerton and K. Young. 1977α. Northern leaf blight of maize in New Zealand: relationship of *Drechslera turcica* asexual spores to factors influencing sporulation, conidium development and chlamydospore formation. *Phytopathology* 67:629-636.
18. Leach, C.M., R.A. Fullerton and K. Young. 1977β. Northern leaf blight of maize in New Zealand: Release and dispersal of conidia of *Drechslera turcica*. *Phytopathology* 67: 380-387.
19. Leach, M.C. 1975. Influence of relative humidity and red-infrared on violent spore release by *Drechslera turcica* and other fungi. *Phytopathology* 65: 1303-1312.
20. Leath, S., R.P. Thakur και K.J. Leonard. 1990. Variation in expression of monogenic resistance in corn to *Exserohilum turcicum* race 3 under different temperature and light regimes. *Phytopathology* 80: 309-313.
21. Levy, Y. 1989. Analysis of epidemics of northern leaf blight on sweet corn in Israel. *Phytopathology* 79: 1243-1245.
22. Levy, Y. και Y. Cohen. 1980. Sporulation of *Helminthosporium turcicum* on sweet corn: Effects of temperature and dew period. *Canadian Journal of Plant Pathology* 2(2): 65–69.
23. Levy, Y. και Y. Cohen. 1983α. Biotic and environmental factors affecting infection of sweet corn with *Exserohilum turcicum*. *Phytopathology* 73: 722-725.
24. Levy, Y. και J.K. Pataky. 1992. Epidemiology of northern leaf blight on sweet corn. *Phytoparasitica* 20(1): 53-66.
25. Levy, Y. και K.J. Leonard. 1990. Yield loss in sweet corn in response to defoliation or infection by *Exserohilum turcicum*. *Journal of Phytopathology* 128: 161-171.
26. Levy, Y. και Y. Cohen. 1978. Overwintering of *Helminthosporium turcicum* Pass. (Abstract of paper presented at the 6th Congress of Phytopathological Society of Israel). *Phytoparasitica* 6: 39.
27. Levy, Y. and Y. Cohen. 1983β. Differential effects of light on spore germination of *Helminthosporium turcicum* on corn leaves and corn leaf impressions. *Phytopathology* 73: 249-252.
28. Lipps, P.E. 1985. Influence of inoculum from buried and surface corn residues on the incidence of corn anthracnose. *Phytopathology* 75: 1212-1216.
29. Lipps, P.E. και R.E. Hite. 1982. *Exserohilum turcicum* virulent on corn with the *Ht* resistance gene in Ohio. *Plant Disease* 66: 397-398.
30. Mitikou, J., Y. Eshte και W. Shiferaw. 2014. Evaluation of Maize Variety for Northern Leaf Blight (*Trichometasphaeria turcica*) in South Omo zone. *World Journal of Agricultural Research* 2(5): 237-239.
31. Nazareno, de, N.R.X., P.E. Lipps and L.V. Madden. 1993. Effect of levels of crop residue on the epidemiology of gray leaf spot of corn in Ohio. *Plant Disease* 77: 67-70.
32. Ο.Π.Ε.Κ.Ε.Π.Ε. 2018. Πολλαπλή συμμόρφωση 2018. Εγκύκλιος – Εγχειρίδιο διαδικασιών ελέγχου. ΑΔΑ: ΩΝΔ246ΨΧΕΧ-71Ρ.
33. Palmerley, R.A. και W.G. Benedict. 1977. Patterns of conidial release by *Helminthosporium turcicum* on sweet corn under controlled environmental conditions. *Canadian Journal of Botany* 55: 1991-1995.
34. Pataky, J.K. 1992. Relationships between yield of sweet corn and northern leaf blight caused by *Exserohilum turcicum*. *Phytopathology* 82: 370-375.
35. Pataky, J.K., R.N. Raid, L.J. du Toit και T.J. Schueneman. 1998. Disease severity and yield of sweet corn hybrids with resistance to northern leaf blight. *Plant Disease* 82: 57-63.
36. Pedersen, W.L. και M.G. Oldham. 1992. Effect of three tillage practices of development of northern corn leaf blight (*Exserohilum turcicum*) under continuous corn. *Plant Disease* 76: 1161-1164.
37. Raymundo, D.A. και A.L. Hooker. 1982. Single and combined effects of monogenic and polygenic resistance on certain components of northern corn leaf blight development. *Phytopathology* 72: 99-103.
38. Reuveni, R, M. Reuveni και V. Agapov. 1996. Foliar sprays of NPK fertilizers induce systemic protection against *Puccinia sorghi* and *Exserohilum turcicum* and growth response in maize. *European Journal of Plant Pathology* 102: 339-348.
39. Roberson, D.J. και G. Strobel. 1982. Monocerin, a phytotoxin from *Exserohilum turcicum* (*Drechslera turcica*). *Agricultural and Biological Chemistry* 46(11): 2681-2683.

40. Shree, P.M. και P. Luke. 1983. Inability of *Exserohilum turcicum* (Pass.) Leo. et Sug., to survive as a saprophyte in soil in situ. *Plant and Soil* 74: 141-144.
41. Shurtleff, C., M. 1980. *Compendium of Corn Diseases*. APS Press.
42. Σίμογλου, Β.Κ. 2017α. Με ολοκληρωμένη φυτοπροστασία επιτυγχάνεται η αντιμετώπιση του Διαβρώτκα. Συμπεράσματα Ημερίδας που πραγματοποιήθηκε στη Δράμα στις 04-10-2017. Γεωργία – Κτηνοτροφία 10, 66-69.
43. Σίμογλου, Β.Κ. 2017β. Καύση της καλαμιάς στον αραβόσιτο. Μπορεί το μέτρο αυτό να καταπολεμήσει το Διαβρώτκα; Γεωργία – Κτηνοτροφία 10, 70-72.
44. Solomonovitz, S., Y. Levy και J.K. Pataky. 1992. Yield loss of sweet corn cultivars in response to defoliation and to infection by *Hexserohilum turcicum*. *Phytoparasitika* 20(20): 113-121.
45. Stancović, S., J. Lević και D. Ivanović. 2007. Genetic variability of maize pathogens in Serbia. *Genetika* 39(2): 227-240.
46. Sumner, R.D. και R.H. Littrell. 1974. Influence of tillage, planting date, inoculum survival and mixed populations on epidemiology of southern corn leaf blight. *Phytopathology* 64: 168-173.
47. Takan, P.J., E. Adipala και M.W. Ogenga-Latigo. 1994. Northern leaf blight progress and spread from infested maize residue. *African crop science journal* 2(2): 197-205.
48. Thakur, R.P., K.J. Leonard και S. Leath. 1989. Effects of temperature and light on virulence of *Exserohilum turcicum* on corn. *Phytopathology* 79: 631-635.
49. Ullstrup, A.J. 1970. A comparison of monogenic and polygenic resistance to *Helminthosporium turcicum* in corn. *Phytopathology* 60: 1597-1599.
50. Ullstrup, A.J. και S.R. Miles. 1957. The effects of some leaf blights of corn on grain yield. *Phytopathology* 47: 331-336. Στο: Levy, Y. και J.K. Pataky. 1992. Epidemiology of northern leaf blight on sweet corn. *Phytoparasitica* 20(1): 53-66.
51. University of Illinois Extension. 1997. Common leaf blights and spots of corn. Report on plant disease No. 202.
52. Wathaneeyawech, S., P. Sirithunya και P. Smitamana. 2015. Collections, isolations, morphological study of *Exserohilum turcicum* and screening resistant varieties of corn to northern corn leaf blight disease. *International Journal of Agricultural Technology* 11(4): 937-952.
53. Welz, G.H. και H.H. Geiger. 2000. Genes for resistance to northern corn leaf blight in diverse maize populations. *Plant Breeding* 119: 1-14.
54. Windes, J.M. and W.L. Pedersen. 1991. An isolate of *Exserohilum turcicum* virulent on maize inbreeds with resistance gene HtN. *Plant Disease* 75: 430.
55. Υ.Π.Α.Α.Τ. 2018. Κατάλογος φυτοπροστατευτικών προϊόντων και βιοκτόνων, http://www.minagric.gr/syspest/syspest_bfuncs.aspx. Πρόσβαση 09-10-2018.

Τίτλος άρθρου:

Η διαχείριση της βλαστικής ανάπτυξης και της εισόδου σε καρποφορία νεαρών δένδρων της κερασιάς με χημικά μέσα

Συγγραφείς:

Σάββας Σ. Παστόπουλος¹, Κωνσταντίνος Α. Καζαντζής², Συμεών Σ. Μαρνασίδης³

¹ Γεωπόνος MSc, Ν. Μυλότοπος Γιαννιτσών (spagric@yahoo.gr).

² Γεωπόνος Τ.Ε., ΕΛ.Γ.Ο. "ΔΗΜΗΤΡΑ", Ινστιτούτο Γενετικής Βελτίωσης και Φυτογενετικών Πόρων, Τμήμα Φυλλοβόλων Οπωροφόρων Δένδρων Νάουσας.

³ Γεωπόνος MSc/MSc, Δ.Α.Ο.Κ. Πέλλας, Τμήμα Ποιοτικού και Φυτοϋγειονομικού Ελέγχου, Έδεσσα.

ΒΙΒΛΙΟΓΡΑΦΙΑ

1. Brian P., 1959. Effects of Gibberellins on Plant Growth and Development. *Biological Reviews*, February 1959, Vol. 34, Issue 1, 37-77.
2. Byers R.E., Carbaugh D.H., Combs L.D., 2004. Prohexadione-calcium suppression of apple tree shoot growth as affected by spray additives. *HortScience* 39: 115-119.
3. Cline J.A., 2005. Apogee® - A new plant bioregulator for apples. Ontario Ministry of Agriculture. Agdex 24/211. Queen's Printer for Ontario. [Online]. Διαθέσιμο: <http://www.omafra.gov.on.ca/english/crops/facts/06-045.htm>.
4. Cline A.J., 2017. Prohexadione-Ca and ethephon suppress shoot growth of sweet cherry (*Prunus avium* L.). *Canadian Journal of Plant Science* 2017, 97(4): 601-609.
5. Duyvelshoff C., Cline J.A., 2013. Ethephon and prohexadione-calcium influence the flowering, early yield, and vegetative growth of young 'Northern Spy' apple trees. *Sci. Hortic.* 151: 128-134.
6. Einhorn T.C., Pasa M.S., Turner J., 2014. 'D' Anjou' pear shoot growth and return bloom, but not fruit size, are reduced by prohexadione-calcium. *HortScience* 49: 180-187.
7. Granger A.R., Traeger R.C., 1993. Effect of different rates and timing of soil applications of paclobutrazol on the growth of sweet cherries (*Prunus avium* L.). *Australian Journal of Experimental Agriculture* 1993, 33, 207-11.
8. Grochowska M.J., Hodum M., Mika A., 2004. Improving productivity of four fruit species by growth regulators applied once in ultra-low doses to the collar. *Journal of Horticultural Science & Biotechnology* 79: 252-259.
9. Guak S., Beulah M., Looney N.E., 2005. Controlling growth of sweet cherry trees with prohexadione-calcium: Its effect on cropping and fruit quality. *Acta Hort.* 667: 433-438.
10. Hedden P., Kamiya Y., 1997. Gibberellin biosynthesis: enzymes, genes and their regulation. *Annu Rev Plant Physiol Plant Mol Biol* 48 431-460.
11. Jacyna T., Lipa T., 2010. Direct and apparent residual effects of prohexadione-calcium applied to young cropping sweet cherry trees. *Acta Agrobot.* 63: 87-92.
12. Jacyna T., Wood D.E.S. and Trappitt S.M., 1989. Application of paclobutrazol and Promalin (GA4+7 + BAP) in the training of "Bing" sweet cherry trees. *New Zealand Journal of Crop and Horticultural Science* 17, 41-47.
13. Knowles J.W., Dossier W.A., 1986. Effects of Cultar (paclobutrazol) on vegetative growth and fruit quality and yield of peaches. *HortScience* 21: 938-938.
14. Lever B.G., 1986. 'Cultar'- A technical overview. *Acta Horticulturae* 179: 459-466.
15. Manriquez D., Defilippi B., Retamales J., 2005. Prohexadione-Calcium, a Gibberellin Biosynthesis Inhibitor, Can Reduce Vegetative Growth in 'Bing' Sweet Cherry Trees. *Acta Hort.* 667, ISHS 2005.
16. Miller P., 1983. The use of Promalin for manipulation of growth and cropping of young sweet cherry trees. *Journal of Horticultural Science* 58, 497-503.
17. Quinlan J.D., Richardson P.J., 1986. Uptake and translocation of paclobutrazol and implications for orchard. *Acta Horticulturae* 179: 443-451.
18. Rademacher W., 2000. Growth retardants: effects on gibberellin biosynthesis and other metabolic pathways. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 51: 501-531.
19. Sugar D, Elfving D.C., Mielke E.A., 2004. Effects of prohexadione-calcium on fruit size and return bloom in pear. *HortScience* 39: 1305-1308.
20. Τσέκος Β.Ι., 2004. Φυσιολογία φυτών. Εκδ. Αδελφών Κυριακίδη α.ε., σελ. 627-630.
21. Webster A.D., 1990. The influence of paclobutrazol on the growth and cropping of sweet cherry cultivars. *Journal of Horticultural Science* 65. 519-527.
22. Χατζηχαρίσιος Ι., Καζαντζής Κ., 2014. Η Κερασιά και η Καλλιέργειά της. Εκδ. Αγροτύπος, Αθήνα, σελ. 225-227.
23. Yunde Z., 2010. Auxin biosynthesis and its role in plant development. *Annu Rev Plant Biol.* 2010 Jun 2; 61: 49-64.