

# Τίτλος άρθρου: Χειμερινός λήθαργος φυλλοβόλων οπωροφόρων δένδρων και ακρόδρυσων

## 1. Επιπτώσεις μειωμένου ψύχους στην παραγωγικότητα και πρακτικές αντιμετώπισης

Συγγραφείς: Δρ. Παντελίδης Γεώργιος<sup>1</sup>, Δρ. Δρογούδη Παυλίνα<sup>1</sup> και Ομ. καθ. Βασιλακάκης Μιλτιάδης<sup>2</sup>

<sup>1</sup> Τμήμα Φυλλοβόλων Οπωροφόρων Δένδρων, Ινστιτούτο Γενετικής Βελτίωσης & Φυτογενετικών Πόρων, ΕΛΓΟ 'ΔΗΜΗΤΡΑ', Σ.Σ. Νάουσας 38, Νάουσα, [www.pomologyinstitute.gr](http://www.pomologyinstitute.gr)

<sup>2</sup> Αριστοτέλειο Πανεπιστήμιο Θεσσαλονίκης, Τμήμα Γεωπονίας, Εργαστήριο Δενδροκομίας

### ΒΙΒΛΙΟΓΡΑΦΙΑ

1. Aslani Aslamarz A.A., K. Vahdati, M. Rahemi, D. Hassani 2009. Estimation of the chilling and heat requirement of some Persian walnut cultivars. *HortScience*, 44: 697-701.
2. Alburquerque, N., F. Garcia-Montiel, et al., 2008. Chilling and heat requirements of sweet cherry cultivars and the relationship between altitude and the probability of satisfying the chill requirements. *Environ. Exper. Bot.* 64: 162-170.
3. Atkinson, C.J., Brennan, R.M., Jones, H.G., 2013. Declining chilling and its impact on temperate perennial crops. *Environ. Exper. Bot.* 91: 48-62.
4. Baldocchi, D., Wong, S., 2008. Accumulated winter chill is decreasing in the fruit growing regions of California. *Clim. Change* 87: S153-S166.
5. Blanke, M.M., and Kunz, A. 2017. Cherry phenology as a bioindicator for climate change. *Acta Hortic.* 1162: 1-8.
6. Campoy et al., 2012. The fulfilment of chilling requirements and the adaptation of apricot (*Prunus armeniaca* L.) in warm winter climates: An approach in Murcia (Spain) and the Western Cape (South Africa). *Eur. J. Agronomy* 37: 43-45.
7. Charrier G, Bonhomme M, Lacointe A, Améglio T. 2011. Are budburst dates, dormancy and cold acclimation in walnut trees (*Juglans regia* L.) under mainly genotypic or environmental control? *Int J Biometeorol.* 55:763-74.
8. Costa, C., Stassen, P.J.C., Mudzunga, J., 2004. Chemical rest breaking agents for the South African pome and stone fruit industry. *Acta Hortic.* 636: 295-302.
9. Derbyshire, R., Webb, L., Goodwin, I., Barlow, S., 2011. Winter chilling trends for deciduous fruit trees in Australia. *Agricultural and Forest Meteorology*. 151(8): 1074-1085.
10. Dennis, F.G., 2003. Problems in standardizing methods for evaluating the chilling requirements for the breaking of dormancy in buds of woody plants. *HortSci.* 38: 347-350.
11. Drogoudi P., K. Kazantzis & M.M. Blanke 2017. Climate change effects on cherry flowering in Northern Greece. *Acta Hortic.* 1162: 45-49.
12. Egea, J., Ortega, E., Martínez-Gómez, P., Dicenta, F., 2003. Chilling and heat requirements of almond cultivars for flowering. *Environmental and Experimental Botany*. 50(1): 79-85.
13. Elloumi, O., Ghrab, M., Kessentini, H., Ben Mimoun, M., 2013. Chilling accumulation effects on performance of pistachio trees cv. Matouer in dry and warm area climate. *Sci. Hortic.* 159: 80-87.
14. Erez, A. 2000. Bud dormancy; phenomenon, problems and solutions in the tropics and subtropics. Temperate fruit crops in warm climates. A. Erez. Dordrecht, The Netherlands, Kluwer Academic Publishers: 17-48.
15. Erez et al., 1990. The dynamic model for rest completion in peach buds. *Acta Hort.* 276: 165-174.
16. Erez, A., 1995. Means to compensate for insufficient chilling to improve bloom and leafing. *Acta Hortic.* 395: 81-95.
17. Fishman, S., Erez, A., Couvillon, G.A., 1987. The temperature dependence of dormancy breaking in plants—mathematical analysis of a two-step model involving a cooperative transition. *J. Theor. Biol.* 124: 473–483.
18. Funes et al., 2016. Future climate change impacts on apple flowering date in a Mediterranean subbasin. *Agr. Water Manag.* 164: 19-27.
19. Garbone and Schwartz, 1993. Potential impact of winter temperature increases on South Carolina peach production. *Climate Res.* 2: 225-233.
20. Ghrab, M., Ben Mimoun, M., Masmoudi, M.M., Ben Mechlia, N., 2014. The behaviour of peach cultivars under warm climatic conditions in the Mediterranean area. *Int. J. Env. St.*, 71: 3-14.
21. Kolářová, E., Nekovář, J., Adamík, P., 2014. Long-term temporal changes in central European tree phenology (1946-2010) confirm the recent extension of growing seasons. *International Journal of Biometeorology*. 58(8): 1739-1748.
22. Lammerts, W.E., 1941. An evaluation of peach and nectarine varieties in terms of winter chilling requirements and breeding possibilities. *P. Am. Soc. Hortic. Sci.* 39: 205-211.
23. Linsley-Noakes, G. C. and P. Allan 1994. Comparison of two models for the prediction of rest completion in peaches. *Sci. Hortic.* 59: 107-113.
24. Luedeling et al. 2009. Validation of winter chill models using historic records of walnut phenology. *Agric. For Meteorol.* 149: 1854-1864.
25. Luedeling, E., Brown, P.H., 2011. A global analysis of the comparability of winter chill models for fruit and nut trees. *Int. J. Biometeorol.* 55: 411-421.
26. Luedeling, E., L. Guo, et al., 2013. "Differential responses of trees to temperature variation during the chilling and forcing phases." *Agric. Forest Met.* 181: 33-42.
27. Luedeling, E., M. Zhang, et al., 2009. Validation of winter chill models using historic records of walnut phenology. *Agric. Forest Met.* 149: 1854-1864.
28. Luedeling, E., Zhang, M., Girvetz, E.H., 2009a. Climatic changes lead to declining winter chill for fruit and nut trees in California during 1950–2099. *PLoS One*, 4, e6166.
29. Luedeling, E., M. Zhang, G. McGranahan, C. Leslie, 2009b. Validation of winter chill models using historic records of walnut phenology. *Agric Forest Meteorology* 149: 1854-1864.
30. Luedeling, E., Blanke, M., Gebauer, J., 2015. Chilling Challenges in a Warming World. *Acta Hortic.* 1099: 901-908.
31. Miranda (2013) Evaluation and fitting of models for determining peach phenological stages at a regional scale. *Agric Forest Meteo* 178-179: 129-139.
32. Okie, 1998. Handbook of peach and nectarine varieties. *Agr. Handbook No. 714*, USA.
33. Palasciano M, and Gaeta L. 2017. Comparison of different models for chilling requirements evaluation of sweet cherry cultivars in a Mediterranean area. *Acta Hort.* 1161: 405-410.
34. Palasciano, M., Gaeta, L., 2017. Comparison of different models for chilling requirements evaluation of sweet cherry cultivars in a Mediterranean area. *Acta Hortic.* 1161: 405-410.
35. Ramirez, L., K. X. Sagredo, et al. 2010. Prediction models for chilling and heat requirements to estimate full bloom of almond cultivars in the Central Valley of Chile. *Acta Hortic.* 872: 107-112.
36. Richardson, E.A., Seeley, S.D., Walker, D.R., 1974. A model for estimating the completion of rest for Redhaven and Elberta peach trees. *HortSci.* 9: 331–332.
37. Ruiz, D., J. A. Campoy, et al. 2007. Chilling and heat requirements of apricot cultivars for flowering. *Envir. Exper. Botany* 61: 254-263.
38. Segura et al., 2017. Late-blooming in almond: A controversial objective. *Sci. Hortic.* 224: 61-67.

39. UC Davis. Fruit and Nut research and information center. Dynamic Model & Chill Accumulation [http://ucanr.edu/sites/fruittree/how-to\\_guides/dynamic\\_model\\_-\\_chill\\_accumulation/](http://ucanr.edu/sites/fruittree/how-to_guides/dynamic_model_-_chill_accumulation/)
40. Viti, R., L. Andreini, et al., 2010. Effect of climatic conditions on the overcoming of dormancy in apricot flower buds in two Mediterranean areas: Murcia (Spain) and Tuscany (Italy). *Sci. Hortic.* 124: 217-224.
41. Wall, C., Dozier, W., Ebel, R.C., Wilkins, B., Woods, F., Foshee III, W., 2008. Vegetative and floral chilling requirements of four new kiwi cultivars of *Actinidia chinensis* and *A. deliciosa*. *HortSci.* 43: 644-647.
42. Weinberger, J.H., 1950. Chilling requirements of peach varieties. *P. Am. Soc. Hortic. Sci.* 56: 122-128.
43. Vahdati K, A. Aslani Aslamarz, M. Rahemi, D. Hassani, C. Leslie, 2012. Mechanism of seed dormancy and its relationship to bud dormancy in Persian walnut. *Environmental and Experimental Botany* 75: 74– 82.
44. USDA Risk Management Agency Valdosta Regional Office, 2017. Peach Variety Listing Table, 2017. [https://www.rma.usda.gov/fields/ga\\_rso/2017/peachvl.html](https://www.rma.usda.gov/fields/ga_rso/2017/peachvl.html)

# Τίτλος άρθρου: Πράσινο σκουλήκι Πρόγνωση εμφάνισης των κρίσιμων σταδίων του εντόμου στο βαμβάκι

Συγγραφείς: Γεώργιος Μυρωνίδης<sup>1</sup> και Κωνσταντίνος Β. Σίμογλου<sup>2</sup>

<sup>1</sup> Τμήμα Περιβάλλοντος, Ανακύκλωσης και Πρασίνου, Δήμος Παύλου Μελά Θεσσαλονίκης

<sup>2</sup> Τμήμα Ποιοτικού και Φυτούγειονομικού Ελέγχου, Δ.Α.Ο.Κ. Π.Ε. Δράμας

## ΒΙΒΛΙΟΓΡΑΦΙΑ

1. Coaker, T.H. 1959. Investigation on *Heliothis armigera* in Uganda. Bull. Entomol. Res. 50: 487-506.
2. Gregg, P.C. and A.G.L. Wilson. 1991. Trapping methods for adults, pp. 30-48. In: *Heliothis: Research Methods and Prospects*. Zalucki, M. P. (ed). Springer-Verlag New York.
3. Maelzer, D.A. and M.P. Zalucki. 1999. Analysis of long-term light-trap data for *Helicoverpa* spp. (Lepidoptera: Noctuidae) in Australia: the effect of climate and crop host plants. Bull. Entomol. Res. 89(2): 455-463.
4. Mironidis, K.G. 2014. Development, survivorship and reproduction of *Helicoverpa armigera* (Lepidoptera: Noctuidae) under fluctuating temperatures. Bulletin of Entomol. Res. 104: 751–764.
5. Mironidis, K.G., D.C. Stamopoulos and M. Savopoulou-Soultani. 2010. Overwintering Survival and Spring Emergence of *Helicoverpa armigera* (Lepidoptera: Noctuidae) in Northern Greece. Environ. Entomol. 39(4): 1068-1084.
6. Morton, R., L.D. Tuart and K.G. Wardhaugh. 1981. The analysis and standardisation of light-trap catches of *Heliothis armigera* (Hubner) and *H. punctigera* (Wallengren) (Lepidoptera: Noctuidae). Bull. Entomol. Res. 71: 205-225.
7. Σίμογλου, Β.Κ. και Γ. Μυρωνίδης. 2017: Πρακτική εφαρμογή μαθηματικού προτύπου ημεροβαθμών για την πρόβλεψη των φαινολογικών σταδίων του πράσινου σκουλήκιού στο βαμβάκι στην Π.Ε. Δράμας. Συνάντηση Προγράμματος Γεωργικών Προειδοποίησεων, Λάρισα 15-03-2017. [http://www.minagric.gr/images/stories/docs/agrotis/BAMBAKI/Georgikes\\_Proeidop/parousias-seis-2017/2.\\_ΔΑΟΚ\\_Π.Ε.\\_ΔΡΑΜΑΣ.pdf](http://www.minagric.gr/images/stories/docs/agrotis/BAMBAKI/Georgikes_Proeidop/parousias-seis-2017/2._ΔΑΟΚ_Π.Ε._ΔΡΑΜΑΣ.pdf).
8. Μυρωνίδης, Γ. 2003. Μελέτη της πορείας πτήσης του εντόμου *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) και της κατανομής πληθυσμών του σε καλλιέργειες βαμβακιού και καλαμποκιού στο Ν. Σερρών. Μεταπτυχιακή Διατριβή. Α.Π.Θ.
9. Μυρωνίδης, Γ. 2009. Μελέτη της βιο-οικολογίας του *Helicoverpa armigera* (Lepidoptera: Noctuidae) και του παρασιτοειδούς *Hyposoter didymator* (Hymenoptera: Ichneumonidae) στη Βόρεια Ελλάδα. Διδακτορική Διατριβή. Α.Π.Θ.
10. Σταμόπουλος, Δ. Κ. 1999. Έντομα αποθηκών, μεγάλων καλλιεργειών & λαχανικών. Εκδόσεις ΖΗΤΗ.
11. Τζανακάκης Μ. 1980. Εφαρμοσμένη Εντομολογία. Ειδικό Μέρος.
12. Τόλης, Ι. Δ. 1986. Βαμβάκι: Εχθροί, Ασθένειες, Ζιζάνια.
13. ΥΠ.Α.Α.Τ. 2017. Οδηγίες ολοκληρωμένης φυτοπροστασίας στη βαμβακοκαλλιέργεια. Μάιος 2017. [http://www.minagric.gr/images/stories/docs/agrotis/Georgika\\_Farmaka/olokl\\_fitoprostasia/Vamvaki\\_Maios2017\\_2.pdf](http://www.minagric.gr/images/stories/docs/agrotis/Georgika_Farmaka/olokl_fitoprostasia/Vamvaki_Maios2017_2.pdf).
14. ΥΠ.Α.Α.Τ. 2017. Γεωργικές Προειδοποίησεις Βάμβακος <http://www.minagric.gr/index.php/el/component/tags/tag/21-vamvakii>.