

Η ΦΥΣΙΟΛΟΓΙΑ ΤΟΥ ΑΣΒΕΣΤΙΟΥ ΣΤΗΝ ΚΕΡΑΣΙΑ ΚΑΙ Η ΣΧΕΣΗ ΤΟΥ ΜΕ ΠΟΙΟΤΙΚΕΣ ΠΑΡΑΜΕΤΡΟΥΣ ΤΟΥ ΚΑΡΠΟΥ

Βιβλιογραφία

- Aksoy, U., Anaç, D., 1994. The effect of calcium chloride application on fruit quality and mineral content of fig. *ActaHortic.* 93, 754–762.
- Antunes, M.D.C., Panagopoulos, T., Neves, N., Curado, F., Rodrigues, S., 2005. The effect of pre- and postharvest calcium applications on 'Hayward' kiwifruit storage ability. *ActaHortic.* 682, 909–916.
- Athoo, T.O., Winkler, A., Knoche, M., 2015. Pedicel transpiration in sweet cherry fruit: mechanisms, pathways, and factors. *J. Am. Soc. Hortic. Sci.* 140, 136–143.
- Bakeer, S.M., 2016. Effect of ammonium nitrate fertilizer and calcium chloride foliar spray on fruit cracking and sunburn of Manfalouty pomegranate trees. *Sci. Hortic.* 209, 300–308.
- Bangerth, F., 1973. Investigations upon Ca related physiological disorders. *Phytopathol. Z.* 77, 20–37.
- Belge, B., Goulao, L.F., Comabella, E., Graell, J., Lara, I., 2017. Refrigerated storage and calcium dips of ripe 'Celeste' sweet cherry fruit: combined effects on cell wall metabolism. *Sci. Hortic.* 219, 182–190.
- Børve, J., Ippolito, A., Tanović, B., Michalecka, M., Sanzani, S.M., Poniatowska, A., Mari, M., Hrusti, J., 2017. Fungal diseases. In: Quero-García, J., Iezzoni, A., Puawska, J., Lang, G. (Eds.), *Cherries: Botany, Production and Uses*. CAB International, Wallingford, UK, pp. 338–364.
- Brown, G.S., Kitchener, A.E., McGlasson, W.B., Barnes, S., 1996. The effects of copper and calcium foliar sprays on cherry and apple fruit quality. *Sci. Hortic.* 67, 219–227.
- Brüggenwirth, M., Winkler, A., Knoche, M., 2016. Xylem, phloem, and transpiration flows in developing sweet cherry fruit. *Trees* 30, 1821–1830.
- Bullock, R.M., 1952. A study of some inorganic compounds and growth promoting chemicals in relation to fruit cracking of Bing cherries at maturity. *Proc. Am. Soc. Hortic. Sci.* 56, 243–253.
- Callan, N.W., 1986. Calcium hydroxide reduces splitting of Lambert' sweet cherry. *J. Am. Soc. Hortic. Sci.* 111, 173–175.
- Candan, A.P., Raffo, M.D., Calvo, G., Gomila, T., 2014. Study of the main points of impact during cherry handling and factors affecting pitting sensitivity. *ActaHortic.* 1020, 137–141.
- Chan, S.Y., Choo, W.S., Young, D.J., Loh, X.J., 2017. Pectin as a rheology modifier: origin, structure, commercial production and rheology. *Carbohydr. Polym.* 161, 118–139.
- Christensen, J.V., 1972. Cracking in Cherries V. The Influence of Some Salts and Chemicals on Cracking. *Fruktog Baer Oslo.* pp. 37–47.
- Christensen, J.V., 1996. Rain-induced cracking of sweet cherries: its causes and prevention. In: Webster, A.D., Looney, N.E. (Eds.), *Cherries: Crop Physiology, Production and Uses*. CAB International, Wallingford, UK, pp. 297–327.
- Ciccarese, A., Stellacci, A.M., Gentileco, G., Rubino, P., 2013. Effectiveness of pre- and post-veraison calcium applications to control decay and maintain table grape fruit quality during storage. *Postharvest Biol. Technol.* 75, 135–141.
- Clayton, M., Biasi, W.V., Agar, I.T., Southwick, S.M., Mitcham, E.J., 2003. Postharvest quality of Bing' cherries following preharvest treatment with hydrogen cyanamide, calcium ammonium nitrate, or gibberellic acid. *HortScience* 38, 407–411.
- Clayton, M., Biasi, W.V., Agar, I.T., Southwick, S.M., Mitcham, E.J., 2006. Sensory quality of Bing' sweet cherries following preharvest treatment with hydrogen cyanamide, calcium ammonium nitrate, or gibberellic acid. *HortScience* 41, 745–748.
- Davarpanah, S., Tehranifar, A., Abadía, J., Val, J., Davarynejad, G., Aran, M., Khorassani, R., 2018. Foliar calcium fertilization reduces fruit cracking in pomegranate (*Punicagranatum* cv. Ardestani). *Sci. Hortic.* 230, 86–91.
- Demarty, M., Morvan, C., Thellier, M., 1984. Calcium and the cell wall. *Plant Cell Environ.* 7, 441–448.
- Demirsoy, L.K., Bilgener, S., 1998. The effects of preharvest calcium hydroxide applications on cracking in 0900' Ziraat', 'Lambert' and 'Van' sweet cherries. *Acta Hortic.* 468, 657–662.
- Drake, S.R., Elfving, D.C., 2002. Indicators of maturity and storage quality of 'Lapins' sweet cherry. *HortTechnology* 12, 687–690.
- Drazeta, L., Lang, A., Morgan, L., Volz, R., Jameson, P.E., 2001. Bitter bit and vascular function in apples. *ActaHortic.* 564, 387–392.
- Einhorn, T.C., Wang, Y., Turner, J., 2013. Sweet cherry fruit firmness and postharvest quality of late-maturing cultivars are improved with low-rate, single applications of gibberellic acid. *HortScience* 48, 1010–1017.
- Ekinci, N., Özdüven, F., Gür, E., 2016. Effects of preharvest foliar calcium applications on the storage quality of '0900 Ziraat' sweet cherry cultivar. *Erwerbs-*

- Obstbau 58,227–231.
- Eroglu, D., 2014. Effect of preharvest calcium treatments on sweet cherry fruit quality. *Not. Bot. HortiAgrobotan. Cluj-Napoca* 42, 150–153.
 - Facteau, T.J., 1982. Levels of pectic substances and calcium in gibberellic acid-treated sweet cherry fruit. *J. Am. Soc. Hortic. Sci.* 107, 148–151.
 - Ferguson, I.B., Watkins, C.B., 1989. Bitter pit in apple fruit. In: Janick, J. (Ed.), *Horticultural Reviews*. John Wiley & Sons, Inc., Hoboken, NJ, USA, pp. 289–354.
 - Ferri, V.C., Rombaldi, C.V., Silva, J.A., Pegoraro, C., Nora, L., Antunes, P.L., Girardi, C.L., Tibola, C.S., 2008. Boron and calcium sprayed on 'Fuyu' persimmon tree prevent skin cracks, groove and browning of fruit during cold storage. *Cienc. Rural* 38, 2146–2150.
 - Gayed, A.A.N.A., Shaarawi, S.A.M.A., Elkhishen, M.A., Elsherbini, N.R.M., 2017. Preharvest application of calcium chloride and chitosan on fruit quality and storability of 'Early Swelling' peach during cold storage. *Cienc. Agrotecnologia* 41, 220–231.
 - Gerasopoulos, D., Chouliaras, V., Lionakis, S., 1996. Effects of preharvest calcium chloride sprays on maturity and storability of Hayward kiwifruit. *Postharvest Biol. Technol.* 7, 65–72.
 - Glenn, G.M., Poovaiah, B.W., 1989. Cuticular properties and postharvest calcium applications influence cracking of sweet cherries. *J. Am. Soc. Hortic. Sci.* 114, 781–788.
 - Grimm, E., Pflugfelder, D., van Dusschoten, D., Winkler, A., Knoche, M., 2017. Physical rupture of the xylem in developing sweet cherry fruit causes progressive decline in xylem sap inflow rate. *Planta* 246, 659–672.
 - Hampson, C.R., Stanich, K., McKenzie, D.L., Herbert, L., Lu, R., Li, J., Cliff, M.A., 2014. Determining the optimum firmness for sweet cherries using Just-About-Right sensory methodology. *Postharvest Biol. Technol.* 91, 104–111.
 - Hardingham, G.E., Bading, H., 1999. Calcium as a versatile second messenger in the control of gene expression. *Microsc. Res. Tech.* 46, 348–355.
 - Hocking, B., Tyerman, S.D., Burton, R.A., Gilliam, M., 2016. Fruit calcium: transport and physiology. *Front. Plant Sci.* 7, 569.
 - Hopkirk, G., Harker, F.R., Harman, J.E., 1990. Calcium and the firmness of kiwifruit. *N. Z. J. Crop Hortic. Sci.* 18, 215–219.
 - Hrotkó, K., Magyar L., Borsos G., &Gyeviki M., (2014) Rootstock Effect on Nutrient Concentration of Sweet Cherry Leaves, *Journal of Plant Nutrition*, 37:9, 1395-1409
 - Ippolito, A., Schena, L., Pentimone, I., Nigro, F., 2005. Control of postharvest rots of sweet cherries by pre- and postharvest applications of Aureobasidium pullulans in combination with calcium chloride or sodium bicarbonate. *Postharvest Biol. Technol.* 36, 245–252.
 - Kafle, G.K., Khot, L.R., Zhou, J.F., Bahlol, H.Y., Si, Y.S., 2016. Towards precision spray applications to prevent rain-induced sweet cherry cracking: understanding calcium washout due to rain and fruit cracking susceptibility. *Sci. Hortic.* 203, 152–157.
 - Keller, M., Smith, J.P., Bondada, B.R., 2006. Ripening grape berries remain hydraulically connected to the shoot. *J. Exp. Bot.* 57, 2577–2587.
 - Khan, F.A., Rather, A.H., Ahsan, H., 2014. Rain-induced fruit cracking in sweet cherry (*Prunus avium* L.) cultivars. *HortFloria Res. Spectr.* 3, 73–76.
 - Knipfer, T., Fei, J., Gambetta, G.A., McElrone, A.J., Shackel, K.A., Matthews, M.A., 2015. Water transport properties of the grape pedicel during fruit development: insights into xylem anatomy and function using microtomography. *Plant Physiol.* 168, 1590–1602.
 - Knoche, M., 2015. Water uptake through the surface of fleshy soft fruit: barriers, mechanism, factors, and potential role in cracking. In: Kanayama, Y., Kochetov, A. (Eds.), *Abiotic Stress Biology in Horticultural Plants*. Springer, Japan, pp. 147–166.
 - Koffmann, W., Wade, N.L., Nicol, H., 1996. Tree sprays and root pruning fail to control rain induced cracking of sweet cherries. *Plant Prot. Q.* 11, 126–130.
 - Landi, M., Lo Piccolo, E., Ricciardi, R., Rossi, A., Massai, R., Guidi, L., Remorini, D., 2016. Contrasting the cracking phenomena in sweet cherries: positive effect of microelements addition (B, Fe, and Zn) to pre-harvest Ca and Si-based spray treatments. *Agrochimica* 60, 114–125.
 - Lang, G.A., 2014. Growing sweet cherries under plastic covers and tunnels: physiological aspects and practical considerations. *ActaHortic.* 1020, 303–312.
 - Lang, A., Thorpe, M.R., 1989. Xylem, phloem and transpiration flows in a grape: application of a technique for measuring the volume of attached fruits to high-resolution using Archimedes principle. *J. Exp. Bot.* 40, 1069–1078.
 - Lang, G., Guimond, C., Flore, J., Southwick, S., Facteau, T., Kappel, F., Azarenko, A., 1998. Performance of calcium/sprinkler-based strategies to reduce sweet cherry raincracking. *ActaHortic.* 468, 649–656.
 - Lichter, A., Dvir, O., Fallik, E., Cohen, S., Golan, R., Shemer, Z., Sagi, M., 2002. Cracking of cherry tomatoes in solution. *Postharvest Biol. Technol.* 26, 305–312.
 - Lidster, P.D., Porritt, S.W., Tung, M.A., 1978. Texture modification of Van' sweet cherries by postharvest calcium treatments. *J. Am. Soc. Hortic. Sci.* 103, 527–530.
 - Linke, M., Herppich, W.B., Geyer, M., 2010. Green peduncles may indicate postharvest freshness of sweet cherries. *Postharvest Biol. Technol.* 58, 135–141.
 - Looney, N.E., 1985. Benefits of calcium sprays below expectations in B.C. tests. *GoodFruit Grower* 36, 7–8.
 - Madani, B., Mohamed, M.T.M., Biggs, A.R., Kadir, J., Awang, Y., Tayebimeigooni, A., Shojaei, T.R., 2014. Effect of pre-harvest calcium chloride applications on fruit calcium level and post-harvest anthracnose disease of papaya. *Crop Prot.* 55, 55–60.
 - Marcelis, L.F.M., Ho, L.C., 1999. Blossom-end rot in relation to growth rate and calcium content in fruits of sweet pepper (*Capsicum annum* L.). *J. Exp. Bot.* 50, 357–363.
 - Marschner, H., 1995. *Mineral Nutrition of Higher Plants*, second ed. Academic Press, London.
 - Mazzeo, M., Dichio, B., Clearwater, M.J., Montanaro, G., Xiloyannis, C., 2013. Hydraulic resistance of developing Actinidia fruit. *Ann. Bot.* 112, 197–205.
 - Measham, P.F., Richardson, A., Townsend, A., 2017. Calcium application and impacts on cherry fruit quality. *ActaHortic.* 1161, 375–381.
 - Meheriuk, M., Neilsen, G.H., McKenzie, D.-L., 1991. Incidence of rain splitting in sweet cherries treated with calcium or coating materials. *Can. J. Plant Sci.* 71, 231–234.

- Michailidis, M., Karagiannis, E., Tanou, G., Karamanoli, K., Lazaridou, A., Matsi, T., Molassiotis, A., 2017. Metabolomic and physico-chemical approach unravel dynamic regulation of calcium in sweet cherry fruit physiology. *Plant Physiol. Biochem.* 116, 68–79.
- Nagy, P.T., Thurzo, S., Vago, I., Holb, I., 2007. Effect of foliar application of K and Ca on leaf and fruit contents in a sweet cherry orchard. *Cereal. Res. Commun.* 35, 817–820.
- Sekse, L., 1996. Respiration and storage potential in Norwegian-grown sweet cherries. *ActaHortic.* 410, 357–362.
- Smith, E.D., Whiting, M.D., 2011. The pedicel's role in postharvest weight loss of two sweet cherry cultivars. *ActaHortic.* 903, 935–939.
- Steinhorst, L., Kudla, J., 2014. Signaling in cells and organisms - calcium holds the line. *Curr. Opin. Plant Biol.* 22, 14–21.
- Taiz, L., Zeiger, E., 1991. *Plant Physiology*. Benajimn/Cummings Publishing Company, Inc., Redwood City, California, USA.
- Tsantili, E., Rouskas, D., Christopoulos, M.V., Stanidis, V., Akrivos, J., Papanikolaou, D., 2007. Effects of two pre-harvest calcium treatments on physiological and quality parameters in 'Vogue' cherries during storage. *J. Hort. Sci. Biotechnol.* 82, 657–663.
- Vangdal, E., Nordbø, R., Flatland, S., 2005. Postharvest calcium and heat treatments of sweet cherries (*Prunus avium* L.). *ActaHortic.* 682, 1133–1136.
- Vangdal, E., Hovland, K.L., Børve, J., Sekse, L., Slimestad, R., 2008. Foliar application of calcium reduces postharvest decay in sweet cherry fruit by various mechanisms. *ActaHortic.* 768, 143–148.
- Verner, L., 1938. Reduction of cracking in sweet cherries following the use of calcium sprays. *Proc. Am. Soc. Hortic. Sci.* 36, 271–274.
- Wang, Y., Long, L.E., 2015. Physiological and biochemical changes relating to postharvest splitting of sweet cherries affected by calcium application in hydrocooling water. *Food Chem.* 181, 241–247.
- Wang, Y., Xie, X., Long, L.E., 2014. The effect of postharvest calcium application in hydrocooling water on tissue calcium content, biochemical changes, and quality attributes of sweet cherry fruit. *Food Chem.* 160, 22–30.
- Wani, A.A., Singh, P., Gul, K., Wani, M.H., Langowski, H.C., 2014. Sweet cherry (*Prunus avium*): critical factors affecting the composition and shelf life. *Food Packag. Shelf Life* 1, 86–99.
- Ward, G.M., 1973. Causes of blossom-end rot of tomatoes based on tissue analysis. *Can. J. Plant Sci.* 53, 169–174.
- Winkler, A., Brüggewirth, M., Ngo, N.S., Knoche, M., 2016. Fruit apoplast tension draws xylem water into mature sweet cherries. *Sci. Hortic.* 209, 270–278.
- Winkler, A., Knoche, M. 2019. Calcium and the physiology of sweet cherries: A review. *ScientiaHorticulturae* 245. 107–115.
- Wójcik, P., Lewandowski, M., 2003. Effect of calcium and boron sprays on yield and quality of "Elsanta" strawberry. *J. Plant Nutr.* 26, 671–682.
- Wójcik, P., Wawrzy czak, P., 2014. Effect of preharvest sprays of calcium on cracking and 'Schattenmorelle' sour cherry fruit quality harvested mechanically. *J. Plant Nutr.* 37, 1487–1497.
- Wójcik, P., Morga , H., Treder, W., 2002. Sweet cherry fruit cracking as a result of different modes of calcium application. In: Dris, R., Abdelaziz, F.H., Jain, S.M. (Eds.), *Plant Nutrition – Growth and Diagnosis*. Science Publishers, Inc., Enfield, NH, pp. 25–30.
- Wójcik, P., Akgül, H., Demirta , , Sar su, C., Aksu, M., Gubbuk, H., 2013. Effect of preharvest sprays of calcium chloride and sucrose on cracking and quality of 'Burlat' sweet cherry fruit. *J. Plant Nutr.* 36, 1453–1465.
- Yamamoto, T., Satoh, H., Watanabe, S., 1992. The effects of calcium and naphthalene acetic acid sprays on cracking index and natural rain cracking in sweet cherry fruits. *J. Jpn. Soc. Hortic. Sci.* 61, 507–511.
- Zoffoli, J.P., Toivonen, P., Wang, Y., 2017. Postharvest biology and handling for fresh market. In: Quero-García, J., Iezzoni, A., Pu awska, J., Lang, G. (Eds.), *Cherries: Botany, Production and Uses*. CAB International, Wallingford, UK.
- Χατζηχαρίσης Ι., Καζαντζής Κ. (2014). Η κερασιά και η καλλιέργειά της. Εκδόσεις ΑγροΤύπος Α.Ε., Αθήνα, σελίδες 440.