

ΓΕΝΙΚΑ ΘΕΜΑΤΑ**Μοριακή φυτοπροστασία
βασισμένη σε ψεκασμό
RNA σκευασμάτων****Βιβλιογραφία**

- Arpaia S, Christiaens O, Giddings K, Jones H, Mezzetti B, Moronta-Barrios F, Perry JN, Sweet JB, Taning CNT, Smagghe G, Dietz-Pfeilstetter A (2020) Biosafety of GM Crop Plants Expressing dsRNA: Data Requirements and EU Regulatory Considerations. *Front Plant Sci* 11:940. doi:10.3389/fpls.2020.00940
- Dalakouras A, Wassenegger M, Dadami E, Ganopoulos I, Pappas ML, Papadopoulou K (2020) Genetically Modified Organism-Free RNA Interference: Exogenous Application of RNA Molecules in Plants. *Plant Physiol* 182 (1):38-50. doi:10.1104/pp.19.00570
- Fire A, Xu S, Montgomery MK, Kostas SA, Driver SE, Mello CC (1998) Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* 391 (6669):806-811. doi:10.1038/35888
- Hamilton AJ, Baulcombe DC (1999) A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science* 286 (5441):950-952. doi:10.1126/science.286.5441.950
- Koch A, Kogel KH (2014) New wind in the sails: improving the agronomic value of crop plants through RNAi-mediated gene silencing. *Plant Biotechnol J* 12 (7):821-831. doi:10.1111/pbi.12226
- Papadopoulou N, Devos Y, Alvarez-Alfageme F, Lanzoni A, Waigmann E (2020) Risk Assessment Considerations for Genetically Modified RNAi Plants: EFSA's Activities and Perspective. *Front Plant Sci* 11:445. doi:10.3389/fpls.2020.00445
- Sherman JH, Munyikwa T, Chan SY, Petrick JS, Witwer KW, Choudhuri S (2015) RNAi technologies in agricultural biotechnology: The Toxicology Forum 40th Annual Summer Meeting. *Regul Toxicol Pharmacol* 73 (2):671-680. doi:10.1016/j.yrtph.2015.09.001
- «Φυτοπροστασία στη μπλιά - επιστημόνεις εποχής»

**Ο ρόλος
των παρεμποδιστών
στην γεωργία****Βιβλιογραφία**

- Alexandratos, N.; Bruinsma, J. World agriculture towards 2030/2050: the 2012 revision. *ESA Working paper No. 12-03.*, 2012. doi.org/10.22004/ag.econ.288998
- Gastal, F.; Lemaire, G.; Durand, J.L.; Louarn, G. Quantifying crop responses to nitrogen and avenues to improve nitro-gen-use efficiency. In *Crop physiology*, 2nd ed.; Sandras, V.O., Calderini, D.F.; Academic Press, 2015, pp. 161-206. doi.org/10.1016/B978-0-12-417104-6.00008-X
- Hertel, T. W. The global supply and demand for agricultural land in 2050: A perfect storm in the making? *American Journal of Agricul Econ*, 2011, 93(2), 259-275. doi.org/10.1093/ajae/aaq189
- Kakabouki, I.; Folina, A. E.; Zisi, C.; Karydogianni, S.. Fertilization expression via nitrogen indices in soybean crop under two system tillage. *NotulaeBotanicaeHortiAgro botanici Cluj-Nap*, 2020, 48(2), 799-813. 10.15835/nbha48211880
- Kakabouki, I.; Karydogianni, S.; Zisi, C.; Folina, A.E.. Effect of fertilization with N-inhibitors on root and crop development of flaxseed crop (*Linumusitatissimum L.*). *Agrivita, Jour of Agricul Scie*, 2020, 42(3). 10.17503/agrivita.v42i3.2650
- Kakabouki, I.; Togias T.; Folina, A.E.; Karydogianni, S.; Zisi, C.; & Bilalis, D. (2020c). Evaluation of yield and nitrogen utilisation with urease and nitrification inhibitors in sweet potato crop (*Ipomoea batatas L.*). *Folia Hort*.2020, 32(2), 1-11doi. org/10.2478/fhort-2020-0014
- Karydogianni, S.; Darawsheh, M.K.; Kakabouki, I.; Zisi, Ch.; Folina, A.E.; Roussis, I.; Tselia, Z.; Bilalis, D. Effect of nitrogen fertilizations, with and without inhibitors, on cotton growth and fiber quality. *AgronResear*, 2020, 18(2), 432 449. doi.org/10.15159/ar.20.148
- Lassaletta, L.; Billen, G.; Grizzetti, B.; Anglade, J.; Garnier, J. 50 year trends in nitrogen use efficiency of world cropping sys- tems: the relationship between yield and nitrogen input to cropland. *Environmental Research Letters* 2014, 9(10), 105011. doi. org/10.1088/1748-9326/9/10/105011
- Tilman, D.; Cassman, K.G.; Matson, P.A.; Naylor, R.; Polasky, S. Agricultural sustainability and intensive production practices. *Nature* 2002, 418(6898), 671-677. doi. org/10.1038/nature01014
- Trostle, R. (2010). Global agricultural supply and demand: factors contributing to the recent increase in food commodity prices (rev. Diane Publishing).
- Valizadeh, N.; Bijani, M. Agricultural Research: Applications and Future Orientations. *Zero Hunger*, 2020, 71-79. doi.org/10.1007/978-3-319-95675-6_5

**Τιτάνιο: πολύπλευρος
ανόργανος βιοδιεγέρτης
φυτών****Βιβλιογραφία**

- Alcaraz-Lopez, C., Botia, M., Alcaraz, C. F., and Riquelme, F. (2003). Effects of foliar sprays containing calcium, magnesium and titanium on plum (*Prunus domestica L.*) fruit quality. *J. Plant Physiol.* 160, 1441–1446. doi: 10.1078/0176-1617-00999
- Alcaraz-Lopez,C.,Botia,M.,Alcaraz, C.F.,and Riquelme,F.(2004a).Effect of the in-season combined leaf supply of calcium, magnesium and titanium on peach (*Prunus persica L.*). *J. Sci. Food Agric.* 84, 949–954.
- Alcaraz-Lopez, C., Botia, M., Alcaraz, C. F., and Riquelme, F. (2004b). “Effects of titanium-containing foliar sprays on calcium assimilation in nectarine fruits,” in *Nutriao Mineral: Causas e Consequências da Dependência da Fertilização*, eds M. A. Martin-Luna and C. Cruz (Faculdade de Ciencias da Universidade de Lisboa), 66–72.
- Alcaraz-Lopez, C., Botia, M., Alcaraz, C. F., and Riquelme, F. (2005). Induction of fruit calcium assimilation and its influence on the quality of tabel grapes. *Span. J. Agr. Res.* 3, 335–343. doi: 10.5424/sjar/2005033-156 Alscher, R. G.,
- Andersen, C. P., King, G., Plocher, M., Storm, M., Pokhrel, L. R., Johnson, M. G., et al. (2016).



- Germination and early plant development of ten plant species exposed to titanium dioxide and cerium oxide nanoparticles. *Environ. Toxicol. Chem.* 35, 2223–2229. doi: 10.1002/etc.3374
- Anderson, A. J., Mayer, D. R., and Mayer, F. K. (1973). Heavy metal toxicity: levels of nickel, cobalt, and chromium in the soil and plants associated with visual symptoms and variations in the growth of an oat crop. *Aust. J. Agri. Res.* 24, 557–571. doi: 10.1071/AR9730557
 - Anke, M., and Seifert, M. (2004). “Titanium,” in *Elements and Their Compounds in the Environment*, 2nd Edn., eds E. Merian, M. Anke, M. Ihnat, and M. Stoeppeler (Weinheim: Wiley-VCH), 1125–1140. doi: 10.1002/9783527619634.ch45
 - Bacilieri, F. S., Pereira de Vasconcelos A. C., Quinto, Lana R. M., Mageste, J. G., Torres, J. L. R., (2017). Titanium (Ti) in plant nutrition - A review *AJCS* 11(04):382-386) doi: 10.2147/ajcs.17.11.04.pne202
 - Barksdale, Jelks (1968). «Titanium». In Clifford A. Hampel (ed.). *The Encyclopedia of the Chemical Elements*. New York: Reinhold Book Corporation. pp. 732–738. LCCN 68029938.
 - Balvák, J., Vostal, J., Tlusto, P. (1989): Results of TITAVIN tests for chosen crops. In: *Sborník V Z, Praha, ada A*, 50: 143–155
 - Biacs, P. A., Daood, H. G., and Keresztes, A. (1997). “Biochemical aspect on the effect of Titavit treatment on carotenoids, lipids and antioxidants in spice red pepper,” in *Physiology, Biochemistry and Molecular Biology of Plant Lipids*, eds J. P. Williams, M. U. Khan, and N. W. Lem (Dordrecht: Springer Science + Business Media), 215–217.
 - Bottini, E. (1964). Effect of trace elements on plant growth. *Ann. Sper. Agric.* 18, 609–639.
 - Buettner, K. M., Collins, J. M., and Valentine, A. M. (2012). Titanium (IV) and vitamin C: aqueous complexes of a bioactive form of Ti (IV). *Inorg. Chem.* 51, 11030–11039. doi: 10.1021/ic301545m
 - Buettner, K. M., and Valentine, A. M. (2012). Bioinorganic chemistry of titanium. *Chem. Rev.* 112, 1863–1881. doi: 10.1021/cr1002886
 - Burke, D. J., Pietrasik, N., Situ, S. F., Abenojar, E. C., Porche, M., Kraj, P., et al. (2015). Iron oxide and titanium dioxide nanoparticle effects on plant performance and root associated microbes. *Int. J. Mol. Sci.* 16, 23630–23650. doi: 10.3390/ijms161023630
 - Cannon, H. L., Shacklette, H. T., and Bastron, H. (1968). Metal Absorption by *Equisetum (Horsetail)*. Geological Survey Bulletin 1278-A. Washington, DC: United State Government Printing Office.
 - Carvajal, M., and Alcaraz, C. F. (1998). Why titanium is a beneficial element for plants. *J. Plant Nutr.* 21, 655–664. doi: 10.1080/01904169809365433
 - Carvajal, M., Martinez-Sanchez, F., and Alcaraz, C. F. (1994). Effect of titanium (IV) application on some enzymatic activities in several developing stages of red pepper plants. *J. Plant Nutr.* 17, 243–253. doi: 10.1080/01904169409364724
 - Carvajal, M., Martínez-Sánchez, F., Pastor, J. J., and Alcaraz, C. F. (1995). “Leaf spray with Ti(IV) ascorbate improves the iron uptake and iron activity in *Capsicum annuum* L. plants,” in *Iron Nutrition in Soils and Plants*, ed J. Abadva (Dordrecht: Kluwer Academic Publishers), 1–5. doi: 10.1007/978-94-011-0503-3_1
 - Ceccantini, G., Figuriredo, A. M. G., Sondag, F., and Soubies, F. (1997). “Rare earth elements and titanium in plants, soils and ground waters in the alkaline-ultramafic complex of Salitre, MG, Brazil,” in *Contaminated Soils, 3rd International Conference on the Biogeochemistry of Trace Elements*, ed R. Prost (Paris).
 - Chao, S. H. L., and Choi, H. S. (2005). Method for Providing Enhanced Photosynthesis. Jeonju: Korea Research Institute of Chemical Technology Bulletin.
 - Chaudhary, I. and Singh, V. (2020). Titanium Dioxide Nanoparticles and its Impact on Growth, Biomass and Yield of Agricultural Crops under Environmental Stress: A Review. *Res. J. Nanosci. Nanotechnol.*, 10 (1): 1-8, 2020 doi: 10.3923/rjnn.2020.1.8
 - Cigler, P., Olejnickova, J., Hruba, M.,
 - Csefalvay, L., Peterka, J., and Kuzel, S. (2010). Interactions between iron and titanium metabolism in spinach: a chlorophyll fluorescence study in hydropony. *J. Plant Physiol.* 167, 1592–1597. doi: 10.1016/j.jplph.2010.06.021
 - Clement, L., Hurel, C., and Marmier, N. (2013). Toxicity of TiO₂ nanoparticles to cladocerans, algae, rotifers and plants - effects of size and crystalline structure. *Chemosphere* 90, 1083–1090. doi: 10.1016/j.chemosphere.2012.09.013
 - Cornu, S., Lucas, Y., Lebon, E., Ambrosi, J. P., Luizao, F., Rouiller, J., et al. (1999). Evidence of titanium mobility in soil profiles, Manaus, central Amazonia. *Geoderma* 91, 281–295. doi: 10.1016/S0016-7061(99)00007-5
 - Cox, A., Venkatachalam, P., Sahi, S., and Sharm, N. (2016). Silver and titanium nanoparticle toxicity in plants: a review of current research. *Plant Physiol. Biochem.* 107, 147–163. doi: 10.1016/j.plaphy.2016.05.022
 - Daood, H. G., Biacs, P., Fehir, M., Hajdu, F., and Pais, I. (1988). Effect of titanium on the activity of lipoxygenase. *J. Plant Nutr.* 11, 505–516. doi: 10.1080/01904168809363818
 - Dehkourdi, E. H., and Mosavi, M. (2013). Effect of anatase nanoparticles (TiO₂) on parsley seed germination (*Petroselinum crispum*) in vitro. *Biol. Trace Elem. Res.* 155, 283–286. doi: 10.1007/s12011-013-9788-3
 - Dietz, K. J., and Herth, S. (2011). Plant nanotoxicology. *Trends Plant Sci.* 16, 582–589. doi: 10.1016/j.tplants.2011.08.003
 - Donachie, M.J., Jr. (1988). *TITANIUM: A Technical Guide*. Metals Park, OH: ASM International. p.11. ISBN 978-0-87170-309-5
 - Dumon, J.C., and Ernst, W.H.O. (1988). Titanium in plants. *J. Plant Physiol.* 133, 203–209. doi: 10.1016/S0176-1617(88)80138-X
 - Eichert, T. and Fernandez, V. (2012). “Uptake and release of elements by leaves and other aerial plant parts,” in *Marschner’s Mineral Nutrition of Higher Plants*, ed P. Marschner



- (Oxford: Academic Press), 71–84. doi: 10.1016/B978-0-12-384905-2.00004-2
- Emsley, J. (2001). «Titanium». *Nature's Building Blocks: An A-Z Guide to the Elements*. Oxford, England, UK: Oxford University Press. ISBN 978-0-19-850340-8.
 - Fallahi, E., and Eichert, T. (2013). Principles and practices of foliar nutrients with an emphasis on nitrogen and calcium sprays in apple. *HortTechnology* 23, 542–547.
 - Feizi, H., Rezvani Moghaddam, P., Shahtahmassebi, N., and Fotovat, A. (2012). Impact of bulk and nanosized titanium dioxide (TiO_2) on wheat seed germination and seedling growth. *Biol. Trace. Elem. Res.* 146, 101–106. doi: 10.1007/s12011-011-9222-7
 - Frutos, M. J., Pastor, J. J., Martínez-Sánchez, F., and Alcaraz, C. F. (1996). Improvement of the nitrogen uptake induced by titanium (IV) leaf supply in nitrogen-stressed pepper seedlings. *J. Plant Nutr.* 19, 771–783. doi: 10.1080/01904169609365159
 - Gao, F., Liu, C., Qu, C., Zheng, L., Yang, F., Su, M., et al. (2008). Was improvement of spinach growth by nano- TiO_2 treatment related to the changes of Rubisco activase? *Biometals* 21, 211–217. doi: 10.1007/s10534-007-9110-y
 - Gao, J., Xu, G., Qian, H., Liu, P., Zhao, P., and Hu, Y. (2013). Effects of nano- TiO_2 on photosynthetic characteristics of *Ulmus elongata* seedlings. *Environ. Pollut.* 176, 63–70. doi: 10.1016/j.envpol.2013.01.027
 - Giménez, J. L., Martínez-Sánchez, F., Moreno, J. L., Fuentes, J. L., and Alcaraz, C. F. (1990). “Titanium in plant nutrition. III. Effect of Ti (IV) on yield of *Capsicum annuum* L.”, in *Nutrición Mineral Bajo Condiciones de Estres*, ed J. Barceló (Palma de Mallorca: SPIC-UIB), 123–128.
 - Grajkowski, J., and Ochmian, I. (2007). Influence of three biostimulants on yielding and fruit quality of three primocane raspberry cultivars. *Acta. Sci. Pol. Hortorum Cult.* 6, 29–36.
 - Guha, M.M., and Mitchell, R.L. (1966). The trace and major element composition of the leaves of some deciduous trees II. Seasonal changes. *Plant Soil* 24, 90–112. doi: 10.1007/BF01373076
 - Haghighi M. and Daneshmand B. (2018). Beneficial effect of titanium on plant growth, photosynthesis and nutrient trait of tomato cv. Foria, Iran Agricultural Research 37(1) 83-88 doi: 10.22099/IAR.2017.4804
 - Haghighi, M., Heidarian, S., and Teixeira da Silva, J. A. (2012). The effect of titanium amendment in N-withholding nutrient solution on physiological and photosynthesis attributes and micronutrient uptake of tomato. *Biol. Trace. Elem. Res.* 150, 381–390. doi: 10.1007/s12011-012-9481-y
 - Haghighi, M., and Teixeira da Silva, J. A. (2014). The effect of N- TiO_2 on tomato, onion, and radish seed germination. *J. Crop Sci. Biotechnol.* 17, 221–227. doi: 10.1007/s12892-014-0056-7
 - Hanif, H. U., Arshad, M., Ali, M. A., Ahmed, N., and Qazi, I. A. (2015). Phytoavailability of phosphorus to *Lactuca sativa* in response to soil applied TiO_2 nanoparticles. *Pakistan J. Agri. Sci.* 52, 177–182.
 - Hara, T., Sonoda, Y., and Iwai, I. (1976). Growth response of cabbage plants to transition elements under water culture conditions. *Soil Sci. Plant Nutr.* 22, 307–315. doi: 10.1080/00380768.1976.10432993
 - Hatami, M., Ghorbanpour, M., and Salehifarjomand, H. (2014). Nano-anatase TiO_2 modulates the germination behavior and seedling vigor of some commercially important medicinal and aromatic plants. *J. Biol. Environ. Sci.* 8, 53–59.
 - Hawkesford, M. J., Kopriva, St., De Kok, L. J. (Eds.) (2014). *Nutrient Use Efficiency in Plants*
 - Hong, F., Zhou, J., Liu, C., Yang, F., Wu, C., Zheng, L., et al. (2005b). Effect of nano- TiO_2 on photochemical reaction of chloroplasts of spinach. *Biol. Trace Element Res.* 105, 269–279. doi: 10.1385/BTER:105:1-3:269
 - Hrubú, M., Cvrljer, P., and Kuzel, S. (2002). Contribution to understanding the mechanism of Titanium action in plant. *J. Plant Nutr.* 25, 577–598. doi: 10.1081/PLN-120003383
 - Hu, Z., Richter, H., Sparovek, G., and Schnug, E. (2004). Physiological and biochemical effects of rare earth elements on plants and their agricultural significance: a review. *J. Plant Nutr.* 27, 183–220. doi: 10.1081/PLN-120027555
 - Huang, M. L., Tang, X. D., and Lu, L. (1993). “The use of titanium chelate in agriculture,” in *Titanium 92 Science and Technology*, Proc. Symp. 3. Miner. Met. Mater. Soc. eds F. H. Froes and I. L. Caplan (Warrendale: PA), 2779–2786.
 - Istvan, P., Fehir, M., Bokori, J., and Nagy, B. (1991). Physiologically beneficial effects of titanium. *Water Air Soil Pollut.* 57, 675–680. doi: 10.1007/BF00282931
 - Jaberzadeh, A., Moaveni, P., Moghadam, H.R.T., and Zahedi, H. (2013). Influence of bulk and nanoparticles titanium foliar application on some agronomic traits, seed gluten and starch contents of wheat subjected to water deficit stress. *Not. Bot. Horti Agrobot. Cluj Napoca* 41, 201–207.
 - Kabata-Pendias, A., and Pendias, H. (2001). *Trace Elements in Soils and Plants*. Boca Raton, FL: CRC Press.
 - Kelemen, G., Keresztes, A., Bacsy, E., Feher, M., Fodor, P., and Pais, I. (1993). Distribution and intracellular localization of titanium in plants after titanium treatment. *Food Struct.* 12, 67–72.
 - Kiapour, H., Moaveni, P., Habibi, D., and Sani, B. (2015). Evaluation of the application of gibberellic acid and titanium dioxide nanoparticles under drought stress on some traits of basil (*Ocimum basilicum* L.). *Int. J. Agron. Agric. Res.* 6, 138–150.
 - Kiss, F., Deak, G., Feher, M., Balough, A., Szabolcsi, L., and Pais, I. (1985). The effect of titanium and gallium on photosynthetic rate of algae. *J. Plant Nutr.* 8, 825–831. doi: 10.1080/01904168509363387
 - Kleiber, T., and Markiewicz, B. (2013). Application of “Tytanit” in greenhouse tomato growing. *Acta Sci. Pol. Hortorum Cult.* 12, 117–126.
 - Klem, M. T., Mosolf, J., Young, M., Douglas, T., and Science, N. J. (2008). Photochemical mineralization of europium, titanium, and iron oxyhydroxide nanoparticles in the ferritin protein cage. *Inorg. Chem.* 47, 2237–2239. doi: 10.1021/ic701740q
 - Kobayashi, T., and Nishizawa, N. K. (2012). Iron uptake, translocation, and regulation in higher plants.



- Annu. Rev. Plant Biol. 63, 131–152. doi: 10.1146/annurev-aplant-042811-105522
- Kořenková, L., ebesta, M., Urvk, M., Kolenčvk, M., Krato ova, G., Bujdo , M., et al. (2017). Physiological response of culture media-grown barley (*Hordeum vulgare L.*) to titanium oxide nanoparticles. *Acta Agric. Scand. B Soil Plant Sci.* 67, 285–291. doi: 10.1080/09064710.2016.1267255
 - Kovacik, P., Hudec, J., Ondrisik, P., and Poliakova, N. (2014). The effect of liquid Mg-Titanit on creation of winter wheat phytomass. *Res.J.Agric. Sci.* 46,125–131.
 - Kovacik, P., Simansky, V., Ryant, P., Renco, M., and Hudec, J. (2016). Determination of the titanium contents in the winter oilseed rape plants (*Brassica napus L.*) by the application of fertilizer containing titanium. *Acta Univ.Agr.Silvicult. Mend.Brun.*64,81–90.doi:10.11118/actaun201664010081
 - Kuzel, S., Hraby, M., Cigler, P., Tlustos, P., and Van, P. N. (2003). Mechanism of physiological effects of titanium leaf sprays on plants grown on soil. *Biol. Trace Elem. Res.* 91, 179–189. doi: 10.1385/BTER:91:2:179
 - Kuzel, S., P., Cigler, P., Hraby, M., Vydra, J., Pavlikova, D., and Tlustos, P. (2007). The effect of simultaneous magnesium application on the biological effects of titanium. *Plant Soil Environ.* 53, 16–23.
 - Larue, C., Khodja, H., Herlin-Boime, N., Brisset, F., Flank, A. M., Fayard, B., et al. (2011). Investigation of titanium dioxide nanoparticles toxicity and uptake by plants. *J. Phys* 304:012057. doi: 10.1088/1742-6596/304/1/012057
 - Larue, C., Laurette, J., Herlin-Boime, N., Khodja, H., Fayard, B., Flank, A. M., et al. (2012a). Accumulation, translocation and impact of TiO₂ nanoparticles in wheat (*Triticum aestivum* spp.): influence of diameter and crystal phase. *Sci. Total Environ.* 431, 197–208. doi: 10.1016/j.scitotenv.2012.04.073
 - Larue, C., Veronesi, G., Flank, A. M., Surble, S., Herlin-Boime, N., and Carriere, M. (2012b). Comparative uptake and impact of TiO₂ nanoparticles in wheat and rapeseed. *J. Toxicol. Environ.* Health A 75, 722–734. doi: 10.1080/15287394.2012.689800
 - Lazar, M. A., Varghese, S., and Nair, S. S. (2012). Photocatalytic water treatment by titanium dioxide: recent updates. *Catalysts* 2, 572–601. doi: 10.3390/catal2040572
 - Lei, Z., Mingyu, S., Chao, L., Liang, C., Hao, H., Xiao, W., et al. (2007). Effects of Nano anatase TiO₂ on photosynthesis of spinach chloroplasts under different light illumination. *Biol. Trace Elem Res.* 119, 68–76. doi: 10.1007/s12011-007-0047-3
 - Lei, Z., Mingyu, S., Xiao, W., Chao, L., Chunxiang, Q., Liang, C., et al. (2008). Antioxidant stress is promoted by nano-anatase in spinach chloroplasts under UV-B radiation. *Biol. Trace Elem. Res.* 121, 69–79. doi: 10.1007/s12011-007-8028-0
 - Leidi, E.O., Silberbush M., and Lips S.H.. 1991. Wheat growth as affected by nitrogen type, pH and salinity. II. Photosynthesis and transpiration. *J. Plant Nutr.* 14:247-256
 - Lesko, K., Stefanovits-Banyai, I., Pais, I., and Simon-Sarkadi, L. (2002). Effect of cadmium and titanium-ascorbate stress on biological active compounds in wheat seedlings. *J. Plant Nutr.* 25, 2571–2581. doi: 10.1081/PLN-120014714
 - Li, J., Naeem, M. S., Wang, X., Liu, L., Chen, C., Ma, N., et al. (2015). Nano-TiO₂ is not phytotoxic as revealed by the oilseed rape growth and photosynthetic apparatus ultrastructural response. *PLoS ONE* 10:e0143885. doi: 10.1371/journal.pone.0143885
 - Li,W,Tang,H.,Xiao,A.,Xie,T.,Sun,Y.,Liao,Y.,etal.(2011).Effects of applying titanium contained trace-element fertilizer to several grain crops in Hunan. *Hunan Agric. Sci.* 21, 55–58.
 - Lopez-Moreno, J. L., Giminez, J. L., Moreno, A., Fuentes, J. L., and Alcaraz, C. F. (1995). Plant biomass and fruit yield induction by Ti(IV) in P-stressed pepper crops. *Fert. Res.* 43, 131–136. doi: 10.1007/BF00747692
 - Lyu S, Wei X, Chen J, Wang C, Wang X and Pan D (2017) Titanium as a Beneficial Element for Crop Production. *Front. Plant Sci.* 8:597. doi: 10.3389/fpls.2017.00597
 - Mahmoodzadeh, H., and Aghili,R. (2014). Effect on germination and early growth characteristics in wheat plants (*Triticum aestivum L.*) seeds exposed to TiO₂ nanoparticles. *J. Chem. Health Risks* 4, 467–472.
 - Mahmoodzadeh, H., Nabavi, M., and Kashefi, H. (2013). Effect of nanoscale titanium dioxide particles on the germination and growth of canola (*Brassica napus*). *J. Ornamental Hort. Plants* 3, 25–32.
 - Mandeh, M., Omidi, M., and Rahaei, M. (2012). In vitro influences of TiO₂ nanoparticles on barley (*Hordeum vulgare L.*) tissue culture. *Biol. Trace Elem. Res.* 150, 376–380. doi: 10.1007/s12011-012-9480-z
 - Marcinek, B., and Hetman, J. (2008). The effect of foliage feeding on the structure of yield, dry weight content and macroelements in the corms of *Sparaxis tricolor Ker-Gawl.* *Acta. Sci. Pol. Hortorum Cult.* 7, 89–99.
 - Markiewicz, B., and Kleiber, T. (2014). The effect of Tytanit application on the content of selected microelements and the biological value of tomato fruits. *J. Elem.* 19, 1065–1072.
 - Marschner, H. (2011). Marschner's Mineral Nutrition of Higher Plants. San Diego, CA: Academic Press.
 - Martinez-Sanchez, F., Nunez, M., Amoros, A., Gimenez, J. L., and Alcaraz, C. F. (1993). Effect of titanium leaf spray treatments on ascorbic acid levels of *Capsicum annuum* L. *J. Plant Nutr.* 16, 975–981. doi: 10.1080/01904169309364586
 - Mattson, M. P. (2008). Hormesis defined. *Ageing Res. Rev.* 7, 1–7. doi: 10.1016/j.arr.2007.08.007
 - Moaveni, P., and Kheiri, T. (2011). “TiO₂ nano particles affected on maize (*Zea mays L.*),” in 2nd International Conference on Agricultural and Animal Science, Vol. 22 (Singapore: IACSIT Press), 160–163.
 - Moaveni, P., Talebi, A., Farahani, A., and Maroufi, K. (2011). “Study of nano particles TiO₂ spraying on some yield components in barley (*Hordeum vulgare L.*),” in Intl. Conf. Environ. Agri. Eng. IPCBEE, Vol. 15 (Jurong West: IACSIT Press), 115–119.
 - Mohammadi, R., Maali-Amiri, R., and Abbasi, A. (2013). Effect of TiO₂

- nanoparticles on chickpea response to cold stress. *Biol. Trace Elem. Res.* 152, 403–410. doi: 10.1007/s12011-013-9631-x
- Mohammadi, R., Maali-Amiri, R., and Mantri, N. L. (2014). Effect of TiO₂ nanoparticles on oxidative damage and antioxidant defense systems in chickpea seedlings during cold stress. *Russian J. Plant Physiol.* 61, 768–775. doi: 10.1134/S1021443714050124
 - Morteza, E., Moaveni, P., Farahani, H. A., and Kiyani, M. (2013). Study of photosynthetic pigments changes of maize (*Zea mays L.*) under nano TiO₂ spraying at various growth stages. *Springer Plus* 2:247. doi: 10.1186/2193-1801-2-247
 - Moseley, J. L., Page, M. D., Alder, N. P., Eriksson, M., Quinn, J., Soto, F., et al. (2002). Reciprocal expression of two candidate di-iron enzymes affecting photosystem I and light-harvesting complex accumulation. *Plant Cell* 14, 673–688. doi: 10.1105/tpc.010420
 - Neme A., Ka V. (1923): The physiological significance of titanium in the plant organism. *Biochemische Zeitschrift*, 140: 583–590
 - Norman, D. J., and Chen, J. (2011). Effect of foliar application of titanium dioxide on bacterial blight of geranium and *Xanthomonas* leaf spot of poinsettia. *Hortscience* 46, 426–428.
 - Owolade, O. F., and Ogunleti, D. O. (2008). Effects of titanium dioxide on the diseases, development and yield of edible cowpea. *J. Plant Protect. Res.* 48, 329–335. doi: 10.2478/v10045-008-0042-5
 - Pais, I. (1983). The biological importance of titanium. *J. Plant Nutr.* 6, 3–131. doi: 10.1080/01904168309363075
 - Pais, I. (1992). Criteria of essentiality, beneficability and toxicity of chemical elements. *Acta Aliment.* 121, 145–152.
 - Pais, I., Feher, M., Farkas, E., Szabo, Z., and Comides, I. (1977). Titanium as a new trace element. *Comm. Soil Sci. Plant Anal.* 8, 407–410. doi: 10.1080/00103627709366732
 - Pais, I., Somos, A., Duda, G., Tarjanyi, F., and Nagymihaly, F. (1969). Trace element experiments with tomato and paprika. *Kberletugyi Kozlem* 62, 25–401.
 - Pandey, R., Krishnapriya, V., and Bindraban, P. S. (2013). Biochemical Nutrient Pathway in Plants Applied as Foliar Spray: Phosphorus and Iron. Washington, DC: VFRC (Virtual Fertilizer Research Center) report 2013/1.
 - Paret, M. L., Vallad, G. E., Averett, D. R., Jones, J. B., and Olson, S. M. (2013). Photocatalysis: effect of light-activated nanoscale formulations of TiO₂ on *Xanthomonas perforans* and control of bacterial spot of tomato. *Phytopathology* 103, 228–236. doi: 10.1094/PHYTO-08-12-0183-R
 - Pellet, H., and Fribourg, C. (1905). Titanium. *Ann. Sci. Agron. Ser.* 10, 20–84.
 - Pilon-Smits, E. A., Quinn, C. F., Tapken, W., Malagoli, M., and Schiavon, M. (2009). Physiological functions of beneficial elements. *Curr. Opin. Plant Biol.* 12, 267–274. doi: 10.1016/j.pbi.2009.04.009
 - Qi, M., Liu, Y., and Li, T. (2013). Nano-TiO₂ improve the photosynthesis of tomato leaves under mild heat stress. *Biol. Trace Element Res.* 156, 323–328. doi: 10.1007/s12011-013-9833-2
 - Radkowski, A., Radkowska, I., and Lemek, T. (2015). Effects of foliar application of titanium on seed yield in timothy (*Phleum pratense L.*). *Ecol. Chem. Eng.* 22, 691–701. doi: 10.1515/eces-2015-0042
 - Ram, N., Verloo, M., and Cottenie, A. (1983). Response of bean to foliar spray of titanium. *Plant Soil* 73, 285–290. doi: 10.1007/BF02197724
 - Ramakrishna, R. S., Paul, A. A., and Fonseka, J. P. R. (1989). Uptake of titanium and iron by *Ipomoea biloba* from titaniferous sands. *Environ. Exp. Bot.* 29, 293–300. doi: 10.1016/0098-8472(89)90002-6
 - Rezaei, F., Moaveni, P., and Mozafari, H. (2015). Effect of different concentrations and time of nano-TiO₂ spraying on quantitative and qualitative yield of soybean (*Glycine max L.*) at Shahr-e-Qods, Iran». *Biol. Forum* 7, 957–964.
 - Ru ni Castiglione, M., Giorgetti, L., Geri, C., and Cremonini, R. (2010). The effects of nano-TiO₂ on seed germination, development and mitosis of root tip cells of *Vicia narbonensis L.* and *Zea mays L. J.* Nanopart. Res. 13, 2443–2449. doi: 10.1007/s11051-010-0135-8
 - Samadi, N., Yahyaabadi, S., and Rezayatmand, Z. (2014). Effect of TiO₂ and TiO₂ nanoparticle on germination, root and shoot Length and photosynthetic pigments of *Mentha piperita*. *Int. J. Plant Soil Sci.* 3, 408–418. doi: 10.9734/IJPSS/2014/7641
 - Scagel, C., Bi, G., Fuchigami, L. H., and Regan, R. P. (2008). Nitrogen availability alters mineral nutrient uptake and demand in container-grown deciduous and evergreen rhododendron. *J. Environ. Hort.* 26, 177–187.
 - Searles, P. S., and Bloom, A. J. (2003). Nitrate photo-assimilation in tomato leaves under short-term exposure to elevated carbon dioxide and low oxygen. *Plant Cell Environ.* 26, 1247–1255. doi: 10.1046/j.1365-3040.2003.01047.x
 - Serrano, M., Martvnez-Romero, D., Castillo, S., Guilln, F., and Valero, D. (2004). Effect of preharvest sprays containing calcium, magnesium and titanium on the quality of peaches and nectarines at harvest and during postharvest storage. *J. Sci. Food Agric.* 84, 1270–1276. doi: 10.1002/jsfa.1753
 - Servin, A., Elmer, W., Mukherjee, A., Torre-Roche, R. D., Hamdi, H., White, J. C., et al. (2015). A review of the used of engineered nanomaterials to suppress plant disease and enhance crop yield. *J. Nanopart. Res.* 17:92. doi: 10.1007/s11051-015-2907-7
 - Setatou H.B., Simonis A.D. (1996): Recovery nitrogen in maize in pot experiments using different Greek soils. Proceedings of 4th Congress of European Society of Agronomy, Veldhoven: 376–377.
 - Sherman,G.D.(1952).The titanium content of Hawaiian soils and its significance. *Soil Sci. Soc. Am. Proc.* 16, 15–18. doi: 10.2136/sssaj1952.0361599500160000 10006x
 - Simon, L., Balogh, A., Hajdu, F., and Pais, I. (1988). “Effect of titanium on growth and photosynthetic pigment composition of *Chlorella pyrenoidosa* (Green Alga). II. Effect of titanium ascorbate on pigment content and chlorophyll metabolism of *Chlorella*,” in *New Results in the Research of Hardly Known Trace Elements and Their Role in the Food Chain*,



- ed I. Pais (Budapest: University of Horticultural and Food Science), 87–101.
- Skupień, K., and Oszmiański, J. (2007). Influence of titanium treatment on antioxidants content and antioxidant activity of strawberries. *Acta Sci. Pol. Technol. Aliment.* 6, 83–93.
 - Song, U., Shin, M., Lee, G., Roh, J., Kim, Y., and Lee, E. J. (2013b). Functional analysis of TiO₂ nanoparticle toxicity in three plant species. *Biol. Trace Elem. Res.* 155, 93–103. doi: 10.1007/s12011-013-9765-x
 - Szymanska, R., Kolodziej, K., Slesak, I., Zimak-Piekarczyk, P., Orzechowska, A., Gabruk, M., et al. (2016). Titanium dioxide nanoparticles (100–1000 mg/l) can affect vitamin E response in *Arabidopsis thaliana*. *Environ. Pollut.* 213, 957–965. doi: 10.1016/j.envpol.2016.03.026
 - Tlusto , P., Cigler, P., Hraby, M., Kuzel, S., Szakova, J., and Balik, J. (2005). The role of titanium in biomass production and its influence on essential elements contents in field growing crops. *Plant Soil Environ.* 51, 19–25.
 - Traetta-Mosca, F. (1913). Titanium and the rare metals in the ash of the leaves of Kentucky tobacco cultivated in Italy. *Gazzetta Chimica Italiana* 43, 437–440.
 - Tripathi, D. K., Shweta, S., Singh, S., Pandey, R., Singh, V.P., Sharma, N. C., et al. (2017). An overview on manufactured nanoparticles in plants: uptake, translocation, accumulation and phytotoxicity. *Plant Physiol. Biochem.* 110, 2–12. doi: 10.1016/j.plaphy.2016.07.030
 - Tumburu, L., Andersen, C. P., Rygiewicz, P. T., and Reichman, J. R. (2015). Phenotypic and genomic responses to titanium dioxide and cerium oxide nanoparticles in *Arabidopsis thaliana* germinants. *Environ. Toxicol. Chem.* 34, 70–83. doi: 10.1002/etc.2756
 - Tyler, G. (2004). Rare earth elements in soil and plant systems-a review. *Plant Soil* 267, 191–206. doi: 10.1007/s11104-005-4888-2
 - Varotto, C., Maiwald, D., Pesaresi, P., Jahns, P., Salamini, F., and Leister, D. (2002). The metal ion transporter IRT1 is necessary for iron homeostasis and efficient photosynthesis in *Arabidopsis thaliana*. *Plant J.* 31, 589–599. doi: 10.1046/j.1365-313X.2002.01381.x
 - Vert, G., Grotz, N., Dedaldechamp, F., Gaymard, F., Guerinot, M. L., Briat, J. F., et al. (2002). IRT1, an *Arabidopsis* transporter essential for iron uptake from the soil and for plant growth. *Plant Cell* 14, 1223–1233. doi: 10.1105/tpc.001388
 - Wait C.E. (1896): The occurrence of titanium. *Journal of American Chemical Society*, 18: 402–404.
 - Wallace, A., Alexander, G.V., and Chaudhry, F.M. (1977). Phytotoxicity of cobalt, vanadium, titanium, silver, and chromium. *Commun. Soil Sci. Plant Anal.* 8, 751–756. doi: 10.1080/00103627709366769
 - Wang, L., Cheng, M., Chu, Y., Li, X., Chen, D. D. Y., Huang, X., et al. (2016). Responses of plant calmodulin to endocytosis induced by rare earth elements. *Chemosphere* 154, 408–415. doi: 10.1016/j.chemosphere.2016.03.106
 - Wang, L., Li, J., Zhou, Q., Yang, G., Ding, X. L., Li, X., et al. (2014). Rare earth elements activate endocytosis in plant cells. *Proc. Natl. Acad. Sci. U.S.A.* 111, 12936–12941. doi: 10.1073/pnas.1413376111
 - Whitted-Haag, B., Kopsell, D. E., Kopsell, D. A., and Rhykerd, R. L. (2014). Foliar silicon and titanium applications influence growth and quality characteristics of annual bedding plants. *Open Hort. J.* 7, 6–15. doi: 10.2174/1874840601407010006
 - Wojcik, P. (2002). Vigor and nutrition of apple trees in nursery as influenced by titanium sprays. *J. Plant Nutr.* 25, 1129–1138. doi: 10.1081/PLN-120003944
 - Wojcik, P., and Wojcik, M. (2001). Growth and nutrition of M.26 Emla apple rootstock as influenced by titanium fertilization. *J. Plant Nutr.* 24, 1575–1588. doi: 10.1081/PLN-100106022
 - Yao, K.S., Wang, D.Y., Ho, W.Y., Yan, J.J., and Tzeng, K.C. (2007). Photocatalytic bactericidal effect of TiO₂ thin film on plant pathogens. *Surf. Coat. Technol.* 201, 6886–6888. doi: 10.1016/j.surfcoat.2006.09.068
 - Yin, Z. F., Wu, L., Yang, H. G., and Su, Y. H. (2013). Recent progress in biomedical applications of titatnium dioxide. *Phys. Chem. Chem. Phys.* 15:4844. doi: 10.1039/c3cp43938k
 - Ze, Y., Liu, C., Wang, L., Hong, M., and Hong, F. (2011). The regulation of TiO₂ nanoparticles on the expression of light-harvesting complex II and photosynthesis of chloroplasts of *Arabidopsis thaliana*. *Biol. Trace Elem. Res.* 143, 1131–1141. doi: 10.1007/s12011-010-8901-0
 - Zhang, C. (2015). Involvement of iron-containing proteins in genome integrity in *Arabidopsis thaliana*. *Genome Integr.* 6:2. doi: 10.4103/2041-9414.155953
 - Zheng, L., Hong, F., Lu, S., and Liu, C. (2005). Effect of nano-TiO₂ on strength of naturally aged seeds and growth of spinach. *Bio. Trace Element Res.* 104, 83–91. doi: 10.1385/BTER:104:1:083
 - Zierden, M. R., and Valentine, A. M. (2016). Contemplating a role for titanium in organisms. *Metalomics* 8, 9–16. doi: 10.1039/C5MT00231A

ΠΑΡΟΥΣΙΑΣΕΙΣ

Η κρίσιμη εποχή της άνοιξης. UPL

Βιβλιογραφία

- Fungicide Resistance, the Assessment of Risk by Keith J. Brent and Derek W. Hollomon, 2007.
- FRAC (Fungicide Resistance Action Committee).