

ΓΕΝΙΚΑ ΘΕΜΑΤΑ

Τεχνολογίες άρδευσης ακριβείας

Με στόχο εξοικονόμηση νερού και προστασία περιβάλλοντος

Σύνδεσμοι

Συστήματα συμβουλευτικής άρδευσης σε πραγματικό χρόνο με ελάχιστο ή χωρίς κόστος, που χρησιμοποιούν κλιματικά δεδομένα ή δεδομένα εδαφικής υγρασίας για υπολογισμό των αναγκών σε νερό.

Τέτοια είναι το ENORASIS (<https://cordis.europa.eu/project/id/282949/reporting/pl>), το EFFIDRIP (<https://cordis.europa.eu/project/id/286807/reporting/it>), το REDSIM (www.futurewater.eu/projects/redsim), το FIGARO (www.figaro-irrigation.net/), το IRMA (www.irrigation-management.eu/), το WaterBee (<https://cordis.europa.eu/project/id/283638>), το ZEN-IRRWARE (<https://zenagropc.com>) και άλλα.

Πληροφορίες για το χρόνο άρδευσης και την ποσότητα νερού άρδευσης για όλες τις καλλιέργειες με βάση τις τρέχουσες εδαφοκλιματικές συνθήκες δίνονται δωρεάν με SMS ή e-mail για ένα μήνα συμπληρώνοντας τη φόρμα εγγραφής: <https://zenagropc.com/forma-eggrafis/>

ΔΕΝΔΡΟΚΟΜΙΑ

Τα παραφινικά λάδια στη φυτοπροστασία

Βιβλιογραφία

- Baxendale R.W., Johnson W.T. 1988 Evaluation of summer oil spray on amenity plants. *Journal of Arboriculture* 14: 220-225.
- Beattie G.A.C., Smith D. 1997 Integrated pest management: sustainable pest control for the future based on the past? *Proceedings of the International Society of Citriculture, Southern Africa* 1, 51-58.
- Erler F. 2004 Oviposition Deterency and Deterrent Stability of Some Oily Substances against the Pear Psylla *Cacopsylla pyri*. *Phytoparasitica* 32:479-485
- Fernandez D.E., Beers E.H., Brunner J.F., Doerr M.D., Dunley J.E. 2005. Effects of Seasonal Mineral Oil

Applications on the Pest and Natural Enemy Complexes of Apple. *J. Econ. Entomol.* 98: 1630-1640

- Fernandez D.E., Beers E.H., Brunner J.F., Doerr M.D., Dunley J.E. 2006. Horticultural mineral oil applications for apple powdery mildew and codling moth, *Cydia pomonella* (L.). *Crop Protection* 25: 585–591
- Mazella N., Molinet J., Syakti A.D., Barriol A., Dodi A., Bertrand J.C., Doumenq P. 2005 Effects of pure n-alkanes and crude oil on bacterial phospholipids classes and molecular species determined by electrospray ionization mass spectrometry. *J. Chromatogr. B* 822, 40–53
- Mensah R., Liang W., Coates R. 2004 Petroleum spray oils- lubricating the path to IPM: Part I. Use of petroleum spray oil as insecticide to control *Helicoverpa* spp on commercial cotton fields. Conference: 2004 Australian Cotton ConferenceAt: Broadbeach, Queensland, AustraliaVolume: Proceedings of 2004 Australian Cotton Conference.
- Najar-Rodriguez A.J., Walter G.H., Mensah R.K. 2007 The efficacy of a petroleum spray oil against *Aphis gossypii* Glover on cotton. Part 1: Mortality rates and sources of variation. *Pest Management Science* 63: 586–595
- Nicetic O, Cho Y.R., Rae D. J. 2011 Impact of physical characteristics of some mineral and plant oils on efficacy against selected pests. *Journal of Applied Entomology* 135: 204–213
- Rizzo R., Lo Verde G., Lombardo A. 2012 Effectiveness of spinosad and mineral oil for control of *Grapholita funebrana* Treitschke in organic plum orchards. *Supplemento New Medit* 4: 70-72
- Sazo L., Araya J.E., Esparza S. 2008 Control of San Jose scale nymphs, *Diaspidiotus perniciosus*(Comstock), on almond and apple orchards with pyriproxyfen, phenoxycarb, chlorpyrifos and mineral oil. *Chilean Journal of Agricultural Research* 68: 284-289
- Smith E.H. 1952 Tree spray oils. In *Agricultural Applications of Petroleum Products. Advances in Chemistry Series.* pp. 3–11
- Taverner P. 2002 Drowning or just

waving? A perspective on the ways petroleum-based oils kill arthropod pests of plants. . In: *Spray Oils Beyond 2000*, Beattie, G.A.C., Watson, D.M., Stevens, M.L., Rae, D.J. & Spooner-Hart R.N., pp. 78–87, Univ. of Western Sydney Press, Australia

- Taverner P.D., Sutton C., Cunningham N., Dyson C., Lucas N., Myers S.W. 2011 Efficacy of Several Insecticides Alone and With Horticultural Mineral Oils on Light Brown Apple Moth (Lepidoptera: Tortricidae) Eggs. *J. Econ. Entomol.* 104: 220-224 DOI: 10.1603/EC10248
- USDA 2015 Mineral oil-Livestock. Technical Evaluation Report Compiled by Pesticide Research Institute for the USDA National Organic Program. Retrieved March 12, 2015
- USDA 2019. Narrow-range Oils – Crops. Technical Evaluation Report Compiled by Nexight Group for the USDA National Organic Program. Retrieved January 30, 2019.
- Volck W.H. 1903 Spraying with distillates *Calif. Agr. Expt. Sta. Bul.* 153: 31

ΦΥΤΑ ΜΕΓΑΛΗΣ ΚΑΛΛΙΕΡΓΕΙΑΣ

Κλιματική αλλαγή και άνοδος της θερμοκρασίας

Πρόβλημα ή ευκαιρία για τη γεωργία;

Βιβλιογραφία

- Adams, R.M., B.H. Hurd, S. Lenhart, and N. Leary. 1998. Effects of global climate change on agriculture: an interpretative review. *Climate Research* 11:19-30.
- Alberto, A., L. Ziska, C. Cervancia, and P. Manalo. 1996. The influence of increasing carbon dioxide and temperature on competitive interactions between a C3 crop, rice (*Oryza sativa*) and a C4 weed (*Echinochloa glabrescens*). *Functional Plant Biology* 23:795-802.
- Balasooriya, H.N., K.B. Dassanayake, S. Seneweera, and S. Ajlouni. 2019. Impact of elevated carbon dioxide and temperature on strawberry polyphenols. *Journal of the Science of Food and Agriculture* 99: 4659–4669.

- Baldocchi, D and S. Wong. 2008. Accumulated winter chill is decreasing in the fruit growing regions of California. *Climate Change* 87(1):153-166.
- Blandino, M., F-W. Badeck, D. Giordano, A. Marti, F. Rizza, V. Scarpino, and P. Vaccino. 2020. Elevated CO₂ impact on common wheat (*Triticum aestivum* L.) yield, wholemeal quality, and sanitary risk. *Journal of Agricultural and Food Chemistry*, 68:10574-10585.
- Dalezios, N. 2015. Κλιματική αλλαγή και γεωργία. Κεφάλαιο 10. Available at https://repository.kallipos.gr/bitstream/11419/.../02_chapter_10.pdf.
- Dong J., N. Gruda, S.K. Lam, et al. 2018. Effects of elevated CO₂ on nutritional quality of vegetables: a review. *Frontiers in Plant Science* 18 9:924.
- Eckersten, H., K. Blomback, T. Katterer, and P. Nyman. 2001. Modelling C, N, water and heat dynamics in winter wheat under climate change in southern Sweden. *Agriculture Ecosystems and Environment* 86:221–235.
- Fogliatto, S., A. Ferrero and F. Vidotto. 2020. How can weedy rice stand against abiotic stresses? A review. *Agronomy* 10:1284.
- Georgopoulou, E., S. Mirasgedis, Y. Sarafidis, M. Vitaliotou, D.P. Lalas, I. Theloudis, K.-D. Giannoulaki, D. Dimopoulos, V. Zavras. 2017. Climate change impacts and adaptation options for the Greek agriculture in 2021–2050: A monetary assessment. *Climate Risk Management* 16:164–182.
- Giannakopoulos, C., P. Le Sager, M. Bindi, M. Moriondo, E. Kostopoulou, and C.M. Goodess. 2009. Climatic changes and associated impacts in the Mediterranean resulting from a 2 °C global warming. *Global and Planetary Change* 68:209–224.
- IPCC. 2007. *Climate Change 2007: Impacts, adaptation and vulnerability*. Cambridge University Press, New York. Information on this title: www.cambridge.org/9780521880107.
- Izaurrealde, R.C., N.J. Rosenberg, R.A. Brown, and A.M. Thomson. 2003. Integrated assessment of Hayley Center (HadCM2) climate-change impacts on agricultural productivity and irrigation water supply in the conterminous United States, Part II. Regional agricultural production in 2030 and 2090. *Agriculture and Forest Meteorology* 117:97–122.
- Jabran, K. and M.N. Dogan. 2018. High carbon dioxide concentration and elevated temperature impact the growth of weeds but do not change the efficacy of glyphosate. *Pest Management Science* 74:766-771.
- Jayawardena, D.M., S.A. Heckathorn, and J.K. Boldt. 2020. Effects of elevated carbon dioxide and chronic warming on nitrogen (N)-uptake rate, -assimilation, and -concentration of wheat. *Plants* 9, 1689.
- Καραμάνος, Α., Μ. Σκούρτος, Δ. Βολουδάκης, Α. Κοντογιάννη και Α. Μακλέρας. 2011. Επίδραση της κλιματικής αλλαγής στη γεωργία. Σελ. 204-216. Στην έκδοση: Οι περιβαλλοντικές, οικονομικές και κοινωνικές επιπτώσεις της κλιματικής αλλαγής στην Ελλάδα. Επιτροπή Μελέτης Επιπτώσεων Κλιματικής Αλλαγής (ΕΜΕΚΑ). Τράπεζα της Ελλάδος. Σελ. 546.
- Κατής, Ν., Α. Λαγοπόγη, Β. Μαλιόγκα και Γ. Καραογλανίδης. 2020. Κλιματική αλλαγή: Επιπτώσεις στις ασθένειες των φυτών στην Ελλάδα και στον κόσμο. 8ο Πανελλήνιο Συνέδριο Αγροτικά «Κλιματική αλλαγή και γεωργία». Θεσσαλονίκη, Φεβρουάριος 2020.
- Κουλούσης, Ν. και Δ. Κωβαίος. 2020. Επιδράσεις της κλιματικής αλλαγής στους πληθυσμούς των εντόμων. 8ο Πανελλήνιο Συνέδριο Αγροτικά «Κλιματική αλλαγή και γεωργία». Θεσσαλονίκη, Φεβρουάριος 2020.
- Li, C., J. Zhu, L. Sha, J. Zhang, Q. Zeng, and G. Liu. 2017. Rice (*Oryza sativa* L.) growth and nitrogen distribution under elevated CO₂ concentration and air temperature. *Ecological Research* 32:405–411. DOI 10.1007/s11284-017-1450-7.
- Luo, Q.Y., W. Bellotti, M. Williams, and B. Bryan. 2005. Potential impact of climate change on wheat yield in South Australia. *Agricultural and Forest Meteorology* 132:273-285.
- Μαμάσης, Ν. 2011. Υδατικό περιβάλλον και ανάπτυξη (ξηρασία). Εθνικό Μετσόβιο Πολυτεχνείο, Τομέας Υδατικών Πόρων και Περιβάλλοντος (<https://ocw.aoc.ntua.gr/modules/document/file.php/SURVEY143/>) Σελ. 44
- Matzrafi, M., C. Brunharo, P. Tehranchian, B.D. Hanson and M. Jasieniuk. 2019. Increased temperatures and elevated CO₂ levels reduce the sensitivity of *Conyza canadensis* and *Chenopodium album* to glyphosate. *Scientific Reports* 9:2228.
- Meng, F., J. Zhang, F. Yao, and C. Hao. 2014. Interactive effects of elevated CO₂ concentration and irrigation on photosynthetic parameters and yield of maize in northeast China. *PLoS ONE* 9(5): e98318. doi:10.1371/journal.pone.0098318.
- Myers S.S., A. Zanobetti, I. Kloog, et al. 2014. Increasing CO₂ threatens human nutrition. *Nature* 5:510(7503):139-42. doi: 10.1038/nature13179.
- O'Donnell, C.C. and S.W. Adkins. 2001. Wild oat and climate change: The effect of CO₂ concentration, temperature, and water deficit on the growth and development of wild oat in monoculture. *Weed Science*, 49:694-702.
- Ortiz, R., K.D. Sayre, B. Govaerts, R. Gupta, G.V. Subbarao, T. Ban, D. Hodson, J.M. Dixon, M.J.I. Ortiz, and M. Reynolds. 2008. Climate change: can wheat beat the heat? *Agriculture, Ecosystems and Environment* 126:46–58.
- Qiao, Y., S. Miao, Q. Li, J. Jin, X. Luo, and C. Tang. 2019. Elevated CO₂ and temperature increase grain oil concentration but their impacts on grain yield differ between soybean and maize grown in a temperate region. *Science of the Total Environment* 666:405–413.
- Ramesh, K., A. Matloob, F. Aslam, S.K. Florentine, and B.S. Chauhan. 2017. Weeds in a Changing Climate: Vulnerabilities, consequences, and implications for future Weed Management. *Frontiers in Plant Science* 8:95.
- Raza, A., A. Razzaq, S.S. Mehmood, X. Zou, X. Zhang, Y. Lv and J. Xu. 2019. Impact of climate change on crops adaptation and strategies to tackle its outcome: A review. *Plants* 8:34.
- Stone, P.J. and M.E. Nicolas. 1995. Effect of timing of heat stress during

- grain filling on two wheat varieties differing in heat tolerance. I. Grain growth. *Australian Journal of Plant Physiology* 22:927-93.
- Stuart, D., R.L. Schewe, and M. McDermott. 2014. Reducing nitrogen fertilizer application as a climate change mitigation strategy: Understanding farmer decision-making and potential barriers to change in the US. *Land Use Policy* 36:210-218.
 - Supit, I., C.A. van Diepen, A.J.W. de Wit, J. Wolf, P. Kabat, B. Baruth, F. Ludwig. 2012. Assessing climate change effects on European crop yields using the Crop Growth Monitoring System and a weather generator. *Agricultural and Forest Meteorology* 164:96- 111.
 - Taub, D.R., B. Miller, H. Allen. 2008. Effects of elevated CO₂ on the protein concentration of food crops: a meta-analysis. *Global Change Biology* 14(3):565-575.
 - Tatsumi, K., Y. Yamashiki, R. Valmir da Silva, K. Takara, Y. Matsuoka, K. Takahashi, K. Maruyama, and N. Kawahara. 2011. Estimation of potential changes in cereals production under climate change scenarios. *Hydrological Processes* 25:2715–2725.
 - Tilman, D.C., J. Balzerb, JR. Hillc, and B.L. Beforta. 2011. Global food demand and the sustainable intensification of agriculture. *PNAS* 108:20260–20264.
 - Τράπεζα της Ελλάδος. 2011. Οι περιβαλλοντικές, οικονομικές και κοινωνικές επιπτώσεις της κλιματικής αλλαγής στην Ελλάδα. Επιτροπή Μελέτης Επιπτώσεων Κλιματικής Αλλαγής (ΕΜΕΚΑ). Σελ. 546.
 - Varanasi, A., P.V. Prasad, and M. Jugulam. 2016. Impact of climate change factors on weeds and herbicide efficacy. *Advances in Agronomy*, Volume 135. Elsevier Inc.
 - Voloudakis, D., A. Karamanos, G. Economou, D. Kalivas, P. Vahamidis, V. Kotoulas, J. Kapsomenakis, and C. Zerefos. 2015. Prediction of climate change impacts on cotton yields in Greece under eight climatic models using the AquaCrop simulation model and discriminant function analysis. *Agricultural Water Management* 147, 116-128.
 - Voloudakis, D., A. Karamanos, G. Economou, J. Kapsomenakis, and C. Zerefos. 2018. A comparative estimate of climate change impacts on cotton and maize in Greece. *Journal of Water and Climate Change* 9, 643-656.
 - Wolfe, D.W., A.T. DeGaetano, G.M. Peck, M. Carey, L.H. Ziska, J. Lea-Cox, A.R. Kemanian, M.P. Hoffmann, and D.Y. Hollinger. 2018. Unique challenges and opportunities for northeastern US crop production in a changing climate. *Climatic Change* 146:231–245.
 - Yamori, W., K. Hikosaka and D.A. Way. 2014. Temperature response of photosynthesis in C₃, C₄, and CAM plants: temperature acclimation and temperature adaptation. *Photosynthesis Research* 119:101– 117.
 - Υπουργείο Περιβάλλοντος και Ενέργειας. 2016. Εθνική Στρατηγική για την Προσαρμογή στην Κλιματική Αλλαγή. Σελ. 115.
 - Zhang, T-J., L. Feng, X-S. Tian, C-L. Peng, C-H. Yang, and M-F. Yue. 2015. Differential response of two biotypes of goosegrass (*Eleusine indica*) with different sensitivities to glyphosate to elevated CO₂ concentrations. *International Journal of Agriculture and Biology* 17: 976 982 DOI: 10.17957/IJAB/15.0018.
 - Ziska, L.H. 2000. The impact of elevated CO₂ on yield loss from a C₃ and C₄ weed in field grown soybean. *Global Change Biology* 6:899-05.
 - Ziska, L.H. 2001. Changes in competitive ability between a C₄ crop and a C₃ weed with elevated carbon dioxide. *Weed Science* 49:622-627.
 - Ziska, L.H. 2003. Evaluation of yield loss in field sorghum from a C₃ and C₄ weed with increasing CO₂. *Weed Science* 51:914-918.
 - Ziska, L.H. 2004. Rising carbon dioxide and weed ecology. In: Inderjit (ed) *Weed biology and management*. Kluwer Academic, Dordrecht, 159–176.
 - Ziska, L.H. 2010a. Elevated carbon dioxide alters chemical management of Canada thistle in no-till soybean. *Field Crops Research* 119:299–303.
 - Ziska, L.H., M.B. Tomecek, and D.R. Gealy. 2010b. Competitive interactions between cultivated and red rice as a function of recent and projected increases in atmospheric carbon dioxide. *Agronomy Journal* 102:118-123.
 - Zhu C, K. Kobayashi, I. Loladze I, J. Zhu, Q. Jiang, A. Xu, et al. 2018. Carbon dioxide (CO₂) levels this century will alter the protein, micronutrients, and vitamin content of rice grains with potential health consequences for the poorest rice-dependent countries. *Science Advances* 4:eaaq1012. <https://doi.org/10.1126/sciadv.aaq1012> PMID: 29806023.