

## ΚΥΠΕΥΤΙΚΑ

### Tuta absoluta: Παρόν και μέλλον της αντιμετώπισης του εχθρού

### Η διαχείριση του εντόμου στη θερμοκηπιακή καλλιέργεια της τομάτας

#### Βιβλιογραφία

- Tuta absoluta – Ο υπονομευτής των φύλλων της τομάτας. Ενημερωτικό φυλλάδιο της ΔΑΟΚ Δράμας και τού ΕΛΓΟ «ΔΗΜΗΤΡΑ», γ' έκδοση, 2017 (<https://planthealthdrama.wordpress.com/αρχείο-ενημερωτικού-υλικού-της-δ-α-ο-κ/>)

## ΔΕΝΔΡΟΚΟΜΙΑ

### Ασθένειες που ευθύνονται για τις μεγαλύτερες απώλειες φυτών στους οπωρώνες

### Διαγνωστικός οδηγός για ταυτοποίηση και επίλυση προβλημάτων φυτοπροστασίας βερικοκιάς

#### Βιβλιογραφία

- Barba M., Hadidi A., Candresse T. & Cambra M. (2011). Plum pox virus. In: A. Hadidi, M. Barba, T. Candresse & W. Jelkmann, eds. Virus and virus-like diseases of pome and stone fruits, Chapter 36. St. Paul, MN, APS Press. 428 pp.
- CABI (2018). Crop Protection Compendium. Wallingford, UK, CABI. <http://www.cabi.org/cpc/> (last accessed 14 February 2018).
- Cambra M., Capote N., Myrta A. & Llacer G. (2006). Plum pox virus and the estimated costs associated with sharka disease. EPPO Bulletin, 36: 202–204.
- Carraro L., Osler R., Loi N., Ermacora P., Refatti E. (1998). Transmission of European stone fruit yellows phytoplasma by Cacopsyllapruni. Journal of Plant Pathology 80, 233±9.
- Carter M.V. (1957). Eutypaarmeriacae Hansf & Cartersp. nov, an airborne vascular pat

- hogen of Prunus armeniaca L. in Southern Australia. Australian Journal of Botany 5: 21–35.
- Carter M.V. (1991). The status of Eutypa palata as a pathogen. Int. Mycol. Inst., Phytopathological Paper No 32.
- Carter M.V. (1995). Eutypa dieback. Pages 32–33: in: Compendium of stone fruits.
- Cooksey D.A. & Moore L.W. (1982). Biological control of crown gall with an agrocin mutant of Agrobacterium radiobacter. Phytopathology 72: 919–921.
- Donmez M., Karlidag H. & Esitken A. (2010). Identification of resistance to bacterial canker (Pseudomonas syringae pv. syringae) disease on apricot genotypes grown in Turkey. European Journal of Plant Pathology. 126. 241–247. 10.1007/s10658-009-9536-x.
- FAOSTAT (2019). <http://www.fao.org/faostat/en/#data/QC>.
- Farrand S.K. (1990). Agrobacterium radiobacter strain K84; a model control system. (Ed: R R Baker) New Directions in Biological Control: Alternatives for Suppressing Agricultural Pest and Diseases, CRC Press, Boca Raton, USA, pp. 137–191.
- Garcva J.A., Glasa M., Cambra M. & Candresse T. (2014). Plum pox virus and sharka: A model potyvirus and a major disease. Molecular Plant Pathology, 15: 226–241.
- Garrett S.D. (1956). Rhizomorph behaviour in Armillariella (Vahl) Quél. II. Logistics of infection, Ann. Bot. 20: 193–209, 1956.
- Gelvin S.B. (2000). Agrobacterium and plant genes involved in TDNA transfer and integration. Annual Review of Plant Physiology and Plant Molecular Biology 51: 223–256.
- Giunchedi L., Poggi Pollini C., Credi R. (1982). Susceptibility of stone fruit trees to the Japanese plum tree decline causal agent. Acta Horticulturae 130, 285–290.
- Guillaumin J.J. (1977). Apricot root rot, Armillariella (Vahl) Karst. EPPO Bull. 7, 125–135.
- Hood L.A., D.B. Redfern, G.A. Kile

- (1991). Armillaria in planted hosts, in: C.G. Shaw III, G. A. Kile (Eds.), Armillaria Root Disease, USDA Forest Service, Washington, D.C., 1991, pp. 122–149.
- Horuz S., Ha lar B., Kósek M. & Aysan Y. (2018). Crown Gall Disease Susceptibility of Some Stone Fruit Rootstocks in Turkey. Tarım Bilimleri Dergisi. 24. 439–444. 10.15832/ankutbd.479073.
- James D., Varga A. & Sanderson D. (2013). Genetic diversity of Plum pox virus: Strains, disease and related challenges for control. Canadian Journal of Plant Pathology, 35: 431–441.
- Kado C.I. (2002). Crown gall. <http://www.apsnet.org/edcenter/Pages/phi.aspx> (Access date: 10.05.2017).
- Koch R.A., A.W. Wilson, O.S'en' e, T.W. Henkel, M.C. Aime (2017). Resolved phylogeny and biogeography of the root pathogen Armillaria and its gasteroid relative, Guyanagaster, BMC Evol. Biol. 17 (2017) 33.
- Kouyeas H. (1971) On the apoplexy of fruit trees caused by Phytophthora spp. Annls Inst. Phytopath. Benaki N.S.10, 163 – 170.
- Kouyeas H. (1977) Stone fruit apoplexy caused by Phytophthora collar rot. EPPO Bull., 7, 117 – 124.
- Llacer G. & Cambra M. (2006). Hosts and symptoms of Plum pox virus: Fruiting Prunus species. EPPO Bulletin, 36: 219–221.
- Moore L.W. (1990). Crown gall. In: A L Jones & H.S Aldwinckle (Eds), Compendium of apple and pear disease, APS Press, St Paul, USA, pp. 64–65.
- Morvan G. (1977). Apricot chlorotic leaf roll. EPPO Bulletin 7, 37–55.
- Ogawa J.M., E.I. Zehr, G.W. Bird, D.F. Richie, K.Uriu, and J.K. Uyemoto. Eds APS Press St Paul, MN.
- Παναγόπουλος Χ.Γ. (1997). Ασθένειες καρποφόρων δένδρων και Αμπέλου. Σελ. 182–185. Εκδ. Σταμούλης.
- Pasquini G. & Barba M. (2006). The question of seed transmissibility of Plum pox virus. EPPO Bulletin, 36: 287–292.
- Rappaz F. (1985). The sanction

edspeciesofthegenusEutypa(Diatrypaceae: Ascomycetes) taxonomicandnomenclaturestudy. Mycotaxon 20: 567–586.

- Rhouma A., Ferchichi A., Hafsa M.&Boubaker A. (2004). Efficacy of the non-pathogenic Agrobacterium strains K84 and K1026 against crown gall in Tunisia. PhytopathologiaMediterranea 42: 167-176.
- RishbethJ. (1988). Stump infection by Armillaria in first-rotation conifers, Eur. J. For.Pathol. 18:401–408.
- Stylianidis D.C., Syrgianidis G.D. and Almaliotis D.D. (1988). The peach rootstocks: a review of bibliography with relative observations in Greece. Agric. Technol., 12, 34 – 69.
- ΤζάμοςE. (2004). Φυτοπαθολογία. Εκδόσεις Σταμούλη Α.Ε, Αθήνα.
- ThomidisT. (2003a). The Phytophthora Diseases of Stone Fruit Trees in Greece.ArchivesofPhytopathologyandPlantProtection.Vol. 36, pp. 69 – 80.
- Thomidis T. (2003b) A rapid method for evaluating systemic fungicides against Phytophthora crown rot in vitro.Australasian Plant Pathology.
- Thomidis T., Cullum J., Elena K. and Jeffers S. (2001a). Relative resistance of four peach rootstocks to Phytophthoracactorum and P. megasperma. J. Phytopathol., 149, 599 – 604.
- Thomidis T. and Elena K. (2001b) Effects of metalaxyl, fosetyl-Al, dimethomorph and cymoxanil on Phytophthoracactorum of peach trees. J. Phytopathol., 149, 97 – 101.
- Thomidis T., Exadaktylou E.&TsipouridisK. (2005).Susceptibility of five Prunus rootstocks to Agrobacterium tumefaciens. New Zealand Journal of Crop and Horticultural Science 33: 343-345.
- Thomidis T. and Tsipouridis K. (2001c) Efficacy of metalaxyl, fosetyl-Al, dimethomorph and cymoxanil applied as soil drench or stem paint on scraped stem cankers for controlling Phytophthoracactorum and P. citrophthora of peach tree. Phytopath.Mediterr., 2, 253 – 259.
- Thomidis T. and Tsipouridis K. (2002) Persistence of systemic activity for

metalaxyl and fosetyl-al applied as soil drench to control phytophthora crown rot of peach tree. Phytopathol. Mediter., 31, 28 – 32.

## ΦΥΤΑ ΜΕΓΑΛΗΣ ΚΑΛΛΙΕΡΓΕΙΑΣ

### Πρώτη αναφορά στην Ελλάδα του δυσεξόντωτου ζιζανίου *Amaranthus palmeri* S. Wats.

### Ανταγωνιστικό έναντι ανοιξιότικων καλλιεργειών

#### Βιβλιογραφία

- Heap, I. (2021). The International Herbicide-Resistant Weed Database. Online. Wednesday, July 7, 2021. Available [www.weedscience.org](http://www.weedscience.org)
- Ward, S. M., Webster, T. M., & Steckel, L. E. (2013). Palmer amaranth (*Amaranthus palmeri*): a review. Weed Technology, 27(1): 12-27.
- Kumar, V., Liu, R., Boyer, G., & Stahlman, P. W. (2019). Confirmation of 2, 4 D resistance and identification of multiple resistance in a Kansas Palmer amaranth (*Amaranthus palmeri*) population. Pest Management Science, 75(11): 2925-2933.
- Milani, A., Panozzo, S., Farinati, S., Iamónico, D., Sattin, M., Loddo, D., & Scarabel, L. (2021). Recent discovery of *Amaranthus palmeri* S. Watson in Italy: characterization of ALS-resistant populations and sensitivity to alternative herbicides. Sustainability, 13(13): 7003.
- Schwartz-Lazaro, L. M., Norsworthy, J. K., Scott, R. C., & Barber, L. T. (2017). Resistance of two Arkansas Palmer amaranth populations to multiple herbicide sites of action. Crop Protection, 96: 158-163.
- Webster, T. M., Simmons, D. B., Culpepper, A. S., Grey, T. L., Bridges, D. C., & Scully, B. T. (2016). Factors affecting potential for Palmer amaranth (*Amaranthus palmeri*) suppression by winter rye in Georgia, USA. Field Crops Research, 192: 103-109.

## Η παρακολούθηση και διαχείριση των προσβολών του πράσινου σκουληκιού

### Τρόποι για την αντιμετώπισή του

#### Βιβλιογραφία

- Αναγνώστου Κ., Θεοκάρης Χ., Λιούπη Α., Βασιλάκος Θ., Τσαγανού Φ., Παπαστεργίου Ι., Παπαχαράλαμπος Χ., Ζωσιμάς Α., Κορομπίλιας Γ., Γίτσης Γ. και Αθανασίου Χ. 2015. Υπηρεσία Evalio Agrosystems της DuPont: Δυο χρόνια εμπειρία από την εφαρμογή του σε βαμβάκι και βιομηχανική τομάτα στη Θεσσαλία. Γεωργία Κτηνοτροφία 5: 60-64.
- Baker P., C. Bragard, T. Candresse, G. Gilioli, J-C. Grigoire, I. Holb, M. J. Jeger, O. E. Karadjova, C. Magnusson, D. Makowski, C. Manceau, M. Navajas, T. Rafoss, V. Rossi, J. Schans, G. Schrader, G. Urek, I. Vloutoglou, W. van der Werf and S. Winter. 2014. Scientific Opinion on the pest categorisation of *Helicoverpa armigera* (Höbner). EFSA journal 12: 3833.
- Καρακάσης Α. 2020. Αξιολόγηση παραγόντων που επιδρούν στην παγίδευση του πράσινου σκουληκιού σε φερομονικές παγίδες. Πτυχιακή Διατριβή. Πανεπιστήμιο Θεσσαλίας, 61 σελ.
- Kriticos D.J, Ota N., Hutchison W.D, Beddow J., Walsh T., Tay W.T., et al. 2015. The potential distribution of invading *Helicoverpa armigera* in north America: Is it just a matter of time? PLoS ONE 10(3): e0119618. <https://doi.org/10.1371/journal.pone.0119618>
- Milonas, P., Gogou, C., Papadopoulou, A., Fountas, S., Liakos, V., and Papadopoulos, N. 2016. Spatio-temporal distribution of *Helicoverpa armigera* (Höbner) (Lepidoptera: Noctuidae) and *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae) in a cotton production area. Neotropical Entomology 45: 240-251.
- Mironidis, G.K. und Savopoulou-Soultani M. 2008. Development, Survivorship, and Reproduction of

- Helicoverpa armigera (Lepidoptera: Noctuidae) under Constant and Alternating Temperatures. Environmental Entomology 37(1): 16-28.
- Mironidis G.K., Stamopoulos D.C., Savopoulou-Soultani M. 2010. Overwintering survival and spring emergence of Helicoverpa armigera (Lepidoptera: Noctuidae) in Northern Greece. Environ Entomol 39: 1068–1084
  - Mironidis, G. K., Karantaidaki, D., Bentila, M. D., Morou, E., Savopoulou-Soultani, M. and Vontas, J. 2013. Resurgence of the cotton bollworm Helicoverpa armigera (Höbner) in Northern Greece associated with insecticide resistance. Ins. Sci. 20: 505-512.
  - Μυρωνίδης 2009. Μελέτη της βιοοικολογίας του Helicoverpa armigera (Lepidoptera: Noctuidae) και του παρσιτοειδούς Hyposoter didymator (Hymenoptera: Ichneumonidae) στη βόρεια Ελλάδα. Διδακτορική διατριβή, Τμήμα Γεωπονίας, Αριστοτέλειο Πανεπιστήμιο Θεσσαλονίκης, 233 σελ.
  - Τα δελτία από το Πρόγραμμα Γεωργικών Προειδοποιήσεων στη Βαμβακοκαλλιέργεια
  - 2021 μπορούν να διαβαστούν στον παρακάτω σύνδεσμο:  
<http://www.minagric.gr/index.php/el/for-farmer-2/agricultural-warnings/bambakokaliergia/849-bambakokalliergeia-2021/11322-bambakokaliergia2021>

## ΚΤΗΝΟΤΡΟΦΙΑ

### Καταρροϊκός πυρετός, απαντήσεις σε ένα επίκαιρο θέμα

### Υποστηρικτική θεραπεία και πρόληψη

#### Βιβλιογραφία

- [https://www.youtube.com/watch?v=f\\_zCqrquvQ&t=379s](https://www.youtube.com/watch?v=f_zCqrquvQ&t=379s).