

## ΓΕΝΙΚΑ ΘΕΜΑΤΑ

### Οι βιοδιεγέρτες και η επίδρασή τους στα φυτά

### Είναι το σημαντικότερο όπλο της γεωπονίας και της γεωργίας

#### Βιβλιογραφία

- Alix, A.; Capri, E. Modern Agriculture in Europe and the Role of Pesticides. In *Advances in Chemical Pollution, Environmental Management and Protection*; Elsevier: Amsterdam, The Netherlands, 2018; Volume 2, pp. 1–22. ISBN 978-0-12-812866-4.
- Rashmi, I.; Roy, T.; Kartika, K.S.; Pal, R.; Coumar, V.; Kala, S.; Shinoji, K.C. Organic and Inorganic Fertilizer Contaminants in Agriculture: Impact on Soil and Water Resources. In *Contaminants in Agriculture*; Naeem, M., Ansari, A.A., Gill, S.S., Eds.; Springer International Publishing: Cham, Switzerland, 2020; pp. 3–41. ISBN 978-3-030-41551-8.
- Verma, B.C.; Pramanik, P.; Bhaduri, D. Organic Fertilizers for Sustainable Soil and Environmental Management. In *Nutrient Dynamics for Sustainable Crop Production*; Meena, R.S., Ed.; Springer: Singapore, 2020; pp. 289–313. ISBN 9789811386596.
- Yakhin, O.I.; Lubyantsev, A.A.; Yakhin, I.A.; Brown, P.H. Biostimulants in Plant Science: A Global Perspective. *Front. Plant Sci.* 2017, 7. [CrossRef]
- du Jardin, P. Plant Biostimulants: Definition, Concept, Main Categories and Regulation. *Sci. Hortic.* 2015, 196, 3–14. [CrossRef]
- Carletti, P.; Garcva, A.C.; Silva, C.A.; Merchant, A. Editorial: Towards a Functional Characterization of Plant Biostimulants. *Front. Plant Sci.* 2021, 12, 677772. [CrossRef]
- Petropoulos, S.A. Practical Applications of Plant Biostimulants in Greenhouse Vegetable Crop Production. *Agronomy* 2020, 10, 1569. [CrossRef]
- Olaetxea, M.; Hita, D.D.; Garcia, C.A.; Fuentes, M.; Baigorri, R.; Mora, V.; Garnica, M.; Urrutia, O.; Erro, J.; Zamarrepo, A.M.; et al. Hypothetical Framework Integrating the Main Mechanisms Involved in the Promoting Action of Rhizospheric Humic Substances on Plant Root- and Shoot- Growth. *Appl. Soil Ecol.* 2018, 123, 521–537. [CrossRef]
- Garcva-Mina, J.M.; Antolvn, M.C.; Sanchez-Diaz, M. Metal-Humic Complexes and Plant Micronutrient Uptake: A Study Based on Different Plant Species Cultivated in Diverse Soil Types. *Plant Soil* 2004, 258, 57–68. [CrossRef] *Biomolecules* 2021, 11, 1096 19 of 27
- Garcva, A.C.; de Souza, L.G.A.; Pereira, M.G.; Castro, R.N.; Garcva-Mina, J.M.; Zonta, E.; Lisboa, F.J.G.; Berbara, R.L.L. Structure-Property-Function Relationship in Humic Substances to Explain the Biological Activity in Plants. *Sci. Rep.* 2016, 6, 20798. [CrossRef]
- Dawood, M.G.; Abdel-Baky, Y.R.; El-Awadi, M.E.-S.; Bakhoun, G.S. Enhancement Quality and Quantity of Faba bean Plants Grown under Sandy Soil Conditions by Nicotinamide and/or Humic Acid Application. *Bull. Natl. Res. Cent.* 2019, 43, 28. [CrossRef]
- Gerke, J. Review Article: The Effect of Humic Substances on Phosphate and Iron Acquisition by Higher Plants: Qualitative and Quantitative Aspects. *J. Plant Nutr. Soil Sci.* 2021, 184, 329–338. [CrossRef]
- Nardi, S.; Ertani, A.; Francioso, O. Soil-Root Cross-Talking: The Role of Humic Substances. *J. Plant Nutr. Soil Sci.* 2017, 180, 5–13. [CrossRef]
- Nardi, S.; Pizzeghello, D.; Ertani, A. Hormone-like Activity of the Soil Organic Matter. *Appl. Soil Ecol.* 2018, 123, 517–520. [CrossRef]
- Zanin, L.; Tomasi, N.; Cesco, S.; Varanini, Z.; Pinton, R. Humic Substances Contribute to Plant Iron Nutrition Acting as Chelators and Biostimulants. *Front. Plant Sci.* 2019, 10, 675. [CrossRef]
- Canellas, L.P.; Olivares, F.L.; Aguiar, N.O.; Jones, D.L.; Nebbioso, A.; Mazzei, P.; Piccolo, A. Humic and Fulvic Acids as Biostimulants in Horticulture. *Sci. Hortic.* 2015, 196, 15–27. [CrossRef]
- Xu, D.-B.; Wang, Q.-J.; Wu, Y.-C.; Yu, G.-H.; Shen, Q.-R.; Huang, Q.-W. Humic-Like Substances from Different Compost Extracts Could Significantly Promote Cucumber Growth. *Pedosphere* 2012, 22, 815–824. [CrossRef]
- Godara, A.; Bakshi, M. Effect Of Application Of Bio Stimulants Like Humic Acid And Vermiwash On The Growth, Quality And Yield Of Plant—A Review. *Plant Cell Biotechnol. Mol. Biol.* 2021, 22, 22–30.
- Chen, Y.; De Nobili, M.; Aviad, T. Stimulatory Effects of Humic Substances on Plant Growth. In *Soil Organic Matter in Sustainable Agriculture*; Magdoff, F., Weil, R., Eds.; Advances in Agroecology; CRC Press: Boca Raton, FL, USA, 2004; Volume 20042043, ISBN 978-0-8493-1294-6.
- Garcva, A.C.; van Tol de Castro, T.A.; Santos, L.A.; Tavares, O.C.H.; Castro, R.N.; Berbara, R.L.L.; Garcva-Mina, J.M. Structure-Property-Function Relationship of Humic Substances in Modulating the Root Growth of Plants: A Review. *J. Environ. Qual.* 2019, 48, 1622–1632. [CrossRef]
- Bocanegra, M.P.; Lobartini, J.C.; Orioli, G.A. Plant Uptake of Iron Chelated by Humic Acids of Different Molecular Weights. *Commun. Soil Sci. Plant Anal.* 2006, 37, 239–248. [CrossRef]
- Jindo, K.; Olivares, F.L.; da Malcher, D.J.P.; Sanchez-Monedero, M.A.; Kempenaar, C.; Canellas, L.P. From Lab to Field: Role of Humic Substances Under Open-Field and Greenhouse Conditions as Biostimulant and Biocontrol Agent. *Front. Plant Sci.* 2020, 11, 426. [CrossRef]
- Jannin, L.; Arkoun, M.; Ourry, A.; Laÿni, P.; Goux, D.; Garnica, M.; Fuentes, M.; Francisco, S.S.; Baigorri, R.; Cruz, F.; et al. Microarray Analysis of Humic Acid Effects on Brassica napus Growth: Involvement of N, C and S Metabolisms. *Plant Soil* 2012, 359, 297–319. [CrossRef]
- Jindo, K.; Canellas, L.; Albacete, A.; Figueiredo dos Santos, L.; Frinhan Rocha, R.; Carvalho Baia, D.; Oliveira Aguiar Canellas, N.; Goron, T.; Olivares, F. Interaction between Humic Substances and Plant Hormones for Phosphorous Acquisition. *Agronomy* 2020, 10, 640. [CrossRef]
- Elmongy, M.S.; Wang, X.; Zhou, H.; Xia, Y. Humic Acid and Auxins Induced Metabolic Changes and Differential Gene Expression during Adventitious Root Development in Azalea Microshoots. *HortScience*

- 2020, 55, 926–935. [CrossRef]
- Conselvan, G.B.; Fuentes, D.; Merchant, A.; Peggion, C.; Francioso, O.; Carletti, P. Effects of Humic Substances and Indole-3-Acetic Acid on Arabidopsis Sugar and Amino Acid Metabolic Profile. *Plant Soil* 2018, 426, 17–32. [CrossRef]
  - Farooq, M.; Wahid, A.; Kobayashi, N.; Fujita, D.; Basra, S.M.A. Plant Drought Stress: Effects, Mechanisms and Management. *Sustain. Agric.* 2009, 29, 153–188.
  - Selmar, D.; Kleinwochter, M. Influencing the Product Quality by Deliberately Applying Drought Stress during the Cultivation of Medicinal Plants. *Ind. Crops Prod.* 2013, 42, 558–566. [CrossRef]
  - Hatfield, J.L.; Dold, C. Water-Use Efficiency: Advances and Challenges in a Changing Climate. *Front. Plant Sci.* 2019, 10, 103. [CrossRef]
  - Khorasaninejad, S.; Ahmadabadi, A.; Hemmati, K. The Effect of Humic Acid on Leaf Morphophysiological and Phytochemical Properties of *Echinacea purpurea* L. under Water Deficit Stress. *Sci. Hortic.* 2018, 239, 314–323. [CrossRef]
  - Qin, K.; Leskovar, D.I. Lignite-Derived Humic Substances Modulate Pepper and Soil-Biota Growth under Water Deficit Stress. *J. Plant Nutr. Soil Sci.* 2018, 181, 655–663. [CrossRef]
  - Abdelaal, K.A.A.; Hafez, Y.M.; El-Afry, M.M.; Tantawy, D.S.; Alshaal, T. Effect of Some Osmoregulators on Photosynthesis, Lipid Peroxidation, Antioxidative Capacity, and Productivity of Barley (*Hordeum vulgare* L.) under Water Deficit Stress. *Environ. Sci. Pollut. Res.* 2018, 25, 30199–30211. [CrossRef]
  - Man-hong, Y.; Lei, Z.; Sheng-tao, X.; McLaughlin, N.B.; Jing-hui, L. Effect of Water Soluble Humic Acid Applied to Potato Foliage on Plant Growth, Photosynthesis Characteristics and Fresh Tuber Yield under Different Water Deficits. *Sci. Rep.* 2020, 10, 7854. [CrossRef]
  - Lotfi, R.; Kalaji, H.M.; Valizadeh, G.R.; Behrozyar, E.; Hemati, A.; Gharavi-Kochebagh, P.; Ghassemi, A. Effects of Humic Acid on Photosynthetic Efficiency of Rapeseed Plants Growing under Different Watering Conditions. *Photosynthetica* 2018, 56, 962–970. [CrossRef]
  - Morsomme, P.; Boutry, M. The Plant Plasma Membrane H<sup>+</sup>-ATPase: Structure, Function and Regulation. *Biochim. Biophys. Acta BBA Biomembr.* 2000, 1465, 1–16. [CrossRef]
  - 36. Singh, R.K.; Deshmukh, R.; Muthamilarasan, M.; Rani, R.; Prasad, M. Versatile Roles of Aquaporin in Physiological Processes and Stress Tolerance in Plants. *Plant Physiol. Biochem.* 2020, 149, 178–189. [CrossRef] [PubMed]
  - de Azevedo, I.G.; Olivares, F.L.; Ramos, A.C.; Bertolazi, A.A.; Canellas, L.P. Humic Acids and Herbaspirillum seropedicae Change the Extracellular H<sup>+</sup> Flux and Gene Expression in Maize Roots Seedlings. *Chem. Biol. Technol. Agric.* 2019, 6, 8. [CrossRef]
  - Cha, J.-Y.; Kang, S.-H.; Ali, I.; Lee, S.C.; Ji, M.G.; Jeong, S.Y.; Shin, G.-I.; Kim, M.G.; Jeon, J.-R.; Kim, W.-Y. Humic Acid Enhances Heat Stress Tolerance via Transcriptional Activation of Heat-Shock Proteins in Arabidopsis. *Sci. Rep.* 2020, 10, 15042. [CrossRef]
  - Canellas, L.P.; Olivares, F.L.; Aguiar, N.O.; Jones, D.L.; Nebbioso, A.; Mazzei, P.; Piccolo, A. Humic and Fulvic Acids as Biostimulants in Horticulture. *Sci. Hortic.* 2015, 196, 15–27. [CrossRef]
  - Pylak, M.; Oszust, K.; Frac, M. Review Report on the Role of Bioproducts, Biopreparations, Biostimulants and Microbial Inoculants in Organic Production of Fruit. *Rev. Environ. Sci. Biotechnol.* 2019, 18, 597–616. [CrossRef]
  - Capstaff, N.M.; Morrison, F.; Cheema, J.; Brett, P.; Hill, L.; Mupo-z-Garcva, J.C.; Khimiyak, Y.Z.; Domoney, C.; Miller, A.J. Fulvic Acid Increases Forage Legume Growth Inducing Preferential Up-Regulation of Nodulation and Signalling-Related Genes. *J. Exp. Bot.* 2020, 71, 5689–5704. [CrossRef] [PubMed]
  - Priya, B.N.V.; Mahavishnan, K.; Gurusurthy, D.S.; Bindumadhava, H.; Upadhyay, A.P.; Sharma, N.K. Fulvic Acid (FA) for Enhanced Nutrient Uptake and Growth: Insights from Biochemical and Genomic Studies. *J. Crop Improv.* 2014, 28, 740–757. [CrossRef]
  - Baxter, A.; Mittler, R.; Suzuki, N. ROS as Key Players in Plant Stress Signalling. *J. Exp. Bot.* 2014, 65, 1229–1240. [CrossRef]
  - Sun, J.; Qiu, C.; Ding, Y.; Wang, Y.; Sun, L.; Fan, K.; Gai, Z.; Dong, G.; Wang, J.; Li, X.; et al. Fulvic Acid Ameliorates Drought Stress-Induced Damage in Tea Plants by Regulating the Ascorbate Metabolism and Flavonoids Biosynthesis. *BMC Genomics* 2020, 21, 411. [CrossRef]
  - Fang, Z.; Wang, X.; Zhang, X.; Zhao, D.; Tao, J. Effects of Fulvic Acid on the Photosynthetic and Physiological Characteristics of *Paeonia ostii* under Drought Stress. *Plant Signal. Behav.* 2020, 15, 1774714. [CrossRef]
  - Bayat, H.; Shafie, F.; Aminifard, M.H.; Daghighi, S. Comparative Effects of Humic and Fulvic Acids as Biostimulants on Growth, Antioxidant Activity and Nutrient Content of Yarrow (*Achillea millefolium* L.). *Sci. Hortic.* 2021, 279, 109912. [CrossRef]
  - Nasiri, A.; Sam-Daliri, M.; Shirani-Rad, A.; Mousavi, A.; Jabbari, H. The Response of Growth and Yield of Canola Genotypes to Humic Acid Application in Different Plant Densities. *Gesunde Pflanz.* 2021, 73, 17–27. [CrossRef]
  - Braziene, Z.; Paltanavicius, V.; Avizienyt ˆ e, D. The Influence of Fulvic Acid on Spring Cereals and Sugar Beets Seed Germination and Plant Productivity. *Environ. Res.* 2021, 195, 110824. [CrossRef]
  - Mayi, Azad & Ibrahim, Nawzad. (2015). Effect of Cultivars, Compost, Humic Acid and Their Interactions on Leaf Nutritional States of Sweet Cherry (*prunus avium* L.). *Science Journal of University of Zakho.* 3. 97-106. 10.25271/2015.3.1.282.
  - Stirk, W.A.; Rengasamy, K.R.R.; Kulkarni, M.G.; Staden, J. Plant Biostimulants from Seaweed: An Overview. In *The Chemical Biology of Plant Biostimulants*; Geelen, D., Xu, L., Eds.; Wiley: Hoboken, NJ, USA, 2020; pp. 31–55. ISBN 978-1-119-35719-3. *Biomolecules* 2021, 11, 1096 22 of 27
  - Shukla, P.S.; Borza, T.; Critchley, A.T.; Prithiviraj, B. Seaweed-Based Compounds and Products for Sustainable Protection against Plant Pathogens. *Mar. Drugs* 2021, 19, 59. [CrossRef]

- Holdt, S.L.; Kraan, S. Bioactive Compounds in Seaweed: Functional Food Applications and Legislation. *J. Appl. Phycol.* 2011, 23, 543–597. [CrossRef]
- Guinan, K.J.; Sujeeth, N.; Copeland, R.B.; Jones, P.W.; O'Brien, N.M.; Sharma, H.S.S.; Prouteau, P.F.J.; O'Sullivan, J.T. Discrete Roles for Extracts of *Ascophyllum nodosum* in Enhancing Plant Growth and Tolerance to Abiotic and Biotic Stresses. *Acta Hortic.* 2012, 127–135. [CrossRef]
- Battacharyya, D.; Babgohari, M.Z.; Rathor, P.; Prithiviraj, B. Seaweed Extracts as Biostimulants in Horticulture. *Sci. Hortic.* 2015, 196, 39–48. [CrossRef]
- Carillo, P.; Ciarmiello, L.F.; Woodrow, P.; Corrado, G.; Chiaiese, P.; Roupheal, Y. Enhancing Sustainability by Improving Plant Salt Tolerance through Macro- and Micro-Algal Biostimulants. *Biology* 2020, 9, 253. [CrossRef] [PubMed]
- Lee, S.-M.; Ryu, C.-M. Algae as New Kids in the Beneficial Plant Microbiome. *Front. Plant Sci.* 2021, 12, 599742. [CrossRef]
- Pohl, A.; Kalisz, A.; Sekara, A. Seaweed Extracts' Multifactorial Action: Influence on Physiological and Biochemical Status of Solanaceae Plants. *Acta Agrobot* 2019, 72, 12. [CrossRef]
- Jennings, R.C. Gibberellins as Endogenous Growth Regulators in Green and Brown Algae. *Planta* 1968, 80, 34–42. [CrossRef]
- Brain, K.R.; Chalopin, M.C.; Turner, T.D.; Blunden, G.; Wildgoose, P.B. Cytokinin Activity of Commercial Aqueous Seaweed Extract. *Plant Sci. Lett.* 1973, 1, 241–245. [CrossRef]
- Hussain, A.; Boney, A.D. Hydrophilic Growth Inhibitors from *Laminaria* and *Ascophyllum*. *New Phytol.* 1973, 72, 403–410. [CrossRef]
- Blunden, G.; Wildgoose, P.B. The Effects of Aqueous Seaweed Extract and Kinetin on Potato Yields. *J. Sci. Food Agric.* 1977, 28, 121–125. [CrossRef]
- Kingman, A.R.; Moore, J. Isolation, Purification and Quantitation of Several Growth Regulating Substances in *Ascophyllum nodosum* (Phaeophyta). *Bot. Mar.* 1982, 25, 149–154. [CrossRef]
- 63. Featonby-Smith, B.C.; Van Staden, J. The Effect of Seaweed Concentrate and Fertilizer on the Growth of *Beta vulgaris*. *Z. Für Pflanzenphysiol.* 1983, 112, 155–162. [CrossRef]
- Finnie, J.F.; van Staden, J. Effect of Seaweed Concentrate and Applied Hormones on In Vitro Cultured Tomato Roots. *J. Plant Physiol.* 1985, 120, 215–222. [CrossRef]
- Tay, S.A.B.; Macleod, J.K.; Palni, L.M.S.; Letham, D.S. Detection of Cytokinins in a Seaweed Extract. *Phytochemistry* 1985, 24, 2611–2614. [CrossRef]
- Sanderson, K.J.; Jameson, P.E. The Cytokinins In A Liquid Seaweed Extract: Could They Be The Active Ingredients? In Proceedings of the Acta Horticulturae; International Society for Horticultural Science (ISHS): Leuven, Belgium, 1986; Volume 179, pp. 113–116.
- Taylor, I.E.P.; Wilkinson, A.J. The Occurrence of Gibberellins and Gibberellin-like Substances in Algae. *Phycologia* 1977, 16, 37–42. [CrossRef]
- Stirk, W.A.; Novak, O.; Hradecka, V.; P'en'cvk, A.; Ro'cvk, J.; Strnad, M.; Van Staden, J. Endogenous Cytokinins, Auxins and Abscisic Acid in *Ulva fasciata* (Chlorophyta) and *Dictyota humifusa* (Phaeophyta): Towards Understanding Their Biosynthesis and Homeostasis. *Eur. J. Phycol.* 2009, 44, 231–240. [CrossRef] *Biomolecules* 2021, 11, 1096 23 of 27
- Stirk, W.A.; Tarkowska, D.; Ture'cova, V.; Strnad, M.; Van Staden, J. Abscisic Acid, Gibberellins and Brassinosteroids in Kelpak®, a Commercial Seaweed Extract Made from *Ecklonia maxima*. *J. Appl. Phycol.* 2014, 26, 561–567. [CrossRef]
- Wally, O.S.D.; Critchley, A.T.; Hiltz, D.; Craigie, J.S.; Han, X.; Zaharia, L.I.; Abrams, S.R.; Prithiviraj, B. Regulation of Phytohormone Biosynthesis and Accumulation in *Arabidopsis* Following Treatment with Commercial Extract from the Marine Macroalga *Ascophyllum nodosum*. *J. Plant Growth Regul.* 2013, 32, 324–339. [CrossRef]
- De Saeger, J.; Van Praet, S.; Vereecke, D.; Park, J.; Jacques, S.; Han, T.; Depuydt, S. Toward the Molecular Understanding of the Action Mechanism of *Ascophyllum nodosum* Extracts on Plants. *J. Appl. Phycol.* 2020, 32, 573–597. [CrossRef]
- Rayorath, P.; Jithesh, M.N.; Farid, A.; Khan, W.; Palanisamy, R.; Hankins, S.D.; Critchley, A.T.; Prithiviraj, B. Rapid Bioassays to Evaluate the Plant Growth Promoting Activity of *Ascophyllum nodosum* (L.) Le Jol. Using a Model Plant, *Arabidopsis thaliana* (L.)vHeynh. *J. Appl. Phycol.* 2008, 20, 423–429. [CrossRef]
- Craigie, J.S. Seaweed Extract Stimuli in Plant Science and Agriculture. *J. Appl. Phycol.* 2011, 23, 371–393. [CrossRef]
- Shekhar, S.H.S.; Lyons, G.; McRoberts, C.; McCall, D.; Carmichael, E.; Andrews, F.; McCormack, R. Brown Seaweed Species from Strangford Lough: Compositional Analyses of Seaweed Species and Biostimulant Formulations by Rapid Instrumental Methods. *J. Appl. Phycol.* 2012, 24, 1141–1157. [CrossRef]
- Omidbakhshfard, M.A.; Sujeeth, N.; Gupta, S.; Omranian, N.; Guinan, K.J.; Brotman, Y.; Nikoloski, Z.; Fernie, A.R.; Mueller-Roeber, B.; Gechev, T.S. A Biostimulant Obtained from the Seaweed *Ascophyllum nodosum* Protects *Arabidopsis thaliana* from Severe Oxidative Stress. *Int. J. Mol. Sci.* 2020, 21, 474. [CrossRef]
- Staykov, N.S.; Angelov, M.; Petrov, V.; Minkov, P.; Kanojia, A.; Guinan, K.J.; Alseekh, S.; Fernie, A.R.; Sujeeth, N.; Gechev, T.S. An *Ascophyllum nodosum*-Derived Biostimulant Protects Model and Crop Plants from Oxidative Stress. *Metabolites* 2021, 11, 24. [CrossRef]
- Rasul, F.; Gupta, S.; Olas, J.J.; Gechev, T.; Sujeeth, N.; Mueller-Roeber, B. Priming with a Seaweed Extract Strongly Improves Drought Tolerance in *Arabidopsis*. *Int. J. Mol. Sci.* 2021, 22, 1469. [CrossRef]
- Ali O.; Ramsuhag A.; Biostimulant Properties of Seaweed Extracts in Plants: Implications towards Sustainable Crop Production. *Plants* 2021,10,531. <https://doi.org/10.3390/plants10030531>
- Roupheal, Y.; Giordano, M.; Cardarelli, M.; Cozzolino, E.; Mori, M.; Kyriacou, M.C.; Bonini, P;



- Colla, G. Plant- and Seaweed-Based Extracts Increase Yield but Differentially Modulate Nutritional Quality of Greenhouse Spinach through Biostimulant Action. *Agronomy* 2018, 8, 126. [CrossRef]
- Taskos, D.; Stamatiadis, S.; Yvin, J.-C.; Jamois, F. Effects of an *Ascophyllum nodosum* (L.) Le Jol. Extract on Grapevine Yield and Berry Composition of a Merlot Vineyard. *Sci. Hortic.* 2019, 250, 27–32. [CrossRef]
- Frioni, T.; Sabbatini, P.; Tombesi, S.; Norrie, J.; Poni, S.; Gatti, M.; Palliotti, A. Effects of a Biostimulant Derived from the Brown Seaweed *Ascophyllum nodosum* on Ripening Dynamics and Fruit Quality of Grapevines. *Sci. Hortic.* 2018, 232, 97–106. [CrossRef]
- Gonnalves, B.; Morais, M.C.; Sequeira, A.; Ribeiro, C.; Guedes, F.; Silva, A.P.; Aires, A. Quality Preservation of Sweet Cherry Cv. “staccato” by Using Glycine-Betaine or *Ascophyllum nodosum*. *Food Chem.* 2020, 322, 126713. [CrossRef] [PubMed]
- Correia, S.; Queiros, F.; Ferreira, H.; Morais, M.C.; Afonso, S.; Silva, A.P.; Gonnalves, B. Foliar Application of Calcium and Growth Regulators Modulate Sweet Cherry (*Prunus avium* L.) Tree Performance. *Plants* 2020, 9, 410. [CrossRef] [PubMed]
- Shukla, P.S.; Prithiviraj, B. *Ascophyllum Nodosum* Biostimulant Improves the Growth of Zea mays Grown Under Phosphorus Impoverished Conditions. *Front. Plant Sci.* 2021, 11, 601843. [CrossRef] [PubMed]
- Carmody, N.; Gopi, O.; Łangowski, Ł.; O’Connell, S. *Ascophyllum nodosum* Extract Biostimulant Processing and Its Impact on Enhancing Heat Stress Tolerance During Tomato Fruit Set. *Front. Plant Sci.* 2020, 11, 807. [CrossRef]
- do Rosario Rosa, V.; Farias dos Santos, A.L.; Alves da Silva, A.; Peduti Vicentini Sab, M.; Germino, G.H.; Barcellos Cardoso, F.; de Almeida Silva, M. Increased Soybean Tolerance to Water Deficiency through Biostimulant Based on Fulvic Acids and *Ascophyllum nodosum* (L.) Seaweed Extract. *Plant Physiol. Biochem.* 2021, 158, 228–243. [CrossRef]
- Cabo, S.; Morais, M.C.; Aires, A.; Carvalho, R.; Pascual-Seva, N.; Silva, A.P.; Gonnalves, B. Kaolin and Seaweed-based Extracts Can Be Used as Middle and Long-term Strategy to Mitigate Negative Effects of Climate Change in Physiological Performance of Hazelnut Tree. *J. Agron. Crop Sci.* 2020, 206, 28–42. [CrossRef]
- Cabo, S.; Aires, A.; Carvalho, R.; Vilela, A.; Pascual-Seva, N.; Silva, A.P.; Gonnalves, B. Kaolin, *Ascophyllum nodosum* and Salicylic Acid Mitigate Effects of Summer Stress Improving Hazelnut Quality. *J. Sci. Food Agric.* 2021, 101, 459–475. [CrossRef] *Biomolecules* 2021, 11, 1096 24 of 27
- Dell’Aversana, E.; Cirillo, V.; Van Oosten, M.J.; Di Stasio, E.; Saiano, K.; Woodrow, P.; Ciarmiello, L.F.; Maggio, A.; Carillo, P. *Ascophyllum nodosum* Based Extracts Counteract Salinity Stress in Tomato by Remodeling Leaf Nitrogen Metabolism. *Plants* 2021, 10, 1044. [CrossRef]
- Kocira, S.; Szparaga, A.; Hara, P.; Treder, K.; Findura, P.; Barto , P.; Filip, M. Biochemical and Economical Effect of Application Biostimulants Containing Seaweed Extracts and Amino Acids as an Element of Agroecological Management of Bean Cultivation. *Sci. Rep.* 2020, 10, 17759. [CrossRef] [PubMed]
- Kulkarni, M.G.; Rengasamy, K.R.R.; Pendota, S.C.; Gruz, J.; Plačková, L.; Novak, O.; Doležal, K.; Van Staden, J. Bioactive Molecules Derived from Smoke and Seaweed *Ecklonia maxima* Showing Phytohormone-like Activity in *Spinacia oleracea* L. *New Biotechnol.* 2019, 48, 83–89. [CrossRef] [PubMed]
- Di Mola, I.; Cozzolino, E.; Ottaiano, L.; Giordano, M.; Roupael, Y.; El-Nakhel, C.; Leone, V.; Mori, M. Effect of Seaweed (*Ecklonia maxima*) Extract and Legume-Derived Protein Hydrolysate Biostimulants on Baby Leaf Lettuce Grown on Optimal Doses of Nitrogen under Greenhouse Conditions. *Aust. J. Crop Sci.* 2020, 1456–1464. [CrossRef]
- Roupael, Y.; De Micco, V.; Arena, C.; Raimondi, G.; Colla, G.; De Pascale, S. Effect of *Ecklonia maxima* Seaweed Extract on Yield, Mineral Composition, Gas Exchange, and Leaf Anatomy of Zucchini Squash Grown under Saline Conditions. *J. Appl. Phycol.* 2017, 29, 459–470. [CrossRef]
- Bindu, M.S.; Levine, I.A. The Commercial Red Seaweed *Kappaphycus alvarezii*—An Overview on Farming and Environment. *J. Appl. Phycol.* 2011, 23, 789–796. [CrossRef]
- Prithiviraj, B. Seaweed Extracts as Biostimulants of Plant Growth and Development. *J. Plant Growth Regul.* 2009, 45, 112–134, doi:10.1007/s00344-009-9103-x.
- Jayaraman, J.; Ali, N. Use of Seaweed Extracts for Disease Management of Vegetable Crops. In *Sustainable Crop Disease Management Using Natural Products*; CABI:Wallingford, UK, 2015; pp. 160–173.
- Al-Ghamdi, A.A.; Elansary, H.O. Synergetic Effects of 5-Aminolevulinic Acid and *Ascophyllum nodosum* Seaweed Extracts on Asparagus Phenolics and Stress Related Genes under Saline Irrigation. *Plant Physiol. Biochem.* 2018. [CrossRef]
- Digruher, T.; Sass, L.; Cseri, A.; Paul, K.; Nagy, A.V.; Remenyik, J.; Molnar, I.; Vass, I.; Toldi, O.; Gyuricza, C.; et al. Stimulation of EnergyWillow Biomass with Triacantanol and Seaweed Extract. *Ind. Crop. Prod.* 2018. [CrossRef]
- Ali, O.; Ramsubhag, A.; Jayaraman, J. *Ascophyllum nodosum* (Linnaeus) Le Jolis Seaweed Extract Improves Seed Germination in Tomato and Sweet Pepper under NaCl-Induced Salt Stress. *Trop. Agric.* 2018, 95, 141–148.
- Vinoth, S.; Sundari; Gurusaravanan, P.; Sivakumar, S.; Siva, G.; Kumar, G.P.; Manju; Velmurugan, K.; Lakshminarayana, V.; Jayabalan, N. Evaluation of Seagrass Liquid Extract on Salt Stress Alleviation in Tomato Plants. *Asian J. Plant Sci.* 2017. [CrossRef]
- Murtic, S.; Oljaca, R.; Smajic Murtic, M.; Vranac, A.; Akagic, A.; Civic, H. Cherry Tomato Productivity as Influenced by Liquid Organic Fertilizer under Different Growth Conditions. *J. Cent. Eur. Agric.* 2018. [CrossRef]

- Esserti, S.; Smaili, A.; Rifai, L.A.; Koussa, T.; Makroum, K.; Belfaiza, M.; Kabil, E.M.; Faize, L.; Burgos, L.; Albuquerque, N.; et al. Protective Effect of Three Brown Seaweed Extracts against Fungal and Bacterial Diseases of Tomato. *J. Appl. Phycol.* 2017. [CrossRef]
- Demir, N.; Dural, B.; Yildirim, K. Effect of Seaweed Suspensions on Seed Germination of Tomato, Pepper and Aubergine. *J. Biol.Sci.* 2006, 1130–1133. [CrossRef]
- Paradiković, N.; Vinković, T.; Vinković Vrček, I.; Žuntar, I.; Bojić, M.; Medić-arić, M. Effect of Natural Biostimulants on Yield and Nutritional Quality: An Example of Sweet Yellow Pepper (*Capsicum annuum* L.) Plants. *J. Sci. Food Agric.* 2011. [CrossRef]
- Di Mola, I.; Cozzolino, E.; Ottaiano, L.; Giordano, M.; Roupheal, Y.; Colla, G.; Mori, M. Effect of Vegetal-And Seaweed Extract-Based Biostimulants on Agronomical and Leaf Quality Traits of Plastic Tunnel-Grown Baby Lettuce under Four Regimes of Nitrogen Fertilization. *Agronomy* 2019, 9, 571. [CrossRef]
- Yusuf, R.; Kristiansen, P.; Warwick, N. Effect of Two Seaweed Products and Equivalent Mineral Treatments on Lettuce (*Lactuca sativa* L.) Growth. *J. Agron.* 2019. [CrossRef]
- Kapur, B.; SandáEs, M.A.; Heliktopuz, E.; Kafkas, E.; PaydáEs Kargı, S. Health and Taste Related Compounds in Strawberries under Various Irrigation Regimes and Bio-Stimulant Application. *Food Chem.* 2018. [CrossRef]
- Meszka, B.; Bielenin, A. Bioproducts in Control of Strawberry verticillium wilt. *Phytopathologia* 2008, 52, 21–27.
- Washington, W.S.; Engleitner, S.; Boontjes, G.; Shanmuganathan, N. Effect of Fungicides, Seaweed Extracts, Tea Tree Oil, and Fungal Agents on Fruit Rot and Yield in Strawberry. *Aust. J. Exp. Agric.* 1999. [CrossRef]
- El-Miniawy, S.M.; Ragab, M.E.; Youssef, S.M.; Metwally, A.A. Influence of Foliar Spraying of Seaweed Extract on Growth, Yield and Quality of Strawberry. *J. App. Sci. Res.* 2014, 10, 88–94.
- Mattner, S.W.; Milinkovic, M.; Arioli, T. Increased Growth Response of Strawberry Roots to a Commercial Extract from *Durvillaea potatorum* and *Ascophyllum nodosum*. *J. Appl. Phycol.* 2018. [CrossRef]
- Dookie, M.; Ali, O.; Ramsabhag, A.; Jayaraman, J. Flowering Gene Regulation in Tomato Plants Treated with Brown Seaweed Extracts. *Sci. Hortic. (Amst.)* 2020. [CrossRef]
- Roupheal, Y.; Giordano, M.; Cardarelli, M.; Cozzolino, E.; Mori, M.; Kyriacou, M.C.; Bonini, P.; Colla, G. Plant-and Seaweed-Based Extracts Increase Yield but Differentially Modulate Nutritional Quality of Greenhouse Spinach through Biostimulant Action. *Agronomy* 2018, 8, 126. [CrossRef]
- Zahid, P.B. Preparation of Organic Fertilizer from Seaweed and Its Effect on the Growth of Some Vegetable and Ornamental Plants. *Pakistan J. Biol. Sci.* 1999. [CrossRef]
- Poberezny, J.; Szczepanek, M.; Wszelaczynska, E.; Prus, P. The Quality of Carrot after Field Biostimulant Application and after Storage. *Sustainability* 2020, 12, 1386. [CrossRef]
- Valencia, R.T.; Acosta, L.S.; Hernandez, M.F.; Rangel, P.P.; Gallegos Robles, M.A.; del Carmen Antonio Cruz, R.; Vazquez, C.V. Effect of Seaweed Aqueous Extracts and Compost on Vegetative Growth, Yield, and Nutritional Quality of Cucumber (*Cucumis sativus* L.) Fruit. *Agronomy* 2018, 8, 264. [CrossRef]
- Malaguti, D.; Rombolù, A.D.; Gerin, M.; Simoni, G.; Tagliavini, M.; Marangoni, B. Effect of Seaweed Extracts-Based Leaf Sprays on the Mineral Status, Yield and Fruit Quality of Apple. *Acta Hortic.* 2002. [CrossRef]
- de Sousa, A.M.; Ayub, R.A.; Viencz, T.; Botelho, R.V. Fruit Set and Yield of Apple Trees Cv. Gala Treated with Seaweed Extract of *Ascophyllum nodosum* and Thidiazuron. *Rev. Bras. Frutic.* 2019. [CrossRef]
- Soppelsa, S.; Kelderer, M.; Casera, C.; Bassi, M.; Robatscher, P.; Andreotti, C. Use of Biostimulants for Organic Apple Production: Effects on Tree Growth, Yield, and Fruit Quality at Harvest and during Storage. *Front. Plant Sci.* 2018. [CrossRef] [PubMed]
- Jeannin, I.; Lescure, J.C.; Morot-Gaudry, J.F. The Effects of Aqueous Seaweed Sprays on the Growth of Maize. *Bot. Mar.* 1991. [CrossRef]
- El-Ansary, M.S.M.; Hamouda, R.A. Biocontrol of Root-Knot Nematode Infected Banana Plants by Some Marine Algae. *Russ. J. Mar. Biol.* 2014. [CrossRef]
- Dubiella, U.; Seybold, H.; Durian, G.; Komander, E.; Lassig, R.; Witte, C.-P.; Schulze, W.X.; Romeis, T. Calcium-Dependent Protein Kinase/ NADPH Oxidase Activation Circuit Is Required for Rapid Defense Signal Propagation. *Proc. Natl. Acad. Sci. USA* 2013, 110, 8744–8749. [CrossRef]
- Delaunois, B.; Farace, G.; Jeandet, P.; Climent, C.; Baillieul, F.; Dorey, S.; Cordelier, S. Elicitors as Alternative Strategy to Pesticides in Grapevine? Current Knowledge on Their Mode of Action from Controlled Conditions to Vineyard. *Environ. Sci. Pollut. Res.* 2014, 43, 111–166. [CrossRef]
- Nihorimbere, V.; Ongena, M.; Smargiassi, M.; Thonart, P. Beneficial Effect of the Rhizosphere Microbial Community for Plant Growth and Health. *Benef. Eff. Rhizosph. Microb. Community Plant Growth Health* 2011, 15, 327–337.
- Renaut, S.; Masse, J.; Norrie, J.P.; Blal, B.; Hijri, M. A Commercial Seaweed Extract Structured Microbial Communities Associated with Tomato and Pepper Roots and Significantly Increased Crop Yield. *Microb. Biotechnol.* 2019. [CrossRef]
- Pasupuleti, V.K.; Braun, S. State of the Art Manufacturing of Protein Hydrolysates. In *Protein Hydrolysates in Biotechnology*; Pasupuleti, V.K., Demain, A.L., Eds.; Springer: Dordrecht, The Netherlands, 2008; pp. 11–32. ISBN 978-1-4020-6673-3.
- Moreno-Hernandez, J.M.; Benvtez-Garcva, I.; Mazorra-Manzano, M.A.; Ramvrez-Suarez, J.C.; Sanchez, E. Strategies for Production, Characterization and Application of Protein-Based Biostimulants in Agriculture: A Review. *Chil. J. Agric. Res.* 2020, 80, 274–289. [CrossRef] *Biomolecules* 2021, 11, 1096 21 of 27
- Apone, F.; Tito, A.; Carola, A.; Arciello, S.; Tortora, A.; Filippini, L.; Monoli, I.; Cucchiara, M.; Gibertoni, S.; Chrispeels, M.J.; et al. A Mixture of Peptides and Sugars Derived

- from Plant Cell Walls Increases Plant Defense Responses to Stress and Attenuates Ageing-Associated Molecular Changes in Cultured Skin Cells. *J. Biotechnol.* 2010, 145, 367–376. [CrossRef] [PubMed]
- Roupael, Y.; Colla, G. Synergistic Biostimulatory Action: Designing the Next Generation of Plant Biostimulants for Sustainable Agriculture. *Front. Plant Sci.* 2018, 9, 1655. [CrossRef] [PubMed]
  - Colla, G.; Roupael, Y.; Canaguier, R.; Svecova, E.; Cardarelli, M. Biostimulant Action of a Plant-Derived Protein Hydrolysate Produced through Enzymatic Hydrolysis. *Front. Plant Sci.* 2014, 5, 448. [CrossRef]
  - Colla, G.; Hoagland, L.; Ruzzi, M.; Cardarelli, M.; Bonini, P.; Canaguier, R.; Roupael, Y. Biostimulant Action of Protein Hydrolysates: Unraveling Their Effects on Plant Physiology and Microbiome. *Front. Plant Sci.* 2017, 8, 2202. [CrossRef]
  - Colla, G.; Nardi, S.; Cardarelli, M.; Ertani, A.; Lucini, L.; Canaguier, R.; Roupael, Y. Protein Hydrolysates as Biostimulants in Horticulture. *Sci. Hortic.* 2015, 196, 28–38. [CrossRef]
  - Ertani, A.; Cavani, L.; Pizzeghello, D.; Brandellero, E.; Altissimo, A.; Ciavatta, C.; Nardi, S. Biostimulant Activity of Two Protein Hydrolysates in the Growth and Nitrogen Metabolism of Maize Seedlings. *J. Plant Nutr. Soil Sci.* 2009, 172, 237–244. [CrossRef]
  - Garcva-Martvnez, A.M.; Dvaz, A.; Tejada, M.; Bautista, J.; Rodrviguez, B.; Santa Marva, C.; Revilla, E.; Parrado, J. Enzymatic Production of an Organic Soil Biostimulant from Wheat-Condensed Distiller Solubles: Effects on Soil Biochemistry and Biodiversity. *Process Biochem.* 2010, 45, 1127–1133. [CrossRef]
  - Almadi, L.; Paoletti, A.; Cinosi, N.; Daher, E.; Rosati, A.; Di Vaio, C.; Famiani, F. A Biostimulant Based on Protein Hydrolysates Promotes the Growth of Young Olive Trees. *Agriculture* 2020, 10, 618. [CrossRef]
  - Caruso, G.; El-Nakhel, C.; Roupael, Y.; Comite, E.; Lombardi, N.; Cuciniello, A.; Woo, S.L. *Diplotaxis tenuifolia* (L.) DC. Yield and Quality as Influenced by Cropping Season, Protein Hydrolysates, and Trichoderma Applications. *Plants* 2020, 9, 697. [CrossRef]
  - Casadesis, A.; Polo, J.; Munni-Bosch, S. Hormonal Effects of an Enzymatically Hydrolyzed Animal Protein-Based Biostimulant (Pepton) in Water-Stressed Tomato Plants. *Front. Plant Sci.* 2019, 10, 758. [CrossRef] [PubMed]
  - Lucini, L.; Miras-Moreno, B.; Roupael, Y.; Cardarelli, M.; Colla, G. Combining Molecular Weight Fractionation and Metabolomicsto Elucidate the Bioactivity of Vegetal Protein Hydrolysates in Tomato Plants. *Front. Plant Sci.* 2020, 11, 976. [CrossRef]
  - Santi, C.; Zamboni, A.; Varanini, Z.; Pandolfini, T. Growth Stimulatory Effects and Genome-Wide Transcriptional Changes Produced by Protein Hydrolysates in Maize Seedlings. *Front. Plant Sci.* 2017, 8, 433. [CrossRef]
  - Guan, L.M.; Scandalios, J.G. Catalase Transcript Accumulation in Response to Dehydration and Osmotic Stress in Leaves of Maize Viviparous Mutants. *Redox Rep.* 2000, 5, 377–383. [CrossRef]
  - Rentel, M.C.; Lecourieux, D.; Ouaked, F.; Usher, S.L.; Petersen, L.; Okamoto, H.; Knight, H.; Peck, S.C.; Grierson, C.S.; Hirt, H. OX11 Kinase Is Necessary for Oxidative Burst-Mediated Signalling in Arabidopsis. *Nature* 2004, 427, 858–861. [CrossRef]
  - Shah, J. The Salicylic Acid Loop in Plant Defense. *Curr. Opin. Plant Biol.* 2003, 6, 365–371. [CrossRef]
  - 143. Seo, P.J.; Lee, A.-K.; Xiang, F.; Park, C.-M. Molecular and Functional Profiling of Arabidopsis Pathogenesis-Related Genes: Insights into Their Roles in Salt Response of Seed Germination. *Plant Cell Physiol.* 2008, 49, 334–344. [CrossRef]
  - Tsouvaltzis, P.; Koukounaras, A.; Siomos, A.S. Application of Amino Acids Improves Lettuce Crop Uniformity and Inhibits Nitrate Accumulation Induced by the Supplemental Inorganic Nitrogen Fertilization. *Int. J. Agric. Biol.* 2014, 16, 951–955.
  - Sestili, F.; Roupael, Y.; Cardarelli, M.; Pucci, A.; Bonini, P.; Canaguier, R.; Colla, G. Protein Hydrolysate Stimulates Growth in Tomato Coupled with N-Dependent Gene Expression Involved in N Assimilation. *Front. Plant Sci.* 2018, 9, 1233. [CrossRef]
  - Trevisan, S.; Manoli, A.; Quaggiotti, S. A Novel Biostimulant, Belonging to Protein Hydrolysates, Mitigates Abiotic Stress Effects on Maize Seedlings Grown in Hydroponics. *Agronomy* 2019, 9, 28. [CrossRef]
  - Luziatelli, F.; Ficca, A.G.; Colla, G.; Baldassarre vecova, E.; Ruzzi, M. Foliar Application of Vegetal-Derived Bioactive Compounds Stimulates the Growth of Beneficial Bacteria and Enhances Microbiome Biodiversity in Lettuce. *Front. Plant Sci.* 2019, 10, 60. [CrossRef]
  - Ertani, A.; Schiavon, M.; Nardi, S. Transcriptome-Wide Identification of Differentially Expressed Genes in *Solanum lycopersicon* L. in Response to an Alfalfa-Protein Hydrolysate Using Microarrays. *Front. Plant Sci.* 2017, 8, 1159. [CrossRef]
  - Sestili, F.; Roupael, Y.; Cardarelli, M.; Pucci, A.; Bonini, P.; Canaguier, R.; Colla, G. Protein Hydrolysate Stimulates Growth in Tomato Coupled with N-Dependent Gene Expression Involved in N Assimilation. *Front. Plant Sci.* 2018, 9, 1233. [CrossRef]
  - Malusa, E.; Sas-Paszt, L.; Ciesielska, J. Technologies for Beneficial Microorganisms Inocula Used as Biofertilizers. *Sci. World J.* 2012, 2012, 1–12. [CrossRef] [PubMed]
  - Malusa, E.; Sas-Paszt, L.; Ciesielska, J. Technologies for Beneficial Microorganisms Inocula Used as Biofertilizers. *Biomolecules* 2021, 11, 1096–1107. [CrossRef] [PubMed]
  - Malusa, E.; Vassilev, N. A Contribution to Set a Legal Framework for Biofertilisers. *Appl. Microbiol. Biotechnol.* 2014, 98, 6599–6607. [CrossRef] [PubMed]
  - Kumar, V.V. Biofertilizers and Biopesticides in Sustainable Agriculture. In *Role of Rhizospheric Microbes in Soil*; Meena, V.S., Ed.; Springer: Singapore, 2018; pp. 377–398. ISBN 978-981-10-8401-0.
  - Maçik, M.; Gryta, A.; Fraç, M. Biofertilizers in agriculture: An overview on concepts, strategies and effects on soil microorganisms. In *Advances in Agronomy*; Elsevier: Amsterdam, The Netherlands, 2020; Volume 162, pp. 31–87. ISBN 978-0-12-820767-3.
  - Vandenkoornhuysen, P.; Quaiser, A.;



- Duhamel, M.; Le Van, A.; Dufresne, A. The Importance of the Microbiome of the Plant Holobiont. *New Phytol.* 2015, 206, 1196–1206. [CrossRef]
- Glick, B.R. Plant Growth-Promoting Bacteria: Mechanisms and Applications. *Scientifica* 2012, 2012, 1–15. [CrossRef]
- Jha, C.K.; Saraf, M. Plant Growth Promoting Rhizobacteria (PGPR): A Review. *J. Agric. Res. Dev.* 2015, 5, 108–119.
- Ramakrishna, W.; Yadav, R.; Li, K. Plant Growth Promoting Bacteria in Agriculture: Two Sides of a Coin. *Appl. Soil Ecol.* 2019, 138, 10–18. [CrossRef]
- Ruzzi, M.; Aroca, R. Plant Growth-Promoting Rhizobacteria Act as Biostimulants in Horticulture. *Sci. Hortic.* 2015, 196, 124–134. [CrossRef]
- Zhao, D.; Zhao, H.; Zhao, D.; Zhu, X.; Wang, Y.; Duan, Y.; Xuan, Y.; Chen, L. Isolation and Identification of Bacteria from Rhizosphere Soil and Their Effect on Plant Growth Promotion and Root-Knot Nematode Disease. *Biol. Control* 2018, 119, 12–19. [CrossRef]
- Drobek, M.; Frać, M.; Cybulska, J. Plant Biostimulants: Importance of the Quality and Yield of Horticultural Crops and the Improvement of Plant Tolerance to Abiotic Stress—A Review. *Agronomy* 2019, 9, 335. [CrossRef]
- Barros-Rodriguez, A.; Rangseekaew, P.; Lasudee, K.; Pathom-aree, W.; Manzanera, M. Regulatory Risks Associated with Bacteria as Biostimulants and Biofertilizers in the Frame of the European Regulation (EU) 2019/1009. *Sci. Total Environ.* 2020, 740, 140239. [CrossRef]
- Radhakrishnan, R.; Hashem, A.; Abd\_Allah, E.F. *Bacillus*: A Biological Tool for Crop Improvement through Bio-Molecular Changes in Adverse Environments. *Front. Physiol.* 2017, 8, 667. [CrossRef]
- Mahmood, F.; Shahid, M.; Hussain, S.; Shahzad, T.; Tahir, M.; Ijaz, M.; Hussain, A.; Mahmood, K.; Imran, M.; Babar, S.A.K. Potential Plant Growth-Promoting Strain *Bacillus* Sp. SR-2-1/1 Decolorized Azo Dyes through NADH-Ubiquinone:Oxidoreductase Activity. *Bioresour. Technol.* 2017, 235, 176–184. [CrossRef]
- Caulier, S.; Gillis, A.; Colau, G.; Licciardi, F.; Lipin, M.; Desoignies, N.; Modrie, P.; Legrøve, A.; Mahillon, J.; Bragard, C. Versatile Antagonistic Activities of Soil-Borne *Bacillus* spp. and *Pseudomonas* spp. against *Phytophthora infestans* and Other Potato Pathogens. *Front. Microbiol.* 2018, 9, 143. [CrossRef]
- He, Y.; Pantigoso, H.A.; Wu, Z.; Vivanco, J.M. Co-inoculation of *Bacillus* sp. and *Pseudomonas putida* at Different Development Stages Acts as a Biostimulant to Promote Growth, Yield and Nutrient Uptake of Tomato. *J. Appl. Microbiol.* 2019, 127, 196–207. [CrossRef]
- Ding, Y.; Wang, J.; Liu, Y.; Chen, S. Isolation and Identification of Nitrogen-Fixing Bacilli from Plant Rhizospheres in Beijing Region. *J. Appl. Microbiol.* 2005, 99, 1271–1281. [CrossRef]
- Kuan, K.B.; Othman, R.; Abdul Rahim, K.; Shamsuddin, Z.H. Plant Growth-Promoting Rhizobacteria Inoculation to Enhance Vegetative Growth, Nitrogen Fixation and Nitrogen Remobilisation of Maize under Greenhouse Conditions. *PLoS ONE* 2016, 11, e0152478. [CrossRef]
- Chen, L.; Liu, Y.; Wu, G.; Veronican Njeri, K.; Shen, Q.; Zhang, N.; Zhang, R. Induced Maize Salt Tolerance by Rhizosphere Inoculation of *Bacillus amyloliquefaciens* SQR9. *Physiol. Plant.* 2016, 158, 34–44. [CrossRef]
- Biomolecules 2021, 11, 1096 26 of 27
- Lopez-Bucio, J.; Pelagio-Flores, R.; Herrera-Estrella, A. *Trichoderma* as Biostimulant: Exploiting the Multilevel Properties of a Plant Beneficial Fungus. *Sci. Hortic.* 2015, 196, 109–123. [CrossRef]
- Hermosa, R.; Viterbo, A.; Chet, I.; Monte, E. Plant-Beneficial Effects of *Trichoderma* and of Its Genes. *Microbiology* 2012, 158, 17–25. [CrossRef]
- Woo, S.L.; Ruocco, M.; Vinale, F.; Nigro, M.; Marra, R.; Lombardi, N.; Pascale, A.; Lanzuise, S.; Manganiello, G.; Lorito, M. *Trichoderma*-Based Products and Their Widespread Use in Agriculture. *Open Mycol. J.* 2014, 8, 71–126. [CrossRef]
- Lorito, M.; Woo, S.L. *Trichoderma*: A Multi-Purpose Tool for Integrated Pest Management. In *Principles of Plant-Microbe Interactions*; Lugtenberg, B., Ed.; Springer International Publishing: Cham, Switzerland, 2015; pp. 345–353; ISBN 978-3-319-08574-6.
- Visconti, D.; Fiorentino, N.; Cozzolino, E.; Woo, S.L.; Fagnano, M.; Roupheal, Y. Can *Trichoderma*-Based Biostimulants Optimize N Use Efficiency and Stimulate Growth of Leafy Vegetables in Greenhouse Intensive Cropping Systems? *Agronomy* 2020, 10, 121. [CrossRef]
- Marra, R.; Lombardi, N.; d’Errico, G.; Troisi, J.; Scala, G.; Vinale, F.; Woo, S.L.; Bonanomi, G.; Lorito, M. Application of *Trichoderma* Strains and Metabolites Enhances Soybean Productivity and Nutrient Content. *J. Agric. Food Chem.* 2019, 67, 1814–1822. [CrossRef]
- Al-Garni, S.M.S.; Khan, M.M.A.; Bahieldin, A. Plant Growth-Promoting Bacteria and Silicon Fertilizer Enhance Plant Growth and Salinity Tolerance in *Coriandrum sativum*. *J. Plant Interact.* 2019, 14, 386–396. [CrossRef]
- Devi, S.S.; Sreenivasulu, Y.; Rao, K.V. Protective Role of *Trichoderma logibrachiatum* (WT2) on Lead Induced Oxidative Stress in *Helianthus annuus* L. *Indian J. Exp. Biol.* 2017, 55, 235–241.
- Fiorentino, N.; Ventrino, V.; Woo, S.L.; Pepe, O.; De Rosa, A.; Gioia, L.; Romano, I.; Lombardi, N.; Napolitano, M.; Colla, G.; et al. *Trichoderma*-Based Biostimulants Modulate Rhizosphere Microbial Populations and Improve N Uptake Efficiency, Yield, and Nutritional Quality of Leafy Vegetables. *Front. Plant Sci.* 2018, 9, 743. [CrossRef]
- Rafique, M.; Naveed, M.; Mustafa, A.; Akhtar, S.; Munawar, M.; Kaukab, S.; Ali, H.M.; Siddiqui, M.H.; Salem, M.Z.M. The Combined Effects of Gibberellic Acid and *Rhizobium* on Growth, Yield and Nutritional Status in Chickpea (*Cicer arietinum* L.). *Agronomy* 2021, 11, 105. [CrossRef]
- Jimenez, J.A.; Novinscak, A.; Fillion, M. *Pseudomonas fluorescens* LBUM677 Differentially Increases Plant Biomass, Total Oil Content and Lipid Composition in Three Oilseed Crops. *J. Appl. Microbiol.* 2020, 128, 1119–1127. [CrossRef]

## ΑΜΠΕΛΟΥΡΓΙΑ

### Άρδευση μετά τον περκασμό στην ποικιλία Ξινόμαυρο

#### Πως επηρεάζει, κατά την περίοδο της ωρίμανσης, τα χαρακτηριστικά της παραγωγής

##### Βιβλιογραφία

- Casassa, L. F., M. Keller, and J. F. Harbertson. 2015. “Regulated Deficit Irrigation Alters Anthocyanins, Tannins and Sensory Properties of Cabernet Sauvignon Grapes and Wines.” *Molecules* 20(5):7820–44. doi: 10.3390/molecules20057820.
- Castellarin, S. D., M. A. Matthews, G. D. Gaspero, and G. A. Gambetta. 2007. “Water Deficits Accelerate Ripening and Induce Changes in Gene Expression Regulating Flavonoid Biosynthesis in Grape Berries.” *Planta*. doi: 10.1007/s00425-007-0598-8.
- Charrier, G. 2020. “Extrapolating Physiological Response to Drought through Step-by-Step Analysis of Water Potential.” *Plant Physiology* 184(2):560–61.
- Chaves, M. M., O. Zarrouk, R. Francisco, J. M. Costa, T. Santos, A. P. Regalado, M. L. Rodrigues, and C. M. Lopes. 2010. “Grapevine under Deficit Irrigation: Hints from Physiological and Molecular Data.” *Annals of Botany* 105(5):661–76. doi: 10.1093/aob/mcq030.
- Cifre, J., J. Bota, J. M. Escalona, H. Medrano, and J. Flexas. 2005. “Physiological Tools for Irrigation Scheduling in Grapevine (*Vitis Vinifera* L.): An Open Gate to Improve Water-Use Efficiency?” *Agriculture, Ecosystems and Environment*. doi: 10.1016/j.agee.2004.10.005.
- Cook, M. G., Y. Zhang, C. J. Nelson, G. Gambetta, J. A. Kennedy, and S. K. Kurtural. 2015. “Anthocyanin Composition of Merlot Is Ameliorated by Light Microclimate and Irrigation in Central California.” *American Journal of Enology and Viticulture*. doi: 10.5344/ajev.2015.15006.
- Deloire, A., Ojeda, H., Zebic, O., Bernard, N., Hunter, J.J. & Carbonneau, A., (2005). Influence of grapevine water status on the wine style. *Le Progrès Agricole et Viticole* 21, 455 – 462.
- Deluc, L. G., D. R. Quilici, A. Decendit, J. Grimplet, M. D. Wheatley, K. A. Schlauch, J. M. Mirillon, J. C. Cushman, and G. R. Cramer. 2009. “Water Deficit Alters Differentially Metabolic Pathways Affecting Important Flavor and Quality Traits in Grape Berries of Cabernet Sauvignon and Chardonnay.” *BMC Genomics*. doi: 10.1186/1471-2164-10-212.
- Downey, M. O., J. S. Harvey, and S. P. Robinson. 2004. “The Effect of Bunch Shading on Berry Development and Flavonoid Accumulation in Shiraz Grapes.” *Australian Journal of Grape and Wine Research*. doi: 10.1111/j.1755-0238.2004.tb00008.x.
- Esteban, M. A., M. J. Villanueva, and J. R. Lissarrague. 1999. “Effect of Irrigation on Changes in Berry Composition of Tempranillo during Maturation. Sugars, Organic Acids, and Mineral Elements.” *American Journal of Enology and Viticulture*.
- Gomez-Del-Campo, M., P. Baeza, C. Ruiz, and J. R. Lissarrague. 2005. “Effects of Water Stress on Dry Matter Content and Partitioning in Four Grapevine Cultivars (*Vitis Vinifera* L.)” *Journal International Des Sciences de La Vigne et Du Vin*. doi: 10.20870/oeno-one.2005.39.1.905.
- Intrigliolo, D. S., and J. R. Castel. 2010. “Response of Grapevine Cv. ‘Tempranillo’ to Timing and Amount of Irrigation: Water Relations, Vine Growth, Yield and Berry and Wine Composition.” *Irrigation Science* 28(2):113–25. doi: 10.1007/s00271-009-0164-1.
- Intrigliolo, D. S., D. Pirez, D. Risco, A. Yeves, and J. R. Castel. 2012. “Yield Components and Grape Composition Responses to Seasonal Water Deficits in Tempranillo Grapevines.” *Irrigation Science* 30(5):339–49. doi: 10.1007/s00271-012-0354-0.
- Keller, M. 2010. “Managing Grapevines to Optimize Fruit Development in a Challenging Environment: A Climate Change Primer for Viticulturists.” *Australian Journal of Grape and Wine Research*. doi: 10.1111/j.1755-0238.2009.00077.x.
- Koundouras, S., Kanakis, I., Drossou, E., Kallithraka, S., and Kotseridis, Y. (2013). Effects of postveraison water regime on the phenolic composition of grapes and wines of cv. Agiorgitiko (*Vitis vinifera* L.). *OENO One*, 47(2), 115–128. <https://doi.org/10.20870/oeno-one.2013.47.2.1542>.
- Koundouras, S., E. Hatzidimitriou, M. Karamolegkou, E. Dimopoulou, S. Kallithraka, J. T. Tsialtas, E. Zioziou, N. Nikolaou, and Y. Kotseridis. 2009. “Irrigation and Rootstock Effects on the Phenolic Concentration and Aroma Potential of *Vitis Vinifera* L. Cv. Cabernet Sauvignon Grapes.” *Journal of Agricultural and Food Chemistry*. doi: 10.1021/jf901063a.
- Koundouras, S., Marinou, V., Gkoulioti, A., Kotseridis, Y. & van Leeuwen, C. (2006). Influence of vineyard location and vine water status on fruit maturation of nonirrigated cv. Agiorgitiko (*Vitis vinifera* L.). Effects on wine phenolic and aroma components. *Journal of Agricultural and Food Chemistry* 54, 5077–5086. doi: 10.1021/jf0605446.
- Levin, A. D., L. E. Williams, and M. A. Matthews. 2019. “A Continuum of Stomatal Responses to Water Deficits among 17 Wine Grape Cultivars (*Vitis Vinifera*)” *Functional Plant Biology* 47(1):11–25. doi: 10.1071/FP19073.
- Medrano, H., J. M. Escalona, J. Bota, J. Gulvas, and J. Flexas. 2002. “Regulation of Photosynthesis of C3 Plants in Response to Progressive Drought: Stomatal Conductance as a Reference Parameter.” *Annals of Botany* 89(7):895–905. doi: 10.1093/aob/mcf079.
- Munitz, S., Y. Netzer, and A. Schwartz. 2017. “Sustained and Regulated Deficit Irrigation of Field-Grown Merlot Grapevines.” *Australian Journal of Grape and Wine Research*. doi: 10.1111/ajgw.12241.
- Rinaldo, A. R., E. Cavallini, Y. Jia, S. M. A. Moss, D. A. J. McDavid, L. C. Hooper, S. P. Robinson, G. B. Tornelli, S. Zenoni, C. M. Ford, P. K. Boss, and A. R. Walker. 2015. “A Grapevine Anthocyanin Acyltransferase, Transcriptionally Regulated by VvMYBA, Can Produce Most Acylated Anthocyanins Present in Grape Skins.” *Plant Physiology*. doi: 10.1104/pp.15.01255.
- Roby, G., J. F. Harbertson, D. A. Adams, and M. A. Matthews.



2004. "Berry Size and Vine Water Deficits as Factors in Winegrape Composition: Anthocyanins and Tannins." *Australian Journal of Grape and Wine Research*. doi: 10.1111/j.1755-0238.2004.tb00012.x.
- Romero, P., R. Gil-Mupoz, F. M. del Amor, E. Valdis, J. I. Fernandez, and A. Martinez-Cutillas. 2013. "Regulated Deficit Irrigation Based upon Optimum Water Status Improves Phenolic Composition in Monastrell Grapes and Wines." *Agricultural Water Management*. doi: 10.1016/j.agwat.2013.01.007.
  - Santos dos, T. P., C. M. Lopes, M. L. Rodrigues, C. R. de Souza, J. M. Ricardo-da-Silva, J. P. Maroco, J. S. Pereira, and M. M. Chaves. 2007. "Effects of Deficit Irrigation Strategies on Cluster Microclimate for Improving Fruit Composition of Moscatel Field-Grown Grapevines." *Scientia Horticulturae* 112(3):321–30. doi: 10.1016/j.scienta.2007.01.006.
  - Schultz, H. R. 2003. "Differences in Hydraulic Architecture Account for Near-Isohydric and Anisohydric Behaviour of Two Field-Grown *Vitis Vinifera* L. Cultivars during Drought." *Plant, Cell and Environment*. doi: 10.1046/j.1365-3040.2003.01064.x.
  - Simonneau, T., E. Lebon, A. Coupel-Ledru, E. Marguerit, L. Rossdeutsch, and N. Ollat. 2017. "Adapting Plant Material to Face Water Stress in Vineyards: Which Physiological Targets for an Optimal Control of Plant Water Status?" *Oeno One*. doi: 10.20870/oeno-one.2016.0.0.1870.
  - Souza de, C. R., J. P. Maroco, T. P. dos Santos, M. L. Rodrigues, C. M. Lopes, J. S. Pereira, and M. M. Chaves. 2003. "Partial Rootzone Drying: Regulation of Stomatal Aperture and Carbon Assimilation in Field-Grown Grapevines (*Vitis Vinifera* Cv. Moscatel)." *Functional Plant Biology* 30(6):653–62. doi: 10.1071/FP02115.
  - Theodorou, N., N. Nikolaou, E. Zioziou, M. Kyrleou, S. Kallithraka, Y. Kotseridis, and S. Koundouras. 2019. "Anthocyanin Content and Composition in Four Red Winegrape Cultivars (*Vitis Vinifera* L.) under Variable Irrigation." *Oeno One*. doi: 10.20870/oeno-one.2019.53.1.2366.
  - Tregoat, O., C. van Leeuwen, X. Choni, and J. P. Gaudillere. 2000. "Etude Du Rigue Hydrique et de La

Nutrition Azotie de La Vigne Par Des Indicateurs Physiologiques." *Journal International Des Sciences de La Vigne et Du Vin*.

## ΚΤΗΝΟΤΡΟΦΙΑ

### Διαχειριστικά Σχέδια Βόσκησης

### Ζωοτεχνικές πρακτικές διαχείρισης σε εκμεταλλεύσεις στη Δυτική Ελλάδα

#### Βιβλιογραφία

- Καζόγλου Ι. και Τσιακίρης Ρ. (2018). Διαχειριστικά Σχέδια Βόσκησης: οι ενέργειες που πρέπει άμεσα να υλοποιηθούν. Στο: Γρηγοριάδης, Σ. (επιμ. εκδ.). «Πρακτικά Ημερίδων για την αειφορία των Ελληνικών Δασών υπό το πρίσμα: Περιβάλλον-Οικονομία-Κοινωνία». Ελληνική Δασολογική Εταιρεία, Αμφιθέατρο Ινστιτούτου Δασικών Ερευνών, 28-06-2018, σελ. 113-118.
- Τσιακίρης Ρ. και Παπουτσάκης Μ. (2018). Μέθοδοι προεκτίμησης επιφάνειας Βοσκήσιμων Γαιών στην Ελλάδα κατάλληλων για ένταξη στα Διαχειριστικά Σχέδια Βόσκησης. Υπουργείο Αγροτικής Ανάπτυξης και Τροφίμων και «Ελληνικό Κτηματολόγιο», Αθήνα. Σελ. 27.