## ΔΕΝΔΡΟΚΟΜΙΑ

### Σχίσιμο των καρπών στα εσπεριδοειδή

### Παράγοντες εμφάνισης και δυνατότητες πρόληψης και αντιμετώπισης

**Βιβλιογραφία**


- Huang, S. et al. (2024). Physiological Mechanisms of Citrus Fruit Cracking. Plants, 13, 257.
- Kaur, K. et al. (2025). Impact of meteorological parameters in fruit splitting of Daisy mandarin. Frontiers in Plant Science, 16, 1700833.
- Dong, Z. et al. (2025). Calcium application regulates fruit cracking by cross-linking of fruit peel pectin. Scientia Horticulturae, 340, 113922.
- Jiao, Y., Sha, C. & Shu, Q. (2022). Integrated Physiological and Metabolomic Analyses of the Effect of Potassium Fertilizer on Citrus Fruit Splitting. Plants, 11, 499.
- Li, Y. et al (2025) Mechanisms and Management Strategies for Satsuma Mandarin Fruit Cracking. Agronomy, 15, 698
- Shi, X. et al. (2025). Periodicity of Fruit Cracking in Orange Fruit and Integrated Management Intervention. Plants, 14, 389.
- Santos, M. et al. (2023). Molecular mechanisms involved in fruit cracking: A review. Frontiers in Plant Science, 14, 1130857.
- Wang, T. et al. (2024). Mitigating citrus fruit cracking: the efficacy of chelated calcium or silicon foliar fertilizers in 'Okitsu no. 58' citrus fruit. Frontiers in Plant Science, 15, 1402945


### Τα κοκκοειδή έντομα της ελιάς (Μέρος 2ο)

### Περιγραφή, αίτια και αντιμετώπιση

**Βιβλιογραφία**


- Argyriou, L.C. & DeBach, P., 1968. The establishment of *Metaphycus helvolus* (Compere) (Hymenoptera: Encyrtidae) on *Saissetia oleae* (Bern.) (Homoptera: Coccidae) in olive groves in Greece. Entomophaga, 13(3): 223-228.
- Argyriou, L.C. & Kourmadas, A.L., 1981. Contribution to the timing for the control of Diaspididae scales of olive trees. Annales de l'Institut Phytopathologique Benaki 13: 65-72.
- Argyriou, L.C., 1967. The scales of olive trees occurring in Greece and their entomophagous insects. Annales de l' Institut Phytopathologique Benaki (N.S.) 8: 66-73.
- Argyriou, L.C., Stavraki, H.G. & Mourikis, P.A., 1976. A list of recorded entomophagous insects of Greece. Benaki Phytopathological Institute Athens 73 pp.
- Garcva Morales, M., Denno, B.D., Miller, D.R., Miller, G.L., Ben-Dov, Y. & Hardy, N.B., 2016. ScaleNet: A literature-based model of scale insect biology and systematics. Database. doi: 10.1093/database/bav118. http://scalenet.info [Date accessed: 21-07-2026].
- Jervis, M. & Kidd, N., 1997. Insect Natural Enemies: practical approaches and evaluation. Chapman & Hall, London, Weinheim, New York, Tokyo, Melbourne, Madras.491 pp. ISBN 0-412-39900-8
- Katsoyannos, P. and Stathas, G.J., 1995. Phenology, embryonic diapause and importance of natural enemies of *Lepidosaphes ulmi* (L.) (Homoptera: Diaspididae) on olive trees in Greece. Israel Journal of Entomology Vol. XXIX, 199-206
- Katsoyannos, P., 1976. Etude d'un prıdateur, Exochomus *quadripustulatus* L. (Coleoptera: Coccinellidae), en vue d'une ıventuelle utilisation contre *Saissetia oleae* Olivier (Homoptera: Coccoidea, Coccidae) dans les Capados de la Grèce. Doct. Ing. Thesis, Univ. Des Sciences et Techniques du Languedoc, Montpellier. 144pp.
- Katsoyannos, P., 1984. The establishment of *Rhyzobius forestieri* (Col.: Coccinellidae) in Greece and its efficiency as an auxiliary control agent against a heavy infestation of Saissetia oleae (Hom.: Coccidae). Entomophaga 29(4): 387-397.
- Katsoyannos, P., 1992. Olive Pests and their Control in the Near East. FAO Plant Prod. And Prot. Paper 115. 178pp
- Katsoyannos, P., 1996. Integrated Insect Pest Management for Citrus in Northern Mediterranean Countries. Benaki Phytopathological Institute, Kiphissia, Athens, Greece. 110pp
- Kondo, T., & Watson, G.W., (Eds.), 2022. Encyclopedia of scale insect pests. CABI. https://doi.org/10.1079/9781800620643.0000
- Markham, R. H., Wodageneh, A. & Agboola, S. (Eds.), 1992. Biological Control Manual. Volume 1: Principles and Practice of Biological Control (2nd ed.). Cotonou, Benin: International Institute of Tropical Agriculture (IITA), Biological Control Center for Africa, in collaboration with FAO and UNDP. 229 pp. ISBN 978-131-078-2
- Stathas, G.J. & Eliopoulos, P.A., 2001b. Prey consumption of the predator *Chilocorus bipustualtus* Linnaeus on *Aspidiotus nerii* Bouchı. Annales de l' Institut Phytopathologique Benaki (N.S.) 19: 125-133.
- Stathas, G.J., 2000a. *Rhyzobius lophanthae* prey consumption and fecundity. Phytoparasitica 28(3): 203-211.
- Stathas, G.J., 2000b. The effect of temperature on the development of the predator *Rhyzobius lophanthae* and its phenology in Greece. Biocontrol, Dordecht 45(4): 439-451.
- Stathas, G.J., 2001a. Studies on morphology and biology of immature stages of the predator *Rhyzobius lophanthae* Blaisdell (Col.: Coccinellidae). Anzeiger fór Schδdlingskunde 74(5): 113-116.
- Stathas, G.J., Kontodimas, D.C., Bouras, S.L. & Economou, L.P., 2005. Life table parameters of *Rhyzobius lophanthae* Blaisdell (Coleoptera: Coccinellidae). Bulletin OILB/SROP (Sect. Reg. Ouest Palearctique) 28(9): 147-155.
- Τζανακάκης, Μ.Ε. & Κατσόγιαννος, Β.Ι., 1998. Έντομα καρποφόρων δένδρων και αμπέλου. Αγροτύπος. 359 σελ. ISBN 960-7667-07 -77


**Διαδίκτυο**


- https://www.ellinikigeorgia.gr/
- https://el.jardineriaon.com/


## ΓΕΝΙΚΑ ΘΕΜΑΤΑ

### Εξαπόλυση στειρωμένων εντόμων για την αντιμετώπιση εντόμων γεωργικής και υγειονομικής σημασίας

### Νέα δεδομένα και προοπτικές (Μέρος 2ο)

**Βιβλιογραφία**


- 1. Ami, E. B., Yuval, B., & Jurkevitch, E. (2010). Manipulation of the microbiota of mass-reared Mediterranean fruit flies *Ceratitis capitata* (Diptera: Tephritidae) improves sterile male sexual performance. The ISME journal, 4 (1), 28-37.
- 2. Ant, T., Koukidou, M., Rempoulakis, P., Gong, H. F., Economopoulos, A., Vontas, J., & Alphey, L. (2012). Control of the olive fruit fly using genetics-




© ΑγροΤύπος

enhanced sterile insect technique. BMC Biology, 10, 51.

– 3. Augustinos AA, Kyritsis GA, Papadopoulos NT, Abd-Alla AMM, Cαceres C, Bourtzis K (2015). Exploitation of the Medfly Gut Microbiota for the Enhancement of Sterile Insect Technique: Use of *Enterobacter* sp. in Larval Diet-Based Probiotic Applications. PLoS ONE, 10 (9), e0136459.

– 4. Azis K, Zerva I, Melidis P, Cαceres C, Bourtzis K, Ntougias S (2019). Biochemical and nutritional characterization of the medfly gut symbiont *Enterobacter* sp. AA26 for its use as probiotics in sterile insect technique applications. BMC Biotechnology, 19 (Suppl 2), 90.

– 5. Balatsos, G., Puggioli, A., Karras, V., Lytra, I., Mastronikolos, G., Carrieri, M., ... & Michaelakis, A. (2021). Reduction in egg fertility of *Aedes albopictus* mosquitoes in Greece following releases of imported sterile males. Insects, 12 (2), 110.

– 6.Balatsos, G., Karras, V., Puggioli, A., Balestrino, F., Bellini, R., Papachristos, D. P., ... & Michaelakis, A. (2024). Sterile Insect Technique (SIT) field trial targeting the suppression of *Aedes albopictus* in Greece. Parasite, 31, 17.

– 7. Behar, A., Jurkevitch, E., & Yuval, B. (2008). Bringing back the fruit into fruit fly–bacteria interactions. Molecular ecology, 17 (5), 1375-1386.

– 8. Bourtzis, K., & Miller, T. A. (Eds.). (2003). Insect symbiosis. CRC press/ Taylor & Francis.

– 9. Bourtzis, K., & Vreysen, M. J. (2021). Sterile insect technique (SIT) and its applications. Insects, 12(7), 638.

– 10. Cai, Z., Yao, Z., Li, Y., Xi, Z., Bourtzis, K., Zhao, Z., ... & Zhang, H. (2018). Intestinal probiotics restore the ecological fitness decline of Bactrocera dorsalis by irradiation. Evolutionary applications, 11(10), 1946-1963.

– 11. Deutscher, A. T., Chapman, T. A., Shuttleworth, L. A., Riegler, M., & Reynolds, O. L. (2019). Tephritid-microbial interactions to enhance fruit fly performance in sterile insect technique programs. BMC microbiology, 19 (Suppl 1), 287.

– 12. Douglas, A. E. (1998). Nutritional interactions in insect-microbial symbioses: aphids and their symbiotic bacteria Buchnera. Annual review of entomology, 43(1), 17-37.

– 13. Douglas, A. E. (2009). The microbial dimension in insect nutritional ecology. Functional Ecology, 23 (1), 38-47.

– 14. Dyck, V. A., Hendrichs, J., & Robinson, A. S. (2021). Sterile insect technique: principles and practice in area-wide integrated pest management (p. 1216). Taylor & Francis.

– 15. Economopoulos, A. P., Avtzis, N., Zervas, G., Tsitsipis, J., Haniotakis, G., Tsiropoulos, G., & Manoukas, A. (1977). Experiments on the control of the olive fly, Dacus oleae (Gmel.), by the combined effect of insecticides and releases of gamma-ray sterilized insects. Zeitschrift für angewandte Entomologie, 83(1-4), 201-215.

– 16. Economopoulos, A. P. (2019). Interview with Aristidis Economopoulos. Fruit Fly News, 39, December 2019. Joint FAO/IAEA Programme of Nuclear Techniques in Food and Agriculture.

– 17. FAO/IAEA. (1997). Entomology Unit 1997 Annual Report. FAO/ IAEA Agriculture and Biotechnology Laboratory, Seibersdorf, Austria, σ. 39–40.

– 18. FAO/IAEA/USDA (2003). Manual for Product Quality Control and Shipping Procedures for Sterile Mass-Reared Tephritid Fruit Flies. Version 5.0. International Atomic Energy Agency, Vienna, Austria.

– 19. Giatropoulos, A., Balatsos, G., Karras, V., Lancelot, R., Bouyer, J., Puggioli, A., ... & Michaelakis, A. (2025). Suppression of the Asian tiger mosquito (*Aedes albopictus*) populations using the boosted sterile insect technique in Greece. Scientific Reports, 15(1), 38738.

– 20. IPPC (2024). ISPM No. 4: Requirements for the establishment of pest free areas. FAO.

– 21. IPPC (2016). ISPM No. 22: Requirements for the establishment of areas of low pest prevalence. FAO.

– 22. Katsoyannos, B. I., Papadopoulos, N. T., Kouloussis, N. A., Heath, R., & Hendrichs, J. (1999a). Method of assessing the fertility of wild *Ceratitis capitata* (Diptera: Tephritidae) females for use in sterile insect technique programs. Journal of Economic Entomology, 92 (3), 590-597.

– 23. Katsoyannos, B. I., Papadopoulos, N. T., Heath, R. R., Hendrichs, J., & Kouloussis, N. A. (1999b). Evaluation of synthetic food-based attractants for female Mediterranean fruit flies (Dipt., Tephritidae) in McPhail type traps. Journal of Applied Entomology, 123(10), 607-612.

– 24. Katsoyannos, B. I., Heath, R. R., Papadopoulos, N. T., Epsky, N. D., & Hendrichs, J. (1999c). Field evaluation of Mediterranean fruit fly (Diptera: Tephritidae) female selective attractants for use in monitoring programs. Journal of Economic Entomology, 92(3), 583-589.

– 25. Katsoyannos, B. I., Papadopoulos, N. T., Hendrichs, J., & Wornoayporn, V. (1999d). Comparative response to citrus foliage and citrus fruit odour by wild and mass-reared sterile Mediterranean fruit fly males of a genetic sexing strain. Journal of Applied Entomology, 123(3), 139-143.

– 26. Kouloussis, N., Katsoyannos, B., Papadopoulos, N., Ioannou, C. & Iliadis, I. (2013). Enhanced mating competitiveness of *Ceratitis capitata* males following exposure to citrus compounds. Journal of Applied Entomology, 137, 30–38.

– 27. Kyritsis, G. A., Augustinos, A. A., Cαceres, C., & Bourtzis, K. (2017). Medfly gut microbiota and enhancement of the sterile insect technique: similarities and differences of *Klebsiella oxytoca* and *Enterobacter* sp. AA26 probiotics during the larval and adult stages of the VIENNA 8D53+ genetic sexing strain. Frontiers in Microbiology, 8, 2064.

– 28. Kyritsis, G. A., Augustinos, A. A., Ntougias, S., Papadopoulos, N. T., Bourtzis, K., & Cαceres, C. (2019). *Enterobacter* sp. AA26 gut symbiont as a protein source for Mediterranean fruit fly mass-rearing and sterile insect technique applications. BMC microbiology, 19 (Suppl 1), 288.

– 29. Mastronikolos, G. D., Kapranas, A., Balatsos, G. K., Ioannou, C., Papachristos, D. P., Milonas, P. G., ... & Papadopoulos, N. T. (2022). Quality control methods for *Aedes albopictus* sterile male transportation. Insects, 13 (2), 179.

– 30. Oliva, C. F., Benedict, M. Q., Collins, C. M., Baldet, T., Bellini, R., Bossin, H., ... & Gouagna, L. C. (2021). Sterile Insect Technique (SIT) against Aedes species mosquitoes: A roadmap and good practice framework for designing, implementing and evaluating pilot field trials. Insects, 12(3), 191.

– 31. Παπαδόπουλος, Β., & Οικονομόπουλος, Α. Π. (1997). Διασπορά και επιβίωση των αρσενικών του στελέχους γενετικού διαχωρισμού Τ(Υ;5)1-61 της μύγας Μεσογείου, *Ceratitis capitata* (Wiedemann) (Diptera: Tephritidae), στην κοιλάδα του Φόδελε (Βόρεια Κεντρική Κρήτη). Πρακτικά ΣΤ΄ Πανελλήνιου Εντομολογικού Συνεδρίου, σ. 110.

– 32. Papadopoulos NT, Katsoyannos BI, Kouloussis NA & Hendrichs J (2001) Effect of orange peel substances on mating competitiveness of male Ceratitis capitata. Entomologia experimentalis et applicata 99:

253–261.

– 33. Pereira, R., Yuval, B., Liedo, P., Teal, P. E. A., Shelly, T. E., McInnis, D. O., & Hendrichs, J. (2013). Improving sterile male performance in support of programmes integrating the sterile insect technique against fruit flies. Journal of Applied Entomology, 137, 178-190.
– 34. Shelly, T. E., & McInnis, D. O. (2001). Exposure to ginger root oil enhances mating success of irradiated, mass-reared males of Mediterranean fruit fly (Diptera: Tephritidae). Journal of economic entomology, 94 (6), 1413-1418.
– 35. Stefopoulou, A., LaDeau, S. L., Syrigou, N., Balatsos, G., Karras, V., Lytra, I., ... & Michaelakis, A. (2021). Knowledge, attitude, and practices survey in Greece before the implementation of sterile insect technique against *Aedes albopictus*. Insects, 12(3), 212.
– 36. Teal, P. E. A., Gomez-Simuta, Y., Dueben, B. D., Holler, T. C., & Olson, S. (2007). Improving the efficacy of the sterile insect technique for fruit flies by incorporation of hormone and dietary supplements into adult holding protocols. In Area-wide control of insect pests: from research to field implementation (pp. 163-173). Dordrecht: Springer Netherlands.
– 37. Yuval, B., Kaspi, R., Field, S. A., Blay, S., & Taylor, P. (2002). Effects of post-teneral nutrition on reproductive success of male Mediterranean fruit flies (Diptera: Tephritidae). Florida Entomologist, 85(1), 165-170. ■


© ΑγροΤύπος